



A Joint Project With

The Colonial Williamsburg
Foundation

September 2000

INTRODUCTION

Plants are the major component of any garden, and it is paramount to understanding the history of gardens and gardening to know the history of plants. For those interested in the garden history of the American south, the provenance of plants in our gardens is a continuing challenge. A number of years ago the Southern Garden History Society set out to create a ‘southern plant list’ featuring the dates of introduction of plants into horticulture in the South. This proved to be a daunting task, as the date of introduction of a plant into gardens along the eastern seaboard of the Middle Atlantic States was different than the date of introduction along the Gulf Coast, or the Southern Highlands. To complicate matters, a plant native to the Mississippi River valley might be brought in to a New Orleans gardens many years before it found its way into a Virginia garden.

A more logical project seemed to be to assemble a broad array plant lists, with lists from each geographic region and across the spectrum of time. The project’s purpose is to bring together in one place a base of information, a data base, if you will, that will allow those interested in old gardens to determine the plants available and popular in the different regions at certain times. This manual is the fruition of a joint undertaking between the Southern Garden History Society and the Colonial Williamsburg Foundation.

In choosing lists to be included, I have been rather ruthless in expecting that the lists be specific to a place and a time. Some lists are more specific than others, as an example, the Bernard McMahon lists of 1802 and 1806 are a nurseryman’s seed list, an exhaustive list of every seed he had available and every seed that he thought he could obtain for resale. While we know that McMahon in Philadelphia sold seeds in the South, we do not know if a specific garden had which plants. Having considered that, it is important to know that these seeds were available in 1802 and 1806. It is also interesting to ponder varieties in the 1802 list that didn’t make it into the 1806 list, and vice versa.

Peter Hatch from Charlottesville supplied a number of 18th and 19th century nurserymen’s advertisements from Virginia newspapers. It stands to reason that nurserymen were advertising the most popular plants and those varieties in which they had the best supply. Likewise George Stritikus from Montgomery has ferreted out a number of lists of plants from herbariums and scrapbooks that, while being rather modest, suggests what was planted in the gardens of mid-19th century Alabama.

For whatever purposes you study these plant lists, it is equally important to note those plants that are not listed as well as those that are. As an example, William Bryd II from Charles City County, Virginia, listed numerous fruits, vegetables and herbs, but the list of flowers was very short indeed. Is it possible that in 1736, edibles were more important in the garden than flowers?

While this group of lists provides that information to some degree, a leap of faith is sometimes required. This is the first edition of what I trust will become a volume that is regularly ‘updated’ with newly uncovered data from all across the South and from all eras.

Beginning on the next page is a searchable chart of the fifty plants lists. The lists are very individualistic, some are extensive nursery lists, others roses grown in a specific gardens, and others simply a list of flowers. Each is important in its own right. Using the chart is quite simple; if you’re interested in 18th century flowers, choose the dates from the left side of the chart and follow the heading for annuals, biennials and perennials to select the lists with the most promise.

I trust that you will find these lists helpful. In time, when additional lists are available, I’m hopeful that we can have in a searchable, digital database for those computer literate researchers amongst us.

Gordon W. Chappell, Editor
Southern Plant Lists

Williamsburg, Virginia
September 2000

Page	Date	State	List Name	Trees	Shrubs	Vines	Annuals	Biennials	Perennials	Roses	Vegetables	Herbs	Fruits	Greenhouse
1	1734-1746	Virginia	Custis and Collinson											
6	1736	Virginia	William Byrd II											
13	1755	Virginia	William Smith											
15	1759	North Carolina	Brother Lung											
16	1753-1772	North Carolina	Brother August Schubert											
18	1763	Virginia	Thomas Sorsby											
19	1767-1821	Virginia	Thomas Jefferson											
45	1784-1792	Virginia	St. George Tucker											
47	1786	Pennsylvania	Peter Crouwells											
49	1790	Maryland	William Faris											
52	1792	Virginia	Minton Collins											
54	1793	Virginia	Minton Collins											
57	1793	Virginia	Lady Jean Skipwith											
65	1797	Virginia	A. Adams											
66	1798	Virginia	Stratchan and Maury											
67	1799	Virginia	George French											
68	1800	Virginia	George French											
72	1800	South Carolina	Governor Henry Middleton											

Page	Date	State	List Name	Trees	Shrubs	Vines	Annuals	Biennials	Perennials	Roses	Vegetables	Herbs	Fruits	Greenhouse
74	1800	South Carolina	Henry Middleton											
78	1802	Pennsylvania	Bernard McMahon											
99	1803	Virginia	Joseph Davenport											
100	1804	Virginia	Samuel Bailey											
101	1806	Pennsylvania	Bernard McMahon											
117	1810	Maryland	William Booth											
161	1822	New York	Hull and Bowne											
163	1825	Maryland	Sinclair and Moore											
171	1826	Virginia	Owens and Leckie											
176	1827	Alabama	Magnolia Grove											
178	1828	North Carolina	Mrs. Tripp											
179	1830-1858	Alabama	Caroline Frances Smith											
181	1832	Georgia	Thomas F. Hazzard											
183	1836-1837	Mississippi	John C. Jenkins											
188	1844-1859	Arkansas	Jacob Smith											
200	1844-1875	Arkansas	Hannah Knight											
202	1853	Alabama	Betty Roper											
205	1857	Alabama	Henry Watson											

Page	Date	State	List Name	Trees	Shrubs	Vines	Annuals	Biennials	Perennials	Roses	Vegetables	Herbs	Fruits	Greenhouse
207	1858	Alabama	Fannie A. Nelms											
211	1858		C. C. Langdon											
222	1859		Gowrie Plantation											
223	1860		Thomas Affleck											
226	1860		Montgomery Nurseries											
227	1873-1874		Langdon Nursery											
232	1879-1884		Mary S. Patterson											
235	1885		Lavinia C. Roberts											
237	1890		Catherine Cole											
239	1909		Chase Nursery											
241	1921		Rosemont Gardens											
243	1921-1947		Dumbarton Oaks											
253	1923		Fraser Nurseries											
257	1931		Goodwood Plantation											

Brothers of the Spade

Correspondence of Peter Collinson, of London, and John Custis, of Williamsburg, Virginia, 1734-1746

By E. G. Swemm, Director Emeritus, William and Mary College

Published by the American Antiquarian Society, Worcester, Massachusetts, 1949

John Custis (1678-1749) was a prominent citizen of Williamsburg with an apparently most impressive garden. John Bartram, the Philadelphia naturalist and botanist, commented to Peter Collinson that Custis' garden was second only to that of John Clayton, the English born Virginia naturalist of Gloucester County. Peter Collinson (1694-1768) was a wealthy English Quaker woolen merchant. He maintained an extensive correspondence with American naturalists, especially John Bartram. His famous garden at Mill Hill contained many American plants, many he obtained from both Bartram and Custis. Custis' correspondence with Collinson, the subject of Swemm's *Brothers of the Spade*, depicts both the joys and trials experienced by early gardeners in their exchange of plants across the Atlantic. List submitted by Peter Hatch.

Plants sent to Collinson by Custis

Botanical Name	Common Name	Date	Custis's Notes
? <i>Arachis hypogaea</i>	peanut	1736	"Angola peas the pea grows in the ground"
<i>Ariseama triphyllum</i>	Jack-in-the-pulpit	1744	"Arum or Cuckow point, Lords & Ladys, Skunk Weed or skunk Wort, Indian Turnips"
? <i>Asclepias tuberosa</i>	butterfly weed	1736/7	"Mountain or Orange [Clove?] Flower, Dogs Bane, Apocinon"
<i>Asimina triloba</i>	pawpaw	1743/4	papa, papaw
<i>Canna indica</i>	Indian-shot	1735	"Indian frill, Cana Indica or Wild Plaintain or Bonana"
<i>Carya sp.</i>		1735	"Hickerys"
<i>Castanea pumila</i>	chinquapin	PC 1735	"chinkapins"
<i>Cercis canadensis</i>		1735	"red bud"
<i>Chionanthus virginicus</i>		1735	"Fringe Tree"
<i>Cornus florida</i>		1735	"Dogwood Tree"
<i>Cornus florida rubra</i>		1736/7	"Red flowering Dogwood," "peach colour'd dogwood"
<i>Cucumis melo</i>		1738	"sweet smelling Mellon"
<i>Cucumis sativus</i>		1738/9	"long cucumber"
<i>Curcurbita pepo melopepo</i>		1741	"Bush squash that does not Run & Ramble, eating squash"
<i>Cypripedium acaule</i> or <i>Orchis spectabilis</i>	pink lady slipper or showy orchid	1736/7	"Red [or?] White Moccasin flower"
<i>Delphinium exalatum</i> or <i>D. tricorn</i>		1737/8	"Wild Larkspur"
<i>Diospyros virginiana</i>		1735	"persimmons or Indian plumb"
<i>Gillenia stipulata</i> or <i>G. trifoliata</i>		1736/7	"Ipacacuana"
<i>Gleditsia triacanthos</i>		1735	"sweet locust pods," "Locus," "Honey Locust"
<i>Ilex vomitoria</i>	yaupon holly	1735	"yoppon or Carolina tea," "cassenna"

<i>Iris verna or versicolor</i>		1735	"Indian iris"
? <i>Kalmia angustifolia</i>	sheep laurel	1735	"laurells,"[?]
<i>Kalmia latifolia</i> or <i>K. angustifolia</i>	mountain laurel or sheep laurel	1735	"ivy"
<i>Lagenaria siceraria</i>	"pretty little gourd"	1741	"Little pear or snuffbox Gourd,"
<i>Liquidambar styraciflua</i>		1738	"sweet Gum"
<i>Liriodendron tulipifera</i>		1738	"Flowering poplar or Tulip Tree," "poplar"
? <i>Magnolia grandiflora</i>	southern magnolia	1735	"laurells"
<i>Magnolia tripetala</i>	Umbrella Magnolia	1737	"Umbrella," "umbrella tree"
<i>Magnolia virginiana</i>	sweet bay magnolia	1736/7	"sweet White Flowering swamp Bay," "swamp flowering Bay smaller sort [of magnolia that] grows with You in the Swamps," "sweet flowering bay" [?]
<i>Mertensia virginica</i>	Virginia blue-bells	1734	"mountain cowslip"
<i>Morus alba</i>		1736	"white Mulberry"
<i>Myrica cerifera</i>	wax myrtle	1741	"candle myrtill berries"
<i>Oenothera biennis</i>	Virginia evening Primrose	1737/8	"anagra," "Virginia Tree primerose"
<i>Oxydendron arboreum</i>	sourwood	1736	"sorrellTree"
<i>Panicum maximum</i> or <i>Sorghum bicolor</i>		1742/3	"Guinea Corn"
<i>Passiflora incarnata</i> and/or <i>P. lutea</i>		1737/8	"Passion flower 2 sorts," "Virginia passion flower"
<i>Physalis</i> sp.		1739/40	"Ground Cherry"
<i>Polygonia senega</i>	Seneca snakeroot	1736/7	"Rattle Snake Root"
<i>Prunus americana</i> or <i>P. angustifolia</i>	American or Chickasaw plum	1742/3	"your Wild Scarlet plum"
<i>Prunus Persica</i>		1738/9	"peaches"
<i>Prunus serotina</i>		1739	"wild cherry"
<i>Quercus phellos</i>		1736/7	"narrow or Willow Leafed Okes"
<i>Quercus virginiana</i>		1736/7	"live oak acorns"
<i>Rhus typhina</i>	staghorn sumach	1738	"sumach that produced Tufts of a Very Bright scarlet," "Shomake"
<i>Sanguinaria canadensis</i>	bloodroot	1735	"pocoone," "pecoone"
<i>Sassafras albidum</i>		1737/8	"Sarsifrax," "sassafras"
<i>Taxodium distichum</i>	bald cypress	1736/7	"swamp Cypress Cones or Balls"
<i>Viburnum prunifolium</i>	"Black Haws"	1737/8	
<i>Yucca filamentosa</i>		1735	"silk Grass"
<i>Zanthoxylum americanum</i>		1736	"Toothache Tree"
<i>Zea mays</i>		1741	"Rair Ripe or Early Ripe Indian Corn"
UNIDENTIFIED:			
"laurells"		[1735]	possibilities: <i>Magnolia grandiflora</i> , <i>Kalmia</i> , <i>Prunus caroliniana</i>
"pearl tree"		[1735]	
"pellitory"		[1742/3]	Ptelea trifoliata?

Plants sent to Custis by Collinson

Botanical Name	Common Name	Date	Collinson's Notes
<i>Abies alba</i>		1738	"silver fir"
<i>Abies sp.</i>		1741	"gilded firs ... which are natives of the Alps"
<i>Aesculus hippocastanum</i>		1734	"horse chestnuts"
<i>Alcea rosea</i>		1735	"Hollihocks"
<i>Allium neapolitanum</i>	lily leek	1737	"white moley"
<i>Amaranthus tricolor</i>	Joseph's coat	1742/3	"Amaranthus Tricolor"
<i>Arbutus unedo</i>		1737	"strawberry tree," "Arbutus"
<i>Asphodeline lutea</i>		1737	"yellow asphodel," "yellow asphodill"
<i>Asphodelus albus</i>		1739/40	"white Asphodills"
<i>Brassica oleracea</i>		1736	"cabbage"
<i>Buxus sempervirens</i> cv.		1736	"striped box"
<i>Callistephus chinensis</i>		1736	"China Aster"
<i>Cedrus libani</i>		1735	"Cedar of Lebanon"
<i>Celosia cristata</i>		1738	"tall coxcombs"
<i>Chamaecyparis thyoides</i>		1739	"white cedr"
<i>Citrullus lanatus</i>		1736	"Astrican Water Mellon"
<i>Convallaria majalis</i>		1738	"lilly of the valley"
<i>Cucumis melo</i>		1736	"Affrican Mellon," "Calmuc Mellon with fruite 2 feet long," "Italian Melon," "Muscovy Mellon 3 sorts," "Sir Charles Wagers Melon," "musk mellon"
<i>Cucumis sativus</i>		1736	"Muscovy Cucumber," "cucumber," "long cucumber"
<i>Cupressus sempervirens</i>		1735	"cypress"
<i>Cyclamen sp.</i>		1739/40	"Cyclamens"
<i>Cyclamen coum</i>		1742/3	"spring cyclamen"
<i>Dianthus chinensis</i>		1738	"Double Flowering China or India pink," "India pinks"
<i>Dictamnus albus</i>	gas plant	1742/3	"White Fraxinelloes"
<i>Dictamnus albus</i> 'rubra'		1742/3	"Red Fraxinelloes"
<i>Digitalis purpurea</i>		1738	"rose colored foxglove"
<i>Digitalis purpurea</i> 'alba'		1737	"flatt?] stalk full of white long hollow blossoms," "White Fox Glove"
<i>Echinops sphaerocephalus</i> or <i>E. ritro</i>		1738	"globe [thistle?]"
<i>Eranthis hyemalis</i>		1739/40	"spring Acconite"
<i>Fragaria chiloensis</i>		1736	"Chili strawberry"
<i>Fragaria vesca</i>	hautboy strawberry	1736	"Houtboye"
<i>Fritillaria imperialis</i>	crown imperial lily	1739	"orange colord"
<i>Fritillaria imperialis</i> lutea		1737	"yellow ones," "lemon colord crown imperial"
<i>Fritillaria imperialis</i> cv.		1738	"striped"
<i>Gomphrena globosa</i>	globe amaranth	1737	"Amarantheodes," "Amaranthoides"
<i>Helichrysum orientale</i>		1736	"yellow everlasting flower"
<i>Hesperis matronalis</i> cv.	dame's rocket	1735	"Double Rockketts," "white double rocketts"

<i>Hibiscus syriacus</i>	rose-of-Sharon	1736	"althea"
<i>Ilex aquifolium</i> cvs.		1738	"[gilded?] hollys," "silver holly," "gold holly"
<i>Ilex aquifolium</i> "Ferox"		1736	"Hedge Hog Holley"
<i>Jasminum sambac</i>		1738	"Arabian jessamins"
<i>Juniperus communis</i>		1735	"juniper berries"
<i>Laburnum anagyroides</i>	golden chain-tree	1735	"laburnum"
<i>Larix decidua</i>		1736	"larch tree"
<i>Laurus nobilis</i>	English laurel	1736/7	"Bay Berries," "bays"
<i>Lavandula stoechas</i>	French lavender	1735	"crysanthamum arabian stecus," "stecos" "fiery lily"
? <i>Lilium bulbiferum</i> or <i>chalcodonicum</i>		1742/3	
? <i>Lilium martagon</i> or <i>chalcodonicum</i>	martagon lily?	1739	"red," "scarlet," "sorts of martigons"
<i>Lilium</i> sp.		1736	"striped Lilly's"
<i>Lonicera</i> sp.		1740	"honey suckles"
<i>Lonicera</i> sp.		1735	"double honeysuckles"
<i>Lonicera periclymenum</i> <i>belgica</i>	Dutch Woodbine	1740	"dutch [honeysuckles]"
<i>Lycopersicon lycopersicon</i>	tomato	1742/3	"Apples of Love," "Tamiata"
<i>Malus pumila</i> var. <i>paradisiaca</i>	paradise apple	1736	"dwarf apple trees [?] stocks"
<i>Morus nigra</i>		1738	"black mulberry"
<i>Nerine sarniensis</i>		1736	"Gurnsey Lillies"
<i>Nicotiana</i> sp.	tobacco	1736	"tob: seed"
<i>Phaseolus</i> sp.		1737	"beans"
<i>Phlomis tuberosa</i>		1736	"Spanish sage trees"
<i>Phoenix dactylifera</i>		1735	"Dates"
<i>Picea abies</i>	Norway spruce	1742/3	"spruce Firr"
<i>Picea</i> sp.		1738	"Spruces"
<i>Pinus cembra</i>	Swiss stone pine	1738	"stone pines," "Siberian Cedars"
<i>Pistacia vera</i>		1735	"Pistacioes Nutts, "Pistacios," "Pistacia"
<i>Pisum sativum</i>		1737	"peas"
<i>Polianthes tuberosa</i>		1735	"Tuberorse," "Italian Tuberoses"
<i>Polygonum orientale</i>	prince's feather	1736/7	"Oriental Persicary"
<i>Primula</i> x <i>poliantha</i>		1736	"polyanthus"
<i>Prunus dulcis</i> cvs.		1734	almonds: "green shell," "brown shell, "cornell," "soft shell," "hardshell," "thin sheld"
<i>Prunus insititia</i>	damson plum	1736/7	"Bullice," "Damosins"
<i>Prunus padus</i> or <i>Cornus mas</i>	European bird cherry or Cornelian cherry	1738	"cluster cherry"
<i>Prunus persica</i> cvs.		1737	"best peaches, "variety of peaches"
<i>Prunus persica</i> 'Catherine'		1740	"Catherine," "Katherine peach"
<i>Prunus persica</i> cr.		1734	"Double Blossome peach"
<i>Prunus persica</i> 'Nutmeg'		1736/7	"Nutmeg peach"
<i>Prunus persica nucipersica</i>		1737	"Nectarines"
<i>Prunus</i> sp.		1735	"chery seeds"
<i>Prunus spinosa</i>	blackthorn plum	1736/7	"Sloes"
<i>Pulmonaria officinalis</i>	lungwort	1735	"Jerusalem Cowslip"
<i>Quercus suber</i>	cork oak	1736-37	"Evergreen Oke whose Bark is the Cork wee use for Bottles"
<i>Quercus ilex</i>	holly oak	1736/7	"Italian Evergreen Okes"
<i>Ranunculus asiaticus</i>	Persian ranunculus	1741	"ranunculus"
<i>Ranunculus ficaria</i>		1737	"double yellow pile Wort"
<i>Rhamnus cathartica</i>		1742/3	"Buck thorn"
<i>Ribes sativum</i>		1738	"White Dutch""White Currants,"

<i>Rosa centifolia muscosa</i>	1740	"dutch white currant bushes"
<i>Rosa x damascene</i> var.	1740	"Moss province"
<i>Rosa x damascene versicolor</i>	1742/3	"monthly rose"
<i>Rosa foetida</i>	Austrian briar rose	"York & Lancaster Rose"
? <i>Rosa gallica versicolor</i>	Rosa Mundi	"yellow rose"
? <i>Rosa gallica</i>		"moonday rose"
<i>Rosa x hemisphaerica</i>		"red rose"
<i>Scilla peruviana</i>	1737	"yellow province rose," "double yellow rose," "other yellow rose"
<i>Spartium junceum</i>	1736	"Blew & White Hyacinth of peru"
<i>Sternbergia lutea</i>	1739-40	"Spanish Broome"
		"Autumn Narciss with a yellow Crocus Like flower"
<i>Syringa vulgaris</i>	1737	"lilacks" [other than "pale blew"]
<i>Syringa persica</i>	1738	"persian lilack, "persian lilock"
<i>Tulipa</i> crs.	1735	"Double Tulips," "tulips," "early tulips"
<i>Vigna unguiculata</i>	1736	"Italian beans," "black eyed indian peas"
<i>Vitis vinifera</i>	1736	"grape seeds," "Vines," "White Grape"
 UNIDENTIFIED:		
"mountain flax"	[1742]	Swemmm says snakeroot but JC requests this as a medicinal plant he believes to be very common in England
"Oriental [?], plant of paradise"	[1744]	
Spanish sage trees	[1736]	Phlomis tuberosa ?
"syringa[?] Laurells	[1741] [1736]	listed among bulbs ? "which I [JC] had very plenty of before" Magnolia grandiflora, Laurus nobilis, Prunus (Lauroceraus) caroliniana?
"The name of the flower white on one side red on the other"		Possibly Asphodelus albus -- white w/brown bracts
"Drassenis"	1741]	Swemmm indexes as "Dracaena" scilla?
"small bulbous roots like hyacinths"	[1736]	

William Byrd II (1674-1744)

Like his father, Colonel William Byrd, Byrd was a wealthy Virginia planter on his inherited plantation Westover, on the James River in Charles City County, Virginia. He served as a member, and later president, of the Governor's Council, as did his father. His library was one of the finest of his time in America. He recorded his observations on natural history as well as life in colonial Virginia. *William Byrd's Natural History of Virginia* is available in a translation by Richard Croom Beatty and William J. Mulloy from a German edition printed in 1737 (Dietz Press, Richmond, 1940).

The following are the plants Byrd listed c.1736:

CROPS

Flax
Cotton
Silk grass
Turkish or Indian Corn
Maize
Wheat
Rye
Barley
Oats
Corn
 Summer
 Winter
Rice
 White
 Red
Buckwheat
Guinea corn
Broad beans
French beans (small beans)
Indian beans (dwarf beans)
Peas, European
 Heartpeas (Ronceval)
 Bonaveria (Calavance-'Nanticokes')

POT HERBS

Cabbage
 White
 Red
Turnips
Carrots
Beets
Cabbage
 Savoy
 Curled red

Cauliflower
Chives
Artichokes
Radish
Horseradish
Potatoes
Truffles
Parsnips
Shumack
 chapacour
 puccons
 musquaspen
 “Tockawaigh”
Garlic
 White
 Red
Spinach
 Round
 Prickly
Fennel
Sea fennel
Rhubarb
 Cultivated
 Wild
Sorrel
Cress
Mustard
Parsley
Asparagus
 White
 Red
Melons
Watermelons
Fragrant melons
Guinea
Golden
Orange
Green
Cucumbers
Pumpkins
Cashaws
Burmillions
Simnals
Horns
Squash

FIELD AND POT-HERBS

Marjoram
Rosemary
Camomiles
Melissa
Wormwood
Ox-tongue
Angelica

Borage
Burnet
Clary
Marigold
Columbine
Savory
Bachelor's buttons
Cat-thyme
Poplars
Yarrow
Dragonwort
Hyssop
Lavender
Brazil cabbage
Cardo bennet spoonwort
Tobacco
Dill
Coriander, anise
Plantain
Elemampane
Nettles
Wood mint
Asters
Poppy seed
Worm seed
Mother-wort
Beyment
Jamestown grass
Houseleek
Vervain
Hart's tongue
Nightshade
Yarrow
Mullen
Agrimony
Centaury
Scabiosa
John's wort
Maiden hair
Juniper
Soldanella
Dillany
Terbil
Mechoacan
Sarsaparilla

FLOWERS IN VIRGINIA

Carnations
Roses
Violets
Tricolor
Princess feather
Fritillary
Cardinal flowers

Sunflowers
Tulips
Moccasin flower
Tulip tree
Jasmine
Yellow
White
Locusts
Laurel tree
Wild apple tree

TREES, WHICH GROW IN THE WOODS

Chestnut oak
Red oak
Spanish oak
White oak
Black oak
Bastard oak
White iron-oak
Indian chicken-oak
Willow oak
Water oak
Green liveoak
Ash
Elms, two species
Tulip tree
Birches
Sassafras
Laurel trees
Dogwood
Wild apple tree
Sweet gum tree
White gum tree
Black gum tree
Scarletcolored snakewood
Bay tree
Red cedar
White cedar
Cypress tree
Hollow tree
Locust tree
Sorrel tree
Fir tree
Pitch pine
Almond tree
Hickory tree
White hickory
Red hickory
Brown hickory
Chincapin
Common maple tree
Willow
Egyptian fig tree
Glass wort tree

Prickly ash
Chestnut tree
Poison vine
Bamboo
Palmetto
Grape vines
Cluster grapes
Red cluster grapes
Fox grapes
 winter
 summer
Summer grapes
Winter grapes
Persimmon
Cherry tree
Hazel nuts
Mulberry, Common Red
Mulberry, red
Mulberry, white
Sugar maple
Spanish pepper tree
Papaw tree
Wild figs
Wild plums
Raspberry bushes
Blackberries
Huckle-berries
Winter currant tree
Bermuda curants
Bilberries
Cranberries
Strawberries
Myrtle berries
Eglantine berries
Jamestown plant
Fragrant tulip-bearing
laurel tree
Wild fragrant apple tree
Gall apple
Camellia tree
Red hawthorn
Black hawthorn
Safflower
Fragrant laurel tree
Indigo
Hops

**TREES, WHICH ARE CULTIVATED, AND GROW IN THE ORCHARDS, WHICH
ONE HAS BROUGHT THERE FROM ENGLAND AND OTHER PLACES IN
EUROPE**

Apples
 Golden russet
 Summer pearmain
 Winter pearmain

Fall harvest apple
Winter queening
Lader-goller
Juntin' apple
Golden pippin
Carpendich
Red streaks
Jungferen
Long-stem apple
Red apple
Kabapffel
Green apple
French rennets

PEARS AND QUINCES

Pears

Sugar
Bergamont
Catherine
Warden
Summer bon chretien
Egg-shaped pear
Herren-Bieren
Grass-Bieren
Pomerantzen-Bieren
Feigen-Bieren
Winter Bon chretien
Citronen-Bieren
Roth-Bieren
Frauen Bieren
Gold-Bieren
Madeira pear
Pond pears
Musk pear

Quince

Indian
Spanish
Portuguese
Barbary
Brunswickian

ALL SORTS OF STONE FRUITS

Peaches

Plum peach
Nectarine peach

Apricot tree

Plums

Wild plums

Fig trees

Cherry trees

White
Red

Black
Mulberry trees
Currants
Raspberries
 European
 Indian
Cowberries
 European
 Indian
 Red
 White
 Black
Strawberries
Nut trees
 English
 French
 Italian
 Spanish
 Madeiran
 Indian nut tree
Hazel nut
Grape vines
Almonds
Pomegranates
Coffee trees
Tea trees

Virginia Gazette

Williamsburg, September 26, 1755

To be SOLD, by William Smith, at his Nursery,
in Surry County, the following Fruit Trees, viz.

Hugh's Crab	[<i>Malus pumila</i> , 'Hewes' Crab or Hewes' Virginia Crab]
Bray's White Apple	
Newton Pippin	
Golden Pippin	
French Pippin	
Dutch Pippin	
Clark's Pearmain	
Royal Pearmain	
Baker's Pearmain	
Lone's Pearmain	
Father Abraham	
Harrison's Red	
Ruffin's large Cheese Apple	
Baker's Nonsuch	
Ludwell's Seedling	
Golden Russet	
Nonpareil	
May Apple	
Summer Codling	
Winter Codling	
Gillefe's Cyder Apple	
Green Gage Plum	[<i>Prunus domestica</i> 'Green Gage']
Bonum Magnum Plum	[<i>Magnum Bonum</i>]
Orleans Plum	
Imperial Plum	
Damascene Plum	[<i>P. damascena</i>]
May Pear	[<i>Pyrus communis</i> 'May']
Holt's Sugar Pear	
Autumn Bergamot Pear	
Summer Pear	
Winter Bergamot	
Orange Bergamot	
Mount Sir John	
Pound Pear	
Burr de Roy	[Beurre' de Roi]
Black Heart Cherry	[<i>Prunus avium</i>]
May Duke Cherry	[<i>P. avium</i> × <i>cerasus</i>]
John Edmond's Nonsuch Cherry	
White Heart Cherry	[<i>P. avium</i>]
Carnation Cherry	[<i>P. cerasus</i>]
Kentish Cherry	[<i>P. cerasus</i>]
Marrello, Cherry	[English Morello, <i>P. cerasus</i> var. <i>austera</i>]
Double Blossom Cherry	[<i>Prunus</i> cv.]
Double Blossom Peaches	[<i>Prunus persica</i> <i>rosea plena</i>]

Filberts Red and White

[*Corylus avellana*]

The Subscriber lives very near to Col. *Ruffin's* in *Surry* County; Letters directed to me, and forwarded to Col. *Ruffin's* or to Mr. *Robert Lyon's* in Williamsburg, will speedily come to my hands. Gentlemen who are pleased to favor me with their Orders may depend on having them punctually observed, by
Their humble Servant, *William Smith*

“Old World gardens in the New World: the gardens of the Moravian settlement of Bethabara in North Carolina, 1753-72”

by Flora Ann L. Bynum, *Journal of Garden History*, 16/2 (1996), 70-86

The Upland Garden at Bethabara, laid out and planted by Bro. Lung, May 1, 1759 featured the following.

Botanical Name	Common Name
<i>Allium cepa</i>	Onions
<i>Allium sativum</i>	Garlic
<i>Anthriscus cerefolium</i>	Kerbel (possibly chervil)
<i>Apium graveolens, var. dulce</i>	Celery
<i>Armoracia rusticana</i>	Horseradish
[<i>Cochlearia armoracia</i>]	
<i>Asparagus officinalis</i>	Asparagus
<i>Beta vulgaris</i>	Mangolds (beets)
<i>Brassica oleracea, Botrytis group</i>	Cauliflower
<i>Brassica oleracea, Capitata group</i>	Cabbage
<i>Brassica oleracea, Gongylodes group</i>	Kohlrabi
<i>Capsicum annuum, Longum group</i>	Spanish pepper; Chili and red
<i>Cochlearia officinalis</i>	Spoonwort, scurvy grass
<i>Cornus sanguinea</i>	Dogwood (blood-twigs or European)
<i>Cucumis melo, Reticulatus group</i>	Melons
<i>Cydonia oblonga</i>	Quince
<i>Daucus carota var. sativus</i>	Carrots
<i>Dianthus caryophyllus</i> or <i>D. plumarius</i> hy.	Cloves
<i>Humulus lupulus</i>	Hops
<i>Lactuca sativa</i>	Lettuce
<i>Lepidium sativum</i>	Cress
<i>Narcissus pseudonarcissus</i>	Daffodils
<i>Origanum majorana</i>	Marjoram
[<i>Majorana hortensis</i>]	
<i>P. crispum, var. tuberosum</i>	Turnip-rooted parsley, Hamburg parsley
<i>Pastinaca sativa</i>	Parsnips
<i>Petroselinum crispum</i>	Parsley, curly
<i>Phaseolus vulgaris</i>	Black beans
<i>Pisum sativum var. sativum</i>	Sweet peas
<i>Raphanus sativus</i>	Radish
<i>Ribes uva-crispa</i>	Gooseberries
[<i>R. grossularia</i>]	
<i>Spinacia oleracea</i>	Spinach
<i>Syringa vulgaris</i>	Lilacs
<i>Thymus vulgaris</i>	Thyme
<i>Tropaeolum majus, T. minus</i>	Nasturtium 'Kaper'
<i>Valerianella locusta</i>	Field salad or corn salad
[<i>V. olitoria</i>]	

“Old World gardens in the New World: the gardens of the Moravian settlement of Bethabara in North Carolina, 1753-72”

by Flora Ann L. Bynum, *Journal of Garden History*, 16/2 (1996), 70-86

Brother August Schubert, June 23, 1761 in the Kitchen Garden, the Lane and the Hops garden planted the following in the Hortus Medicus at Bethabara.

<i>Achillea millefolium</i>	Yarrow
<i>Althaea officinalis</i>	Marshmallow
<i>Anethum graveolens</i>	Dill
<i>Angelica archangelica</i>	Angelica
[<i>A. officinalis</i>]	
<i>Aquilegia vulgaris</i>	Columbine
<i>Artemisia abrotanum</i>	Southernwood
<i>Artemisia absinthium</i>	Wormwood
<i>Artemisia maritima</i>	Wormseed, old-woman
<i>Artemisia vulgaris</i>	Mugwort
<i>Bellis perennis</i>	Daisy, probably English daisy
<i>Borago officinalis</i>	Borage
<i>Carthamus tinctorius</i>	Safflower, wild saffron
<i>Carum carvi</i>	Caraway
<i>Centaurium erythraea</i>	Common centaury
[<i>C. minus</i> , <i>C. umbellatum</i>]	
<i>Chamaemelum nobile</i>	Roman chamomile
[<i>Anthemis nobilis</i>]	
<i>Chamaemelum sp.</i>	Red chamomile
<i>Chrysanthemum vulgare</i>	Tansy
<i>Citrus medica</i>	Citrus, true citron
<i>Cnicus benedictus</i>	Blessed thistle
[<i>Carduus benedictus</i>]	
<i>Cochlearia officinalis</i>	Scurvy grass
<i>Consolida regalis</i>	Larkspur
[<i>Delphinium consolida</i>]	
<i>Coriandrum sativum</i>	Coriander
<i>Cucumis melo</i>	Melons, mushmelons
<i>Cucumis sativus</i>	Cucumbers
<i>Foeniculum vulgare</i>	Fennel
<i>Fumaria officinalis</i>	Fumitory
<i>Hyssopus officinalis</i>	Hyssop
<i>Inula helenium</i>	Elecampane
<i>Lathyrus odoratus</i>	Spanish vetch, possibly sweet peas
<i>Lavandula angustifolia</i>	Lavender
[<i>L. officinalis</i> , <i>L. vera</i> , <i>L. spica</i>]	
<i>Levisticum officinale</i>	Lovage
<i>Lilium album</i>	White or Madonna lily
<i>Matricaria recutita</i>	Wild chamomile
[<i>M. chamomilla</i>]	
<i>Melilotus officinalis</i>	Sweet clover, melilot

<i>Melissa officinalis</i>	Balm
<i>Mentha aquatica var. crispa</i>	Curly Mint
<i>Nigella sativa</i>	Fennel flower
<i>Ocimum basilicum</i>	Sweet basil
<i>Origanum majorana</i>	Sweet marjoram
<i>[Majorana hortensis]</i>	
<i>Papaver rhoes</i>	Poppy, red, field, or corn
<i>Papaver somniferum</i>	Poppy, white or opium
<i>Petroselinum crispum</i>	Curly parsley
<i>Pimpinella anisum</i>	Anise
<i>Plantago minor</i>	Plantain
<i>Pulmonaria officinalis</i>	Lungwort
<i>Rheum rhabarbarum</i>	Rhubarb
<i>[R. rhaponticum]</i>	
<i>Rosa alba</i>	White rose
<i>Rosa canina</i>	Dog rose
<i>Rosa gallica</i>	Roses, red and white
<i>Rosa officinalis</i>	Apothecary's rose
<i>Rumex acetosa</i>	Sorrell
<i>Ruta graveolens</i>	Rue
<i>Salvia hormium</i>	Hormium
<i>Salvia officinalis</i>	Sage
<i>Scabiosa atropurpurea</i>	Scabiosa
<i>Scorzonera hispanica</i>	Scorzonera
<i>Silybum marianum</i>	St Mary's thistle
<i>[Carduus Marianus]</i>	
<i>Smyrnium perfoliatum</i>	Alexanders
<i>Stachys officinalis</i>	Betony
<i>[Betonica officinalis]</i>	
<i>Symphytum officinale</i>	Comfrey
<i>Tragopogon porrifolium</i>	Salsify
<i>Tropaeolum majus or T. minus</i>	Spanish cress, nasturtium
<i>Viola odorata</i>	Violet

Virginia Gazette

Williamsburg, Virginia, November 4, 1763

To be SOLD by THOMAS SORSBY,
Near Cabin Point, in Surry County,
SUNDRY kinds of the choicest

And best APPLE TREES, viz.

Best cheese apple	[<i>Malus pumila</i> 'Cheese']
long stems	
Pamunkey	
Eppes	
Newtown pippins	
Bray's white apples	
Clark's pearmains,	
Lightfoot's Father Abrahams	
Sorsby's Father Abrahams	
Lightfoot's Hughes	
Sorsby's Hughes	
Ellis's Hughes	
New-York Yellow apples	
Golden russeteens	
Westbrook's Sammons's	
horse apples	
royal pearmains	
a choice red apple	
best May apples	
Sally Gray's apple	
Old England apple	
green apple	
Harvey's apple	
peach trees	[<i>Prunus persica</i>]
cherry trees	[<i>Prunus avium</i> and <i>cerasus</i>]

Thomas Jefferson's Plant List From His Garden Book, 1767-1821

Dates refer to first mention of a plant in Jefferson's documents, which include Thomas Jefferson's Garden Book, edited by Edwin Betts, 1944, unpublished memoranda at the Massachusetts Historical Society, the Library of Congress and Princeton University Library.

Quotation marks designate varieties undescribed in the literature and are generally Jefferson's personal names. The list is organized into Herbaceous Ornamentals, Ornamental Trees, Ornamental Shrubs and Vines, Roses, Fruits, Vegetables and Kitchen Herbs. Compiled and submitted by Peter Hatch.

HERBACEOUS ORNAMENTALS

<i>Alcea rosea</i>	Hollyhock	1767
<i>Amaranthus caudatus</i>	Love-lies-bleeding	@1800
<i>Amaranthus hybridus</i>	Prince's Feather	1767
<i>Amaranthus tricolor</i>	Joseph's Coat	1786
<i>Amaryllis belladonna</i>	Belladonna lily	1812
<i>Anemone coronaria</i>	Poppy Anemone	1807
<i>Anemone pulsatilla</i>	Pasque flower	1771
<i>Anthoxanthum odoratum</i>	Sweet-scented Grass	1807
<i>Antirrhinum majus</i>	Snapdragon	1771
<i>Aquilegia canadensis</i>	Native Columbine	@1800
<i>Argemone mexicana</i>	Prickly Poppy	1767
<i>Belamcanda chinensis</i>	Blackberry Lily	1807
<i>Bellis perennis</i>	English Daisy	1771
<i>Calendula officinalis</i>	Calendula	1767
<i>Campanula medium</i>	Canterbury Bells	1812
<i>Celosia cristata</i>	Cockscomb	1767
<i>Centaurea cyanus</i>	Cornflower	@1800
<i>Centaurea macrocephala</i>		1812
<i>Chasmanthe aethiopica</i>		1812
<i>Cheiranthus cheiri</i>	Wallflower	1806
<i>Chimaphila maculata</i>	Spotted Wintergreen	@1800
<i>Consolida orientalis</i>	Larkspur	1767
<i>Convallaria majalis</i>	Lily of the Valley	1771
<i>Crocus angustifolia</i>	Cloth of Gold Crocus	1812
<i>Crocus sativus</i>	Saffron Crocus	1807
<i>Crocus vernus</i>	Spring Crocus	1812

<i>Cypripedium acaule</i>	Pink Lady Slipper	@1800
<i>Cypripedium calceolus</i>	Yellow Lady Slipper	1791
<i>Delphinium exaltatum</i>	American Larkspur	1811
<i>Dianthus barbatus</i>	Sweet William	1767
<i>Dianthus caryophyllus</i>	Carnation	1807
<i>Dianthus chinensis</i>	China Pink	1807
<i>Dictamnus albus</i>	Gas Plant	1807
<i>Dionaea muscipula</i>	Venus's Fly Trap	1786
<i>Fritillaria imperialis</i>	Crown Imperial Lily	1786
<i>Fritillaria pudica</i>	Yellow Fritillary	1807
<i>Galanthus nivalis</i>	Snowdrop	1808
<i>Gladiolus communis</i>	Gladiolus	1812
<i>Glaucium flavum</i>	Yellow horn Poppy	1807
<i>Gomphrena globosa</i>	Globe Amaranth	1767
<i>Hedysarum coronarium</i>	French Honeysuckle	1786
<i>Helianthus divaricatus</i>	Wild Sunflower	1771
<i>Heliotropium arborescens</i>	Heliotrope	1786
<i>Hemerocallis lilioasphodelus</i>	Lemon Lily	@1820
<i>Hexaglottis longifolia</i>		1812
<i>Hyacinthus orientalis</i>	Hyacinth	1766
<i>Hypoxis hirsuta</i>	Yellow Stargrass	1800
<i>Impatiens balsamina</i>	Balsam	1767
<i>Ipomoea quamoclit</i>	Cypress Vine	1791
<i>Iris germanica</i>	German Iris	1771
<i>Iris persica</i>	Persian Iris	1812
<i>Iris pseudoacorus</i>	Fleur de lis Iris	1767
<i>Iris sp.</i>		
"Highland"		@1820
"Madeira"		@1820
<i>Iris xiphium</i>	Spanish Iris	1812
<i>Jeffersonia diphylla</i>	Twinleaf	1807
<i>Lathyrus latifolius</i>	Perennial Pea	1771
<i>Lathyrus odoratus</i>	Sweet Pea	1771
<i>Lavatera olbia</i>	Tree Lavatera	1807
<i>Lavatera thuringiaca</i>	Lavatera	1807
<i>Lilium canadense</i>	Canadian Lily	1786
<i>Lilium candidum</i>	Madonna Lily	1782

<i>Lilium chalcedonicum</i>	Scarlet Turk's Cap Lilly	1782
<i>Lilium superbum</i>	Turk's Cap Lily	1809
<i>Lobelia cardinalis</i>	Cardinal Flower	1807
<i>Lunaria annua</i>	Money Plant	1767
? <i>Lupinus texensis</i>	Texas Bluebonnet	1807
<i>Lycnis chalcedonica</i>	Maltese Cross	1807
<i>Malva sylvestris</i>	French Mallow	@1800
<i>Matthiola incana</i>	Stock	1771
<i>Mertensia virginica</i>	Virginia Bluebell	@1800
<i>Mesembryanthemum crystallinum</i>	Ice Plant	1808
<i>Mimosa pudica</i>	Sensitive Plant	1767
<i>Mirabilis jalapa</i>	Four O'clock	1767
<i>Mirabilis longiflora</i>	Sweet Four O'clock	1812
<i>Momordica balsamina</i>	Balsam Apple	1812
<i>Muscati comosum</i>	Tasseled Hyacinth	1767
<i>Muscati comosum</i> var. <i>monstrosum</i>	Feathered Hyacinth	1767
<i>Narcissus</i> sp.	Daffodil	1782
"double <i>Polyanthus</i>		@1820
"double <i>jonquil</i> "		@1820
"single <i>jonquil</i> "		@1820
<i>Nigella sativa</i>	Nutmeg Plant	1810
<i>Paeonia officinalis</i>	Peony	1771
<i>Papaver rhoeas</i>	Corn Poppy	1807
<i>Papaver somniferum</i>	Opium Poppy	1812
<i>Pelargonium inquinans</i>	Geranium	1808
<i>Pentapetes phoenicia</i>	Scarlet Pentapetes	1811
<i>Physalis alkekengi</i>	Chinese Lantern	1807
<i>Polygonatum peltatum</i>	Mayapple	@1800
<i>Polianthes tuberosa</i>	Tuberose	1807
<i>Primula auricula</i>	Auricula	1812
<i>Primula X polyantha</i>	Polyanthus Primrose	1812
<i>Primula vulgaris</i>	Primrose	1771
<i>Ranunculus asiaticus</i>	Persian Buttercup	1807
<i>Reseda odorata</i>	Mignonette	1786
<i>Saponaria officinalis</i>	Soapwort	@1800
? <i>Scabiosa atropurpurea</i>	"Mourning Bride"	1811

<i>Sisyrinchium angustifolia</i>	Blue-eye Grass	@1800
<i>Solanum pseudocapsicum</i>	Jerusalem Cherry	1808
<i>Sprekelia formosissima</i>	Jacobeans Lily	1807
<i>Swertia caroliniensis</i>	American Colombo	1810
<i>Tagetes erecta</i>	African Marigold	1810
<i>Tagetes patula</i>	French Marigold	1808
<i>Tritonia hyalina</i>		1812
<i>Trollius europaeus</i>	Globeflower	1771
<i>Tropaeolum majus</i>	Nasturtium	1774
<i>Tulipa</i> sp.	Tulip	1782
<i>Verbesina encelioides</i>	Golden Crownbeard	1811
<i>Viola</i> sp.	Violets	1767
<i>Viola tricolor</i>	Johnny-jump-up	1767
<i>Watsonia meriana</i>	Bugle Lily	1812
<i>Zephyranthes atamasco</i>	Atamasco Lily	1812

Roses

<i>Rosa X alba</i>	"white Damask," "White Rose"	1791
<i>Rosa centifolia 'Major'</i>	"Large Provence"	1791
<i>Rosa centifolia var. muscosa</i>	'Communis' "Moss Provence"	1791
<i>Rosa cinnamomea</i>	Cinnamon Rose	1791
<i>Rosa damascena 'Bifera'</i>	("montly") Autumn Damask	1791
<i>Rosa eglanteria</i>	Sweetbriar	1771
<i>Rosa foetida 'Lutea'</i>	("Yellow Rose") Austrian Yellow	1791
<i>Rosa gallica 'Versicolor'</i>	"rosa mundi"	1791
<i>Rosa laevigata</i>	Cherokee	1804
<i>Rosa moschata</i>	Musk	1791
<i>Rosa officinalis</i>	"Crimson dwarf rose"	1792
<i>Rosa pendulina</i>	"Thornless rose"	1791
<i>Rosa spinosissima</i>	("Primrose") Scotch hedge Rose	1791
? <i>Rosa</i> sp.	"black rose"	1808
? <i>Rosa</i> sp.	"multiflora"	1819

Ornamental Shrubs and Vines

<i>Acacia farnesiana</i>	Sweet Acacia ("Acacia Nilotica")	1792
<i>Alnus rugosa</i>	Alder	1771
<i>Amorpha fruticosa</i>	Bastard Indigo	1771
<i>Berberis vulgaris</i>	European Barberry	1771
<i>Callicarpa americana</i>	Beauty Berry	1771
<i>Calycanthus floridus</i>	Sweet Shrub ("Bubby flower shrub")	1778
<i>Campsis radicans</i>	Trumpet Vine	1771
<i>Castanea pumila</i>	Chinquapin	1771
<i>Ceanothus americanus</i>	New Jersey Tea	1771
<i>Clematis virginiana</i>	Virgin's Bower	1807
<i>Clethra alnifolia</i>	Sweet Pepperbush	1771
<i>Colutea arborescens</i>	Bladder Senna	1812
<i>Cornus sanguinea</i>	Swamp Dogwood ("Dogberry")	1783
<i>Coronilla emerus</i>	Scorpion Senna	1771
<i>Cotinus coggygria</i>	Smoke Tree ("Venetian Sumach")	1791
<i>Cytisus scoparius</i>	Scotch Broom	1806
<i>Daphne cneorum</i>	Rose Daphne	1790
<i>Daphne mezereum</i>	"Mezereon"	1804
<i>Euonymus americanus</i>	Strawberry Bush ("Evergreen Spindle Tree")	1790
<i>Gardenia jasminoides</i>	Gardenia ("Cape jasmine")	1808
<i>Gelsemium sempervirens</i>	Carolina Yellow Jessamine	1771
<i>Hibiscus syriacus</i>	Rose of Sharon ("Althea")	1767
"double"		1809
"pink"		1809
"striped"		1809
"white"		1809
<i>Ilex verticillata</i>	Winterberry	1808
<i>Jasminum officinale</i>	Poet's Jessamine ("Star Jasmine," "White Jasmine")	1794
<i>Kalmia latifolia</i>	Mountain Laurel ("Ivy," "Dwarf Laurel")	1771
<i>Ligustrum vulgare</i>	Privet	1807
<i>Lonicera alpigena</i>	Red-berried Honeysuckle	1810

<i>Lonicera sempervirens</i>	Coral Honeysuckle ("Honey-suckle")	1771
<i>Nerium oleander</i>	Oleander	1804
<i>Philadelphus coronarius</i>	Mock Orange	1807
<i>Prunus triloba</i>	Flowering Almond ("Amygdalus flore pleno")	1790
<i>Pyracantha coccinea</i>	Pyracantha ("Prickly medlar," "Mespilus")	1810
<i>Pyrularia pubera</i>	Buffalo Nut ("Oil shrub")	1797
<i>Rhododendron maximum</i>	Rosebay Rhododendron	1790
<i>Rhododendron periclymenoides</i>	Pinxter Azalea ("Wild honeysuckle")	1767
<i>Rhus toxicodendron</i>	Poison Ivy ("Poison oak")	1771
<i>Robinia hispida</i>	Moss Locust ("Prickly locust")	1807
<i>Sambucus canadensis</i>	Elderberry	1771
<i>Spartium junceum</i>	Spanish Broom	1767
<i>Symporicarpus albus</i>	Snowberry	1812
<i>Syringa persica</i>	Persian Lilac ("Persian jasmine")	1808
<i>Syringa vulgaris</i>	Common Lilac	1767
<i>Taxus canadensis</i>	American Yew ("Dwarf yew")	1798
<i>Ulex europaeus</i>	Gorse ("Furze")	1794
<i>Viburnum opulus var. sterile</i>	Snowball("Guelder Rose")	1794
<i>Viburnum trilobum</i>	Cranberry Bush	1798
<i>Vinca minor</i>	Periwinkle	1771
<i>Vitex agnus-castus</i>	Chaste Tree	1807
<i>Wisteria frutescens</i>	Wisteria ("Carolina kidney bean Tree with purple flowers")	1791
<i>Yucca filamentosa</i>	Yucca, Adam's Needle	1794

FRUITS

Almond		
<i>Prunus dulcis var. dulcis</i>		
"Almonds from the Streights"		1774
"bitter almonds"		1774
"hardshelled sweet almonds from Cadiz. from Harriet Hackley"		1810
"hard shelled bitter almond"		1774

	"sweet almonds with smooth rinds"	1774
	"sweet almonds with hairy rinds"	1774
	"sweet almonds with hard shells"	1774
	"a Virginian Almond," probably a native nut like the bitternut (<i>Juglans cinerea</i>) or indigenous hazelnut (<i>Corylus americana</i>)	1774
Apple		1774
	<i>Malus pumila</i>	
	Calville Blanc d'Hiver ("Calvite")	1804
	Clarke's Pearmain (possibly syn. Golden Pearmain)	1796
	"Detroit large white" (probably syn. with White Bellflower)	1804
	Detroit Red ("Detroit large red")	1804
	Early Harvest	1791
	English Codlin	1778
	Esopus Spitzenberg	1791
	Golden Wilding	1778
	Hewes's Crab (Hughes, Crab, Virginia Crab)	1796
	"iron wilding"	1810
	"mammoth" (possibly syn. with Gloria Mundi)	1809
	Medlar Russetin	1778
	Newtown Pippin (Albemarle Pippin) "ox-eye striped"	1769
	(?Vandevere or Newtown Spitzenberg)	1804
	Pomme Gris ("pumgray")	1804
	"russetin" (likely Golden Russet or Roxbury Russet)	1778
	Taliaferro	1778
	White, Virginia White, or Bray's White ("white")	1778
Apricot		
	<i>Prunus armeniaca</i>	1769
	Angelica	1804
	"Bordeaux"	1810
	Brussels	1791
	Early Red	1804
	Large Early	1791
	Moor Park ("German")	1791
	"Melon"	1787
	Peach ("peach-apricot")	1804

Cherry

<i>Prunus avium</i> , <i>P. cerasus</i>	1769
August	1783
Black Heart ("forward" and "latter")	1778
Bleeding Heart	1783
"Broadnax"	1773
Carnation	1773
Cornus Mas ("Ciriege corniole")	1774
Early May ("May," <u>Prunus fruticosa</u>)	1767

English Morello ("Myrilla," "large Morella")	1778
"Kentish"	
(Early Richmond and/or Late Kentish)	1778
May Duke ("Duke")	1778
"Tuckahoe grey heart"	1811
White Heart	1778

Currant

<i>Ribes</i> sp.	1770
European Red (<u>Ribes sativum</u>)	1778

Sweet-scented or Buffalo (<u>Ribes odoratum</u>)	1807
Yellow (<u>Ribes aureum</u>)	1807

Fig

<i>Ficus carica</i>	1769
"ancient"	
Angelique ("white Angelic")	1789
"large"	1789
Marseilles ("white")	1789
"purple"	1817

Gooseberry

<i>Ribes uva-crispa</i>	1767
"Red"	1812

Grape

<i>Vitis vinifera</i> ', <i>V. rotundifolia</i> ', <i>V. vulpina</i>	
"Abrostine red" (Colorino?)	1807
"Abrostine white" (Picolit?)	1807
Aleatico	1807

Alexander ("Cape," "Cape of Good Hope grape")	1802
"Black cluster" (Pinot Noir?)	1807
Black Hamburg	1807
Bland	1822
Chasselas Dore ("Chasselas")	1807

Chasselas Rose ("Brick coloured")	1796
Furmint ("Tokay")	1807
"Lachrima Christi" (Tinto di Spagna?)	1807
Luglienga ("Great July")	1807
"Malaga" (Muscat of Alexandria?)	1807
Mammolo Toscano ("Mammole")	1807
Morgiano ("Margiano")	1807
"Muscadine" (Chasselas Blanc?)	1807
Muscat Blanc ("white Frontignac")	1807
Norton's Seedling	1824
"Piedmont malmsey" (Malvasia Bianca?)	1807
Olivette Blanche ("Gallettas")	1807
"Purple Syrian"	1807
Red Hamburg	1807
Regina ("Queen's grape")	1807
Sangiovese ("San Giovetto")	1807
Seralamanna (Muscat of Alexandria?)	1807
Scuppernong	1817
"Smyra grape without seeds"	1807
"Spanish raisins"	1774
"Tocai" or "Tokay" (Tocai Rosso?)	1807
Trebbiano	1807
"White Sweet Water"	1796
Nectarine	
<i>Prunus persica var. nucipersica</i>	1769
"Kaskaskia soft"	1810
Red Roman	1791
Yellow Roman	1791
Peach	
<i>Prunus persica</i>	1771
Alberges	1804
Algiers Yellow	1791
Apple (Pesca mela, "Melon")	1804
"Balyal's white, red, & yellow plumb peaches"	1786
"General Jackson's"	1807
Green Nutmeg	1791
Heath Cling	1813
Indian Blood Cling ("black Georgia plumb peach")	1810
Indian Blood Free ("black soft peaches from Georgia")	1804
"Lady's favorite"	1807

Lemon Cling ("Lemon," "Canada Carolina")	1807
Maddelena	1804
"Magdalene" (either Red Magdalen or White Magdalene)	1806
Malta	1813
"mammoth"	1807
Morris's Red Rareriepe ("Italian red-freestone")	1807
Morris's White Rareriepe ("Italian-White-freestone")	1807
"October," "yellow clingstone of October"	1807
Oldmixon Cling	1807
Oldmixon Free	1807
"plumb"	1772
Poppa di Venere ("Teat," Breast of Venus)	1804
Portugal	1780
San Jacopo (St. James?)	1804
"soft" ("October soft," "November soft," "Timothy Lomax's soft," "large white soft," "fine white soft," "large yellow soft," "early soft," etc.)	1810
Vaga Loggia Cling	1804
Vaga Loggia Free	1804
White blossomed (?)	1810
Pear	
<i>Prunus communis</i>	1769
Beurre Gris	1791
Crassane	1789
"English" ("3 kinds")	1778
"fine late large"	1778
"forward"	1778
Meriwether	1778
Royal	1789
Seckel	1807
"Sugar"	1778
St. Germaine, or Richmond	1807
Virgouleuse	1789
Plum	
<i>Prunus domestica, P. insititia, etc.</i>	
Apricot	1780
Boccon de Re	1804

Brignole	1791
Chickasaw, <u>Prunus angustifolia</u> ("Cherokee")	1812
Cooper's Large	1807
Drap d'Or	1780
Damson ("Damascene")	1778
"Florida" (probably <u>Prunus umbellata</u>)	1814
Green Gage, Reine Claude ("Reginia Claudia")	1783
"Horse" (<u>Prunus americana</u> or Damson, <i>P. insititia</i>)	1778
Imperatrice, Blue Imperatrice	1780
"Large Blue"	1810
"Large white sweet"	1780
Magnum Bonum, Mogul, Yellow Egg, White Imperial	1778
Mirabelle	1804
Muscle	1767
Orleans	1780
Red Imperial	1780
"Regina" (possible Queen Mother, or Damas Violet)	1804
"Purple Prune"	1807
Royal	1780
"Small green plum"	1778
White Imperial	1780
Pomegranate	
<i>Punica granatum</i>	1769
Quince	
<i>Cydonia oblonga</i>	1769
Strawberry	
<i>Fragaria</i> sp.	1766
Alpine (<i>Fragaria vesca</i>)	1774
Chili (<i>F. chiloensis</i>)	1798
Hudson (<i>F. x ananassa</i> ?)	1812
"large garden" ("Fragoloni di giardino")	1774
"May" ("Fragoloni Mazzese")	1774
Scarlet (<i>F. virginiana</i>)	1766
"White" (<i>F. vesca</i> or <i>F. moschata</i>)	1782
Raspberry	
<i>Rubus idaeus</i>	1770
"Common"	1811
"Monthly"	1809

"Mountain" (<i>Rubus strigosus</i>)	1821
Red Antwerp	1790
White Antwerp	1807

Ornamental Trees

<i>Abies alba</i>	Silver Fir	1812
<i>Abies balsamea</i>	Balsam Fir ("Balm of Gilead Fir")	1783
<i>Acer pseudoplatanus</i>	Sycamore Maple	1796
<i>Acer rubrum</i>	Red Maple ("Scarlet")	1790
<i>Acer saccharum</i>	Sugar Maple	1791
<i>Acer tataricum</i>	Tatarian Maple	1810
<i>Aesculus hippocastanum</i>	European Horsechestnut	1771
<i>Aesculus octandra</i>	"Yellow horse chestnut"	1798
<i>Aesculus parviflora</i>	Red Buckeye	1798
<i>Albizia julibrissin</i>	Mimosa ("Chinese silk tree")	1805
<i>Amelanchier canadensis</i>	Shadblow ("Service Tree")	1804
<i>Arbutus unedo</i>	Strawberry Tree	1778
<i>Artocarpus altilis</i>	Breadfruit Tree	1797
<i>Asimina triloba</i>	Paw Paw	1783
<i>Broussonetia papyrifera</i>	Paper Mulberry ("Otaheite")	1806
<i>Carpinus caroliniana</i>	Ironwood	1808
<i>Carya illinoiensis</i>	Pecan	1790
<i>Carya laciniosa</i>	Shelbark Hickory	1809
<i>Carya ovata</i>	Shagbark Hickory	1786
<i>Carya sp.</i>	Gloucester Hickory, Osage Hickory	1807
<i>Castanea dentata</i>	American Chestnut	1773
<i>Castanea sativa</i>	European Chestnut ("Marronier")	1773
<i>Catalpa bignonioides</i>	Catalpa ("Carolina Kidney bean tree")	1771
<i>Cedrus libani</i>	Cedar of Lebanon	1807
<i>Ceratonia siliqua</i>	Carob Tree	1790
<i>Cercis canadensis</i>	Redbud ("Judas Tree")	1771
<i>Chamaecyparis thyoides</i>	White Cedar ("Cupressus sempervirens")	1783
<i>Chionanthus virginicus</i>	Fringe Tree ("Snowdrop Tree," "Venetian Sumach")	1791
<i>Citrus aurantifolia</i>	Lime	1809
<i>Citrus aurantium</i>	Sour Orange	1778
<i>Cornus florida</i>	Flowering Dogwood	1771

<i>Cornus mas</i>	Cornelian Cherry ("Ciriege corniole")	1774
<i>Corylus americana</i>	Hazelnut	1771
<i>Corylus avellana</i>	European Hazelnut ("Filbert")	1774
<i>Crataegus crus-galli</i>	Cockspur Hawthorn	1771
<i>Crataegus laevigata</i>	English Hawthorn ("Thorn from Algiers")	1811
<i>Crataegus phaenopyrum</i>	Washington Hawthorn	1804
<i>Diospyros virginiana</i>	Persimmon	1783
<i>Euonymus europaea</i>	Spindle Tree	1804
<i>Fagus grandifolia</i>	American Beech	1771
<i>Fagus sylvatica var. 'atropunicea'</i>	Copper Beech ("Purple Beech")	1807
<i>Firmiana simplex</i>	Chinese Parasol Tree	1808
<i>Fraxinus americana</i>	White Ash	1804
<i>Fraxinus excelsior</i>	European Ash	1812
<i>Ginkgo biloba</i>	Ginkgo	1806
<i>Gleditsia triacanthos</i>	Honeylocust ("Kentucky Locust")	1783
<i>Gymnocladus dioica</i>	Kentucky Coffee Tree	1783
<i>Halesia carolina</i>	Carolina Silverbell	1817
<i>Ilex aquifolium</i>	English Holly	1771
<i>Ilex opaca</i>	American Holly	1772
<i>Ilex vomitoria</i>	Yaupon Holly ("Cassine")	1771
<i>Juglans nigra</i>	Black Walnut	1767
<i>Juglans regia</i>	European Walnut ("Madeira Walnut")	1791
<i>Juniperus virginiana</i>	Red Cedar	1771
<i>Koelreuteria paniculata</i>	Golden-rain Tree	1809
<i>Laburnum anagyroides</i>	Golden-chain Tree	1807
<i>Larix decidua</i>	European Larch ("Italian larch")	1784
<i>Liriodendron tulipifera</i>	Tulip Poplar	1783
<i>Maclura pomifera</i>	Osage Orange ("Bow wood")	1804
<i>Magnolia acuminata</i>	Cucumber Magnolia	1806
<i>Magnolia grandiflora</i>	Southern Magnolia	1791
<i>Magnolia tripetala</i>	Umbrella Magnolia ("Umbrella")	1767
<i>Magnolia virginiana</i>	Sweet Bay Magnolia ("Swamp Laurel")	1790
<i>Malus coronaria</i>	Wild Sweet Crab	1778
<i>Malus sylvestris</i>	European Crab	1812
<i>Melia azedarach</i>	Chinaberry ("Pride of China," "Bead tree")	1778

<i>Morus alba</i>	White Mulberry	1771
<i>Morus nigra</i>	Black Mulberry	1816
<i>Morus rubra</i>	Red Mulberry	1791
<i>Myroxylon balsamum var. pereirae</i>	Balsam of Peru	1791
<i>Olea europaea</i>	Olive	1774
<i>Picea abies</i>	Norway Spruce ("Norway fir")	1798
<i>Picea glauca</i>	White Spruce ("Large silver fir")	1791
<i>Picea mariana</i>	Black Spruce ("Newfoundland fir")	1783
<i>Pinus rigida</i>	Pitch Pine	1807
<i>Pinus strobus</i>	White Pine ("Weymouth Pine")	1804
<i>Pinus sylvestris</i>	Scots Pine	1798
<i>Platanus acerifolia</i>	London Plane	1812
<i>Platanus occidentalis</i>	Sycamore	1790
<i>Populus balsamifera</i>	Balsam Poplar ("Tacamahac")	1791
<i>Populus deltoides</i>	Cottonwood ("Cotton tree")	1805
<i>Populus × gileadensis</i>	Balm of Gilead	1794
<i>Populus nigra var. italica</i>	Lombardy Poplar	1793
<i>Populus tremula</i>	European Poplar ("Monticello aspen")	1789
<i>Populus tremuloides</i>	Aspen	1778
<i>Prunus avium</i>	Sweet Cherry	1808
<i>Prunus cerasus</i>	Sour Cherry ("dwarf cherry")	1771
<i>Prunus persica</i>	Flowering Peach	1783
<i>Prunus virginiana</i>	Wild Black Cherry ("Choak cherry")	1790
<i>Quercus coccifera</i>	Kermes Oak ("Prickly Kermes")	1807
<i>Quercus ilicifolia</i>	Bear Oak ("Dwarf oak")	1806
<i>Quercus phellos</i>	Willow Oak	1794
<i>Quercus robur</i>	English Oak	1812
<i>Quercus suber</i>	Cork Oak	1790
<i>Robinia pseudoacacia</i>	Black Locust ("Common locust")	1771
<i>Robinia viscosa</i>	Red Locust	1808
<i>Salix alba var. vitellina</i>	Yellow Willow	1790
<i>Salix babylonica</i>	Weeping Willow	1794
<i>Sassafras albidum</i>	Sassafras	1783
<i>Sorbus aucuparia</i>	European Mountain Ash	1790
<i>Taxus baccata</i>	English Yew	1808
<i>Thuja occidentalis</i>	Arborvitae	1783

<i>Thuja orientalis</i>	Chinese Arborvitae	1783
<i>Tilia americana</i>	Basswood	1783
<i>Tsuga canadensis</i>	Canadian Hemlock ("Hemlock Spruce")	1790
<i>Ulmus americana</i>	American Elm	1790
<i>Ulmus procera</i>	European elm	1812
<i>Viburnum prunifolium</i>	Black Haw	1771
<i>Virgilia capensis</i>		1822
<i>Zanthoxylum americanum</i>	Prickly Ash	1807
<i>Zizyphus jujuba</i>	Common Jujube	1809

KITCHEN HERBS

<i>Pimpinella anisum</i>	Anise	@1820
<i>Ocimum basilicum</i>	Basil	@1820
<i>Carum carvi</i>	Caraway	@1820
<i>Chamaemelum nobile</i>	Chamomile	1794
<i>Coriandrum sativum</i>	Coriander	@1820
<i>Hyssopus officinalis</i>	Hyssop	1794
<i>Lavandula angustifolia</i>	Lavender	1794
<i>Melissa officinalis</i>	Lemon Balm	1794
<i>Origanum vulgare</i>	Marjoram, Pot	@1820
<i>Origanum Majorana</i>	Marjoram, Sweet	1794
<i>Althea officinalis</i>	Marshmallow	1794
<i>Mentha sp.</i>	Mint	1794
<i>Rosmarinus officinalis</i>	Rosemary	1794
<i>Ruta graveolens</i>	Rue	1794
<i>Salvia officinalis</i>	Sage	1794
<i>Satureja hortensis</i>	Savory, Summer	@1820
<i>Satureja montana</i>	Savory, Winter	1820
<i>Artemisia abrotanum</i>	Southernwood	1794
<i>Tanacetum vulgare</i>	Tansy	1794
<i>Artemisia Dracunculus var. sativa</i>	Tarragon, French	1806
<i>Thymus vulgaris</i>	Thyme	1794
<i>Artemisia Absinthium</i>	Wormwood	1794

Vegetables

Artichoke, Globe	1794
<i>Cynara Scolymus</i>	1808

Green	1808
Red	
Artichoke, Jerusalem	1794
<i>Helianthus tuberosa</i>	
(<i>"Topinambours"</i>)	1767
Asparagus	1807
"Cooper's Pale Green"	1804
"East India"	
Bean (6 species)	
<i>Asparagus Bean</i>	
Vigna unguiculata	1809
ssp. <i>sesquipedalis</i>	
<i>Broad Bean</i>	1774
Vicia faba	1794
Early Mazagan (<i>"Mazareen"</i>)	1794
Horse	1774
Windsor	
<i>Caracalla</i>	1792
Vigna caracalla	
<i>Garbanzo</i> (<i>"garavance"</i>)	1814
Cicer arietinum	
<i>Green</i>	1774
Phaseolus vulgaris	
"Snaps"	
"Alexander"	1820
Arikara (<i>"Ricara"</i>)	1807
"Bess"	1813
"Blue speckled snap"	1794
"dwarf"	1809
"dwarf beans of Holland"	1786
"forward"	1809
"golden dwarf"	1794
"grey snaps"	1809
"ground snap"	1794
"Italian"	1820
"red snaps"	1809

	"Red speckled snap"	1794
	Refugee ("Switzerland gray")	1786
	"Roman"	1820
	"Tuscan"	1820
	"White snap"	1794
	"yellow snaps"	1809
	"Haricots"	
	"Alleghany"	1794
	"early Sesbon"	1794
	French Kidney ("French dry haricot")	1814
	Friholio ("the red bean called Friholio")	
	"haricots roussatres"	1810
	"hominy"	1812
	"long haricot"	1812
	"Julian"	1786
	"white haricot"	1819
	Wild Goose ("red blossomed kidney bean")	
		1819
	Lima Bean	
	Phaseolus lunatus	1777
	Carolina White	1794
	"large lima"	1815
	Sugar or Bushel	1794
	Scarlet Runner ("Arbor")	
	Phaseolus coccineus	1791
	Beet	
	<i>Beta vulgaris</i>	1774
	"Red"	1774
	"Scarlet"	1809
	"white"	1774
	Black Salsify	
	<i>Scorzonera hispanica</i>	1812
	Broccoli	
	<i>Brassica oleracea</i>	1767

	Black	1824
	Cauliflower, White	1809
	"December"	1824
	"Florence"	1824
	"March"	1824
	"October"	1824
	"Palermo"	1824
	Purple, Early Purple	1809
	Roman (syn/ w/ "Purple"?)	1809
Brussels Sprouts		
	<i>Brassica oleracea</i>	1812
Cabbage		
	<i>Brassica oleracea</i>	1771
	"Aberdeen"	1812
	Battersea	1816
	"Cattle"	1812
	Dwarf Early	1813
	“early”	1807
	"Giant"	1809
	"Large White"	1824
	“May”	1812
	"Neapolitan"	1777
	"purple cabbage from Rome"	1777
	Red	1774
Savoy		
	"Curled Cabbage of Paisinetta"	1824
	"Curled Savoy"	1811
	"Curled Schiane"	1824
	Green-curled	1814
	"Savoy Green"	1812
	Yellow Savoy	1812
Scotch		
	"Spanish" ("Cavol Capuccio Spagnola di Pisa")	1774
Sugarloaf		
Turnip		

	York, Early York	1809
Carrot		
	<i>Daucus carota</i>	1774
	“early”	1812
	“large”	1812
	“orange”	1809
	“yellow”	1811
Cauliflower		
	<i>Brassica oleracea</i>	1767
	Early	1809
Celery		
	<i>Apium graveolens var. dulce</i>	1767
	Red	1809
	Solid	1774
Chives		
	<i>Allium schoenoprasum</i>	1812
Corn Salad		
	<i>Valerianella locusta</i>	1794
Cress		
	<i>Lepidium sativum,</i>	
	<i>Barbarea</i> sp.	1774
	“English”	1794
	“Italian”	1774
	Upland (“mountain”) <i>Barbarea verna</i>	1794
Cucumber		
	<i>Cucumis sativus</i>	1767
	“early”	1794
	“early green”	1812
	“early white”	1812
	“forward”	1794
	Early Frame (“frame”)	1818
	Gherkin <i>Cucumis anguria</i>	1812
	Long Green	1811
	Serpentine (“mammoth”) <i>Trichosanthes anguina</i>	1825
Eggplant (“Melonzoni”)		

<i>Solanum melongena</i>		1809
Prickly		1812
Purple		1812
White		1812
Endive		
<i>Cichorium Endivia</i>		1777
Broad-leaved, "broad"		1794
Green Curled		1809
"smooth"		1809
“winter”		1794
French Sorrel		
<i>Rumex acetosa</i>		1774
Garlic		
<i>Allium sativum</i>		1774
Gourd		
<i>Lagenaria sp. ?</i>		1806
Hop		
<i>Humulus lupulus</i>		1794
Horseradish		
<i>Armoracia rusticana</i>		
Kale		
<i>Brassica oleracea</i>		1809
"Buda"		1809
"Delaware"		1809
"Malta"		1809
"Russian"		1812
"Scotch"		1809
"sprout"		1812
Leek		
<i>Allium porrum</i>		1794
"common"		1812
"flag"		1812
Lettuce		
<i>Lactuca sativa</i>		1767
Brown Dutch ("Dutch brown")		1809

"cabbage"	1794
"Ice"	1809
"Loaf," "White loaf"	1809
"long leaved"	1794
Marseilles	1809
Roman	1804
Silesia	1819
Tennis Ball	1809
"white"	1812
Melon	
<i>Cucumis melo</i>	1774
Cantaloupe	1774
"Cette"	@1812
"Egyptian"	@1812
"Zatte di Massa"	1774
"Chinese"	1809
Citron, <i>Citrullus lanatus</i>	1794
"green"	1794
"Miami"	1811
"Pepone Arancini. di Pistoia"	1774
Persian	1812
Pineapple	1794
"Venice"	1794
"Winter"	1805
Mustard	
<i>Brassica</i> sp.	1777
"Durham"	1812
Red, <i>Brassica nigra</i>	1774
White, <i>Brassica hirta</i>	1794
Nasturtium	
<i>Tropaeolum majus</i>	1774
Okra	
<i>Hibiscus esculentus</i>	1809
Onion	
<i>Allium cepa</i>	1774
Madeira	1778

	Tree, Allium cepa var. viviparum ("hanging")	1809
	White Spanish	1774
Orach		
	<i>Atriplex hortensis</i>	1813
Parsley		
	<i>Petroselinum crispum</i>	1774
	<i>Common, plain-leaved</i>	1809
	<i>Curled ("double")</i>	1774
Parsnip		
	<i>Pastinaca sativa</i>	1774
Pea, Garden		
	<i>Pisum sativum</i>	1767
	"cluster or bunch"	1774
	Charlton (Hotspur)	1768
	"dwarf peas of Holland. for frames"	1786
	"earliest of all"	1767
	Early Pearl (Nonesuch)	1778
	“early”	1794
	"early dwarf"	1794
	"forward"	1774
	"forward peas of Marly"	1786
	"forwardest"	1767
	Frame, Early Frame	1809
	Hotspur	1809
	Leadman's Dwarf (Early Dwarf Sugar?)	1809
	"middling"	1767
	"latest of all," "latter," "latest"	1767
	“Leitch’s pea”	1820
	"Leitch' s frame"	1820
	"Leitch's latter"	1821
	Marrowfat	1773
	“May”	1820
	Prussian Blue ("blue Prussian")	1809
	Spanish Morotto	1768
Pea, Field ("cow," "Crowder")		

<i>Pisum sativum</i> var. <i>arvense</i>		
"African early"		1809
"Albany"		1808
Black-eye		1774
"early"		1809
"French"		1794
"Black Indian"		1794
Crowder, "gray"		1809
"pearl-eye"		1794
"Ravenscroft"		1807
"Ravensworth"		1808
White-eyed		1794
Peanut ("Peendars")		
<i>Arachis hypogaea</i>		1794
Pepper, Bell		
<i>Capsicum annuum</i>		1774
Bullnose		1812
"Major"		1812
Pepper, Cayenne		
<i>Capsicum annuum</i>		1767
Texas Bird, <i>Capsicum annuum</i> var. <i>glabriusculum</i> (" <i>Capsicum Techas</i> ," "minutissimum")		1814
Pepper Grass		
<i>Lepidium sativum</i>		1774
Pumpkin		
<i>Cucurbita pepo</i> var. <i>pepo</i> and <i>C. maxima</i>		1774
"black"		1774
"long pumpkin from Malta"		1809
Potato, <i>C. moschata</i>		1794
"solid pumpkin from S. America"		1809
"white"		1774
Radicchio		
<i>Cichorium intybus</i>		1774
Radish		
<i>Raphanus sativus</i>		1809

"black"	1812
"leather coal"	1824
Oil	1809
"Rose"	1786
"Salmon"	1774
<i>Scarlet, Early Scarlet</i>	1809
"summer"	1809
"violet N.Y."	1817
"White radish. round & forward"	1786
Rape	
<i>Brassica napus</i>	1774
"green"	1794
Rhubarb ("esculent rhubarb")	
<i>Rheum rhabarbarum or Rheum sp.</i>	1809
Rutabaga	
<i>Brassica napus</i>	1795
Salsify	
<i>Tragopogon porrifolius</i>	1774
"Columbian"	1812
"Missouri"	1807
Sea Kale	
<i>Crambe maritima</i>	1809
Sesame	
<i>Sesamum orientale</i>	1808
Shallot	
<i>Allium cepa</i>	1774
Spinach	
<i>Spinacia oleracea</i>	1771
Prickly-seeded ("winter," "prickly")	1809
Smooth-seeded, ("Summer," "Round-leaved")	1809
Squash	
<i>Cucurbita pepo vars. pepo and melopepo</i>	1794
Cymbling	1795
"soft"	1809

	"warted"	1813
	"Cape du Verd"	@1812
	" <i>Cape of Good Hope</i> "	@1812
	" <i>long crooked & warged</i> "	1807
	Summer	@1812
	" <i>Warted</i> "	1809
	"Winter"	1815
	<i>Winter Crooked Neck</i>	@1812
Sweet Potato		
	<i>Ipomoea batatas</i>	1786
Tomato		
	<i>Lycopersicon lycopersicon</i>	1809
	"dwarf"	1817
	"Spanish tomato"	1811
Turnip		
	<i>Brassica rapa</i>	1774
	Early Dutch	1812
	"English"	1794
	"forward" ("Raves hatives")	1786
	" <i>Frazer's new</i> "	1808
	<i>Hanover</i>	1794
	<i>Long French</i>	1809
	“rose” (“Raves conteur de rose”)	1786
	" <i>Summer</i> "	1811
Watermelon		
	<i>Citrullus lanatus</i>	1774
	" <i>Cocomere di Pistoia</i> "	1774
	"Cocomere di seme"	
	Neapolitane"	1774
	"Mexican"	@1820
	" <i>Roman</i> "	1809
	" <i>Savannah</i> "	@1812

Fruit Trees planted by St. George Tucker at Matoax, near Petersburg, Virginia, 1784-1792

Based on notations in St. George Tucker Almanacs, 1784-1789, Tucker-Coleman Papers, Swem Library, College of William and Mary, Williamsburg, Virginia. Submitted by Peter Hatch.

Almonds *[Prunus dulcis var. dulcis]*

Apples *[Malus pumila]*

Cheese
Clarks Pearmains
Doctor
Early Bough
Esopus Spitzburg
[?Gilsies]
Hughes's Crabs
Large Early
Longstems
Newtown Pippin
Old Town Creek Crab
Rhode Island Greening
Royal Wildings
Westfield Seek-No-Further
Yellow Bellflower

Apricots *[Prunus armeniaca]*

Brussels
Early (from Sabine Hall)
Large Early

Cherries *[Prunus avium and cerasus]*

Black Heart
Bleeding Heart
Carnation
Honey
Kentish
May
May Duke
Ox Heart
White Heart

Nectarines *[Prunus persica var. nucipersica]*

Large Green Clingstone
Red Roman

Peaches *[Prunus persica]*

Canada
Early White Cling
Green Catherine

Heath (White Heath)
Large White Clingstone
Large Yellow Clingstone
Newington
November Soft Peach
Nutmeg
Pineapple Clingstone
Red Clingstone
Red Pineapple Clingstone
Small Yellow Soft
White Clingstone
White Soft [freestone]

Pear *[Prunus communis]*
Beurre de Roi
[Brocaus Bergamot
Catherine
[PCuifse madam]
Jargonelle
July
Large Bell
Large summer baking
Large Winter
Lent St. Germaine
Summer Bergamot
Swan's Egg
Virgouleuse

Plums *[Prunus domestica, etc.]*
Apricot
Cherry
Drop d'Or
Green Gage
Jean Hative
Large blue (clingstone)
Orleans
Philan's
Red Imperial
Red Magnum Bonum
Smaller blue (parts from the stone)
Yellow Egg
Saponi
White Magnum Bonum

Virginia Journal and Alexandria Advertiser

Alexandria, April 13, 1786

Peter Crouwells and Co.
Gardeners and Florists, in Philadelphia

Who in have frequently advertised in the Philadelphia newspapers, acquaint the public, that they have for sale here, and extensive variety of the most rare bulbous flowers, roots and seed, which have ever appeared in the country before.

Hyacinths, 600 sorts	[<i>Hyacinthus orientalis</i> <i>cvs.</i>]
Jonquilles, 26 sorts	[<i>Narcissus</i> <i>cvs.</i>]
double narcissus, 40 sorts	[<i>Narcissus</i> <i>cvs.</i>]
tulips, 400 sorts	[<i>Tulipa</i> <i>cvs.</i>]
monthly rose trees of all colors, 30 sorts	[<i>Rosa</i> <i>sp.</i>]
double jessamines, 12 sorts	[? <i>Gelsemium sempervirens</i> <i>cvs.</i> , <i>Jasminum officinale</i> <i>cvs.</i>]
double carnations, 72 sorts	[<i>Dianthus caryophyllus</i> <i>cvs.</i>]
pinks of all sorts	[<i>Dianthus</i> <i>cvs.</i>]
double ranunculus, 400 sorts	[<i>Ranunculus asiaticus</i> <i>cvs.</i>]
double anemones or wind flowers, 600 sorts	[<i>Anemone</i> <i>cvs.</i>]
flower seeds, 300 sorts	
colliflowers of different sorts	[<i>Brassica oleracea</i>]
lettuce, 17 different sorts	[<i>Lactuca sativa</i>].
imperial loaf lettuce	[<i>L. sativa</i> 'Imperial Loaf']
Roman lettuce	[<i>L. sativa</i> 'Roman']
Silesia lettuce	[<i>L. sativa</i> 'Silesia']
spotted Aleppo	[<i>L. sativa</i> 'Spotted Aleppo']
capuchin lettuce	[<i>L. sativa</i>]
Lombardine loaf lettuce	[<i>L. sativa</i> 'Lombardine']
white curled endive	[<i>Cichorium endiva</i> 'White Curled']
green curled endive	[<i>C. endiva</i> 'Green Curled']
broad leaved endive	[<i>C. endiva</i> 'Broad-leaved']
loaf spinach	[<i>Spinacia oleracea</i>]
large new sort of cabbage spinach	[<i>S. oleracea</i>],
double parsley	[<i>Petroselinum crispum</i> var. <i>crispum</i>]
Hamburg parsley	[<i>P. crispum</i> 'Hamburg']
Double pepper grass and cresses	[<i>Lepidium sativum</i>]
Chervil	[<i>Anthriscus cerefolium</i>]
Serfeuil	[?]
salsify sorrel	[?]
Best orange carrot	[<i>Daucus carota</i>]
Red and yellow beets	[<i>Beta vulgaris</i>]
Artichokes	[<i>Cynara scolymus</i>]
Melons	[<i>Cucumis melo</i>]
Cucumbers	[<i>Cucumis sativus</i>]
Asparagus of 4 sorts	[<i>Asparagus officinale</i>]

He has also very elegant artificial flowers and feathers of all colours lately imported from France, suitable for the ladies. Those ladies and gentlemen who want to any of the above articles, will please to apply immediately at his lodgings at Mr. JOHN GRETTER's, King-street, as he intends to set off for Baltimore in a few days. He has a catalogue of the names and colours of all his flowers.

Alexandria, April 6, 1786

William Faris

Plants grown by William Faris in Annapolis in the 1790s. Submitted by Barbara Sarudy.

Flowers

Anemonie	<i>Anemone coronaria</i>
Asters	(China Asters- <i>Callistephus chinensis</i>)
Balsam Apple	<i>Momordica balsamina</i>
Bleeding Heart	<i>Dicentra eximia</i>
Callamus	<i>Acorus calamus</i>
Carnation	<i>Dianthus caryophyllus</i>
Chrysanthemum	<i>Dendranthema indicum</i>
Columbine	<i>Aquilegia vulgaris</i>
Coxcomb	<i>Celosia argentea var. cristata</i>
Crocus	<i>Crocus</i>
Crusula	
Daffodil	<i>Narcissus</i>
Emmy (Emoney)	<i>Anemone coronaria</i>
Flowering Pea	
Fleur-de-Lis	<i>Iris</i>
Geranium	<i>Pelargonium</i>
Globe Amaranthus	<i>Gomphrena globosa</i>
Hollyhocks	<i>Alcea rosea</i>
Hyacinth	<i>Hyacinthus orientalis</i>
Iceplant	<i>Mesembryanthemum crystallinum</i>
Impatiens	<i>Impatiens balsamina</i>
India Pink	<i>Dianthus chinensis</i>
Iris	
Jacobson Lily	<i>Sprekelia formosissima</i> (Jacobin Lilley)
Jasmine	
Jerusalem Cherry	<i>Solanum pseudocapsicum</i>
Job's Tears	<i>Croix lacryma-jobi</i>
Jonquil	<i>Narcissus</i>
Lady in Green	
Lily	
Lily of the Valley	
Marigold	
Mignonette	<i>Reseda odorata</i>
Narcissus	
Nasturtium	<i>Tropaeolum majus</i>
Parson's Pride	
Passion Flower	
Polyanthus	<i>Primula</i>
Poppies	
Primrose	
Reason	
Rose	
Satin Flower	<i>Lunaria annua</i>
Sensitive Plant	<i>Mimosa pudica</i>
Snapdragon	<i>Antirrhinum majus</i>
Commandments	
Tube Rose	<i>Polianthes tuberosa</i>
Tulips	<i>Tulipa gesneriana</i>

Wallflower	<i>Erysimum cheiri</i>
Crown Imperial	<i>Fritillaria imperialis</i>
Tree (persian) tobacco	<i>Nicotiana glauca</i> ?
Indian nutmeg	<i>Nigella saliva</i> ?
Amaranthus tricolo	<i>Amaranthus tricolor</i>
Lylly of St. Jaego	
Sweet Scented Pea	<i>Lathyrus odoratus</i>

Shrubs, trees, vines, grasses

Althea	<i>Hibiscus syriacus</i>
Boxwood	<i>Buxus sempervirens 'Suffruticosa'</i>
Holly Tree	<i>Ilex opaca</i>
Horse Chestnut	<i>Aesculus</i>
Ivy	<i>Hedera helix</i>
Pride of China Tree	<i>Melia azederach</i>
Ribbon Grass	<i>Phalaris arundinacea 'Picta'</i>
Snowball	<i>Viburnum opulus 'Flore Pleno'</i>
Strawberry Tree	<i>Arbutus unedo</i>
Sweet Scented Shrub	<i>Calycanthus</i>
Tallow Tree	<i>Sapium sebiferum</i>
Willow Tree (Golding)	<i>Salix alba var. Vitellina</i>
Wallnutt Tree	<i>Juglans (regia)</i>
Willow Tree	<i>Salix (babylonica)</i>
Laylack bushes	<i>Syringa</i>

Unknown:
Formoso

Vegetables

Roshembola onions (onions of Eagipt)	<i>Allium scorodoprasum</i>
Ocoro	<i>Abelmoschus esculentus</i>
Shallots	<i>Allium ascalonicum</i>
Onions	<i>Allium cepa</i>
Savory	<i>Allium cepa</i>
Leeks	<i>Allium porrum</i>
Garlic	<i>Allium sativum</i>
Horsradish	<i>Armoracia rusticana</i>
Asparagus	<i>Asparagus officinalis</i>
English Lambs Quarter (Orach)	<i>Atriplex hortensis</i>
Beets	<i>Beta vulgaris</i>
Broccoli	<i>Brassica oleracea</i>
Brussel Sprout	<i>Brassica oleracea</i>
Cabbage	<i>Brassica oleracea</i>
Cauliflower	<i>Brassica oleracea</i>
Colewart or Kale	<i>Brassica rapa</i>
Turnip	<i>Brassica rapa</i>
Pepper	<i>Capsicum annuum</i>
Watermelon	<i>Citrullus lanatus</i>
Cantaloupe	<i>Cucumis melo ssp. melo</i>
Mush Mellons	<i>Cucumis melo ssp. melo</i>
Cucumbers	<i>Cucumis sativus</i>
Pumpkin	<i>Cucurbita pepo</i>

Squash (Simlings)	<i>Cucurbita pepo Simlins</i>
Carrots	<i>Daucus carota ssp. sativus</i>
Leetuce	<i>Lactuca sativa</i>
Parsnip	<i>Pastinaca sativa</i>
Beans	<i>Phaseolus</i>
Peas	<i>Pisum sativum</i>
Radish	<i>Raphanus sativus</i>
Egg Plant	<i>Solanum melongena</i>
Spinach	<i>Spinacia oleracea</i>
Nasturtium	<i>Tropaeolum majus</i>
Orris or French spinge or orris lettuce	<i>Valerianella locusta</i>
Bunch beans	<i>Vicia faba</i>
Corn	<i>Zea mays</i>

Unknowns:

Rocambole
Algerian peas ?
Fossmiano corn
Greens

Herbs

Bergamot Balm	<i>Monarda didyma</i> or <i>Monarda fistulosa</i>
Catnip	<i>Nepeta cataria</i>
Ginger	
Horseradish	<i>Armoracia rusticana</i>
Mint	<i>Mentha</i>
Nutmeg (Indian)	<i>Nigella sativa</i>
Parsley	<i>Petroselinum crispum</i>
Pickling Lime	
Cherry Pepper	
Poppy	<i>Papaver</i>
Rosemary	<i>Rosmarinus officinalis</i>
Saffron	<i>Crocus sativus</i>
Sage	<i>Salvia officinalis</i>
Thyme	<i>Thymus</i>
Horseradish	<i>Armoracia rusticana</i>
Common Balm	<i>Melissa officinalis</i>

Fruits and nuts

Apple	<i>Malus sylvestris</i> var. <i>domestica</i>
Cherry	<i>Prunus cerasus</i> var. <i>austere</i>
Gooseberry	<i>Ribes uva-crispa</i>
Mulberry	<i>Morus alba</i>
Pear	<i>Prunus communis</i> var. <i>sativa</i>
Walnut	<i>Juglans regia</i>
Almond	<i>Prunus</i>
Currant	<i>Ribes silvestre</i> 'Macrocarpum'
Grapevines	<i>Vitis</i>
Peach	<i>Prunus persica</i>
Plum Walnut	
Egg plum or magnum bonum plum	<i>Prunus x domestica</i>
black currant	<i>Ribes nigrum</i>

Virginia Gazette and Richmond Daily Advertiser
November 5, 1792

Minton Collins
Richmond, October 15, 1792

JUST IMPORTED,
Garden & Grass Seeds, &c.

MINTON COLLINS, respectfully informs the ladies and gentlemen of Richmond and its vicinity, that he has just received from London, in the ship Bowman, an assortment of the following SEEDS, and an choice collections of FLOWER ROOTS, which are warranted to be of the last summer's growth, and may be had by applying to him at Mr. Richard Denny's store (only) at the west end of the bridge.

Red [clover]	<i>[Trifolium pratense]</i>
white clover	<i>[Trifolium repens]</i> seed
Lucern	<i>[Lucerne, Medicago sativa]</i>
burnet	<i>[Sanguisorba officinalis]</i>
rye grass	<i>[Lolium multiflorum (annual) or L. perenne]</i>
Rape	<i>[Brassica napus]</i>
Canary	<i>[Phalaris canariensis]</i> seed
Early York [cabbage]	<i>[Brassica oleracea 'Early York']</i>
sugar loaf [cabbage]	<i>[B. oleracea 'Sugar Loaf']</i>
Battersea [cabbage]	<i>[B. oleracea 'Battersea']</i>
Scotch [cabbage]	<i>[B. oleracea 'Scotch']</i>
Alnwick [cabbage]	<i>[B. oleracea 'Alnwick']</i>
Madeira [cabbage]	<i>[B. oleracea 'Madeira'] cabbage seed</i>
Broccoli	<i>[B. oleracea]</i>
Cauliflower	<i>[B. oleracea]</i>
Green [lettuce]	<i>[Lactuca sativa 'Green']</i>
white cross [lettuce]	<i>[L. sativa 'White Cross'] lettuce</i>
Large Roman [lettuce]	<i>[L. sativa 'Large Roman']</i>
Mixed [lettuce]	<i>[L. sativa] lettuce</i>
Spanish [onion]	<i>[Allium cepa 'Spanish']</i>
White silver skin'd [onion]	<i>[A. cepa 'Silver-skinned] onion]</i>
Salmon [radish]	<i>[Raphanus sativus 'Salmon']</i>
short top [radish]	<i>[R. sativus 'Short-top']</i>
Turnip [radish]	<i>[R. sativus 'Turnip-rooted'] raddish [radish]</i>
Round [spinach]	<i>[Spinacia oleracea var. inermis]</i>
Prickly [spinach]]	<i>[S. oleracea var. oleracea] spinnage [spinach]</i>

FLOWERS, ROOTS, ETC.

Animonies	<i>[Anemone, Anemone coronaria],</i>
Persian Iris	<i>[Iris persica],</i>
Mixed tulips	<i>[Tulipa cvs.],</i>

Fine large hyacinths	[<i>Hyacinthus orientalis</i> <i>cvs.</i>],
Do. Polianthus narcissus	[<i>Polyanthus Narcissus</i> , <i>Narcissus tazetta</i>],
Do. Double white narcissus	[<i>Narcissus</i> <i>sp.</i>],
Do. mixed ranunculus	[<i>Ranunculus asiaticus</i> <i>cvs.</i>],
Do. Tube roses	[<i>Tuberose</i> , <i>Polianthes tuberosa</i>],
Mixed blue and yellow crocus	[<i>Crocus</i> <i>sp.</i>],
Lillies of the valley	[<i>Convallaria majalis</i>],
Bella-donna lilies	[<i>Amaryllis belladonna</i>],
Widow wall flower	[<i>Cheiranthus cheiri</i>],

Virginia Gazette and Richmond Daily Advertiser

Richmond, January 24, 1793

Garden and Grass Seeds
With a choice collection of Flower Roots, & Seeds,
Just Imported.

MINTON COLLINS, most respectfully informs the ladies and gentlemen of Virginia, that he has just received by the Ships Grand Duke, and Birmingham, from London, a fresh assortment of the following SEED AND FLOWER ROOTS, which he is now selling for real money, at his Seed and Flower store (ONLY) north side of the Main Street, between the post-office, and the bridge; where Country storekeepers may be supplied with an assortment, upon moderate terms.

GRASS SEEDS ETC.

Red Clover,	[<i>Trifolium pratense</i>]
white clover	[<i>Trifolium repens</i>]
Lucern, do.	[<i>Lucerne, Medicago sativa</i>]
Rye-grass, do.	[<i>Lolium multiflorum (annual)</i> or <i>L. perenne</i>]
Burnet, do	[<i>Sanguisorba officinalis</i>]
Rape	[<i>Brassica napus</i>] and
Canary	[<i>Phalaris canariensis</i>]

PEAS & BEANS,

Early Frame pease,	[<i>Pisum sativum 'Early Frame'</i>]
do. Golden hotspur	[<i>P. sativum 'Golden Hotspur'</i>]
do. Charlton	[<i>P. sativum 'Charlton'</i>]
Dwarf Marrofat	[<i>P. sativum 'Dwarf Marrowfat'</i>]
Spanish Moratto	[<i>P. sativum 'Spanish Morotto'</i>]
Large Windsor beans	[<i>Fava Bean, Vicia faba 'Large Windsor'</i>]
Mazagan, do.	[<i>V. faba 'Mazagan'</i>]
Long podded, do.	[<i>V. faba 'Long-podded'</i>]
Canterbury Dwarf	[<i>Kidney Bean, Phaseolus vulgaris 'Canterbury Dwarf'</i>]
Snap, do.	[<i>P. vulgaris</i>]
Speckled French	[<i>P. vulgaris 'Speckled French'</i>]

CABBAGE SEEDS

Early Cabbage	[<i>Brassica oleracea 'Early York'</i>]
late York Cabbage	[<i>B. oleracea 'Late York'</i>]
Early Sugar loaf do.	[<i>B. oleracea 'Early Sugar Loaf'</i>]
Late do do.	[<i>B. oleracea 'Late Sugar Loaf'</i>]
Early Battersea, do.	[<i>B. oleracea 'Early Battersea'</i>]
Late, do	[<i>B. oleracea 'Late Battersea'</i>]
Large Madeira, do.	[<i>B. oleracea 'Large Madeira'</i>]
Green curled Savoy	[<i>B. oleracea 'Green Curled Savoy'</i>]
Yellow curled do.	[<i>B. oleracea 'Yellow Curled Savoy'</i>]

Large Scotch Cabbage	[<i>B. oleracea</i> 'Large Scotch']
do. Winter do.	[<i>B. oleracea</i> 'Large Winter']
do. Alnwick, do.	[<i>B. oleracea</i> 'Large Alnwick']
Brown cole, do	[<i>B. oleracea</i>]
Turnip rooted, do.	[<i>Rutabaga, Brassica napus</i>]
Red Cab. to pickle	[<i>Brassica oleracea</i>]
Early purple broccoli	[<i>B. oleracea</i> 'Early Purple']
Do. Green, do.	[<i>B. oleracea</i>]
White Cauliflower do.	[<i>B. oleracea</i>]
Early Cauliflower	[<i>B. oleracea</i> 'Early']
Late Cauliflower	[<i>B. oleracea</i> 'Late']
White coss Lettuce	[<i>Lactuca sativa</i> 'White Cos']
Green Lettuce	[<i>L. sativa</i> 'Green Cos']
Large roman Lettuce	[<i>L. sativa</i> 'Large Roman']
Large Roman Cabbage	[<i>L. sativa</i> 'Large Cabbage']
Brown Dutch Cabbage	[<i>L. sativa</i> 'Brown Dutch']
White curled Indive	[<i>Endive, Cichorium endivia</i> 'White Curled']
Cardoon	[<i>Cynara cardunculus</i>]
Long prickly Cucumber	[<i>Cucumis sativus</i> 'Long Prickly']
Short prickly Cucumber	[<i>C. sativus</i> 'Short Prickly']
Gerkin pickle	[<i>Gherkin, C. sativus</i> or <i>C. anguria</i>]
Portugal Onion	[<i>Allium cepa</i> 'Portugal']
White silver Onion	[<i>A. cepa</i> 'Silver-skinned']
Deptford Onion	[<i>A. cepa</i> 'Deptford']
Solid Celery	[<i>Apium graveolens</i> 'Solid']
Early summer Turnip	[<i>Brassica rapa</i> 'Early summer']
Early Dutch Turnip	[<i>B. rapa</i> 'Early Dutch']
Early Hanover Turnip	[<i>B. rapa</i> 'Early Hanover']
Large (fall) Norfolk Turnip	[<i>B. rapa</i> 'Large Norfolk']
Early salmon Radish	[<i>Raphanus sativus</i> 'Early Salmon']
Short top radish	[<i>R. sativus</i> 'Short-top']
White Turnip radish	[<i>R. sativus</i> 'White Turnip']
Large orange Carrot	[<i>Daucus carota</i> 'Large Orange']
Large Red Carrot	[<i>D. carota</i> 'Large Red']
Large Parsnip	[<i>Pastinaca sativa</i>]
Mangle Wurzel, or root of Scarcity	[<i>Beta vulgaris</i>]
Red Beet	[<i>B. vulgaris</i>]
White beet	[<i>B. vulgaris</i> 'White']
Large Nerstertion	[<i>Nasturtium, Tropaeolum majus</i>]
Salsafie	[<i>Salsify, Tragopogon porrifolius</i>]
Asparagus	[<i>Asparagus officinale</i>]
Globe Artichoke	[<i>Cynara scolymus</i>]
Fine canteloup Melon	[<i>Cucumis melo</i>]
Fine Italian Melon	[<i>C. melo</i> 'Italian']
Burssells sprouts	[<i>Brussels Sprouts, Brassica oleracea</i>]
Curled Parsley	[<i>Petroselinum crispum</i> var. <i>crispum</i>]
Garden Cress	[<i>Lepidium sativum</i>]
Double pepper Grass	[<i>Lepidium sativum</i>]
White Mustard	[<i>Brassica hirta</i>]
Round Spinage, etc.	[<i>Spinacia oleracea</i> var. <i>inermis</i>]

FLOWERS ROOTS

Red, White, & Blue Hyacinths	[<i>Hyacinthus orientalis</i> cvs.]
Polianthus narcissus	[<i>Narcissus tazetta</i>]
Double white, do.	[<i>Narcissus</i> sp.]
Persian Iris	[<i>Iris persica</i>]
Ranunculus	[<i>Ranunculus asiaticus</i>]
Mixed tulips	[<i>Tulipa</i> sp.]
Tube Roses	[<i>Tuberose, Polianthes tuberosa</i>]
Mixed blue and yellow crocus	[<i>Crocus</i> sp.]

FLOWER SEEDS

Widow wall flower	[<i>Cheiranthus cheiri</i>]
Auricula	[<i>Primula auricula</i>]
Double Balsam	[<i>Impatiens balsamina</i>]
Geranium	[? <i>Pelargonium</i> sp. or <i>Geranium pratense</i>]
Turkey Violet	[<i>Bird's Foot Violet, Viola pedata</i>]
Charlotte Pink	[? <i>Dianthus</i> sp.]
Stock July flower	[<i>Stock, Matthiola incana</i>]
Moss, Roses,	[<i>Rosa gallica muscosa</i>]
Rock Rose	?
Cinamon Rose	[<i>Rosa cinnamomea</i>]
Maidens blush	[<i>Rosa alba</i> var. <i>Maxima</i>]

Lists of Plants Grown by Lady Jean Skipwith

Lady Jean Skipwith (? – 1826), wife of Sir Peyton Skipwith, lived on the Dan River, Virginia, at their family home, Prestwould. Her *Garden Notes of 1793* (published by the Garden Club of Virginia in *Garden Gossip*, X, 1935, Nos. 2, m 4, and 6) revealed many of the plants grown in her garden.

Peggy Cornett of Monticello submitted this annotated list.

Latin Name	Modern Names or Notes	Skipwith's Common Names or Notes
<i>Abelmoschus eschulentus</i> or <i>Abelmoschus manibot?</i>	Okra, Gumbo, Palmate leaved Hibiscus, Sunset Hibiscus (see also Hibiscus cannabinus)	The 6th sort Indian Kettmia I expect is the fl. Helen found at the spring. In the Encyclopaedia tis the 7th sort which is there called Esculent Syrian Mallow
<i>Aconitum uncinatum</i>	Monkshood, Wolfsbane	
<i>Adlumia fungosa?</i>	Tuberous insipid Fumatory (Fumaria)	Climbing Fumatory (see also Corydalis)
<i>Alcea rosea</i> varieties		Variety of Hollyhocks
<i>Alstroemeria</i>		Spotted and striped flwrd Alstroemeria - Native of Peru - the latter v. sweet- scented – here they would be house plants.
<i>Amsonia tabernaemontana</i>		Blue Star flower - not described by Miller
<i>Anemone</i> sp.		
<i>Apocynum androsaemifolium?</i>	see Asclepias tuberosa	Aposynum
<i>Aquilegia canadensis</i>	Native Columbine, American Columbine	Canada columbine
<i>Aquilegia vulgaris</i> cv.	European Columbine	Columbines
<i>Asclepias tuberosa?</i>	Aposynum	AL: likely to be Asclepias tuberosa L. Butterfly Weed. Pleurisy Root.... Also what Collinson req. in 1734 of Bartram: "Root of the Swallow-wort or Apocinon w/ narrow lvs. and orange- coloured fls."
<i>Aster</i> sp.		Asters of various kinds
<i>Belamcanda chinensis</i>	Grass Pink; Bog Orchid Blackberry Lily	1. Bermudian Ixia 2. 2. Blackberry Lily 3. 3. Ixia Bermudiana, perhaps the

		blackberry lily in the garden
<i>Calopogon</i> sp.		1. Limodorum Tuberosum- South Carolina--by Jim 2. Tuberous-rooted Limodorum
<i>Calycanthus floridus</i>	Sweet Shrub	Calicanthus and Mountain Pea tree
<i>Campanula pyramidalis?</i>		Campanula pyramidalis. What we here call Bear Grass. Interp.)
<i>Capparis spinosa</i>	tender (annual or greenhouse Perennial)	Caper Bush
<i>Cassia fasciculata</i>	Partridge Pea	Dwarf Cassia. An Annual. Seed from the Forest or Cool Spring.
<i>Cassia marilandica?</i>	Wild Senna	Georgia cluster pea
<i>Cassia</i> sp.		Cassia or Wild Senna(see Cassia 6th sort)
<i>Centaurea moschata</i>		Sweet Sultan
<i>Cheiranthus cheiri</i>		Wallflower
<i>Cheiranthus cheiri</i> cv.		Widow Wall Flower
<i>C. cheiri</i> 'Bloody Warrior'	Bloody Warrior Wallflower	Bloody wall flower
<i>Chrysanthemum indicum</i>		Chrysanthemum Indicum (the latter hardy enough to live in the garden through the winter though the first frost destroy the flower).
<i>Cistus ladanifer</i>	Laudanum	Spotted Cistus (see Cistus) Hardy, can be raised fr. seeds or cuttings but best fr. seeds, sown in the spring which will come up in five or six weeks. It exudes a balsamic gum or species of opium and is a most desirable shrub continuing two or three mos. in fl.
<i>Citrus aurantifolia</i>		Limes
<i>Citrus limon</i>		Lemons
<i>Citrus sinensis</i>		Oranges
<i>Claytonia virginica</i>	Spring Beauty	Claytonia. little narrow-lved black-rooted flower from the foot of the garden
<i>Cneorum triococcum</i>	Widow's-wail, Spurge Olive	Widowed Wall Flower
<i>Cneorum triococcum</i>		Widow wail (see Cneorum) a low evergreen shrub with a small yellow

		flower, easily raised fr. seed sown in the fall
<i>Colchicum autumnale</i>	Autumn Crocus	Meadow Saffron, bulbous root a bt size of tulip, flowers in autumn and the lvs green all winter. Called by common people Naked Ladies, great var. obtained fr. Seed
<i>Colutea arborescens</i>		Bladder Senna
<i>Commelina virginica</i>	Day Flower	Commelina (see Miller) 1 sort. "Annual trailing Commelina with a sopewort leaf."
<i>Convallaria majalis</i>	Lily-of-the-Valley	Convallaria
<i>Convolvulus sp. (arvensis?)</i>	Morning Glory	Convolvulus(of different colours)
<i>Coronilla emeris</i>	Crown Vetch	Scorpion Senna
<i>Cortusa matthioli</i>		Cortusa-or Bear's Ear Sanicle— can be raised fr. seed or roots- the purple is the finest
<i>Corydalis bulbosa?</i>	Fumewort (see also Adlumia)	Tuberous insipid Fumatory
<i>Crocus vernus</i> cv.		2 doz. yellow and blue crocus
<i>Cyclamen hederifolia</i> or <i>C. coum</i>		1. Raised from seed. 4 years to flower. Blooms Dec. to late spring 2. raised fr. seed fr. which a great var. may be obtained- - is four yrs from seed before they fl. which is in Dec. and will cont. in beauty until late in the Spring (write to Mrs. S. for seeds)
<i>Cynoglossum officinale</i>		Hounds Tongue(see Cynoglossum 4 sort)
<i>Cypripedium acaule</i>	Pink Moccasin Flower	Moccasin flower
<i>Cypripedium pubescens?</i>	Yellow Ladies Slipper	Ladies Slipper
<i>Dianthus barbatus</i>		Sweet William
<i>Dianthus chinensis</i>	China Pinks	1. Chinese Pink, double and single. 2. Indian Pink 3. Pinks of various kinds, very fine
<i>Dianthus</i> cv.		
<i>Dianthus</i> cv.	Picottee Pink or Carnation	Prince Picoti or July flower
<i>Dianthus</i> cv.		Double Charlotte Pink
<i>Dictamnus albus</i>	Gas Plant	White Dittany (see Dictamnus) Easily

<i>Dodecatheon meadia</i>	Shooting Star(found by Bartram on banks of the Shenandoah, sent to Collinson)	raised fr. seed sown in fall- very ornamental with little trouble Fraxinella (see <i>Dictamnus M.</i>) ... Valuable
<i>Erythrina sp.</i>	Coral Tree [AL thinks is E. corallodendron: P. Miller's first sort "grows naturally in SC from whence Mr. Catesby sent the seeds in... 1724"]	<ol style="list-style-type: none"> 1. American cowslip(see Meadia) Dodecatheon Bears Ear of Virginia 2. American cowslip(see Miller) 3. 1. Carolina Coral-tree(see <i>Erythrina</i>) 1 st sort - got the seed from Mrs. Miller 2. Coral-tree (see <i>Erythrinia</i>) Mrs. Miller's Scarlet Bean very handsome. 3. Coral tree Mrs. Miller's scarlet bean, very handsome. 1. Dog's Tooth Violet 2. 2. <i>Erythronium</i>, Dog's Tooth Violet - What we call Island Martagon
<i>Erythronium americanum</i>		
<i>Fumaria officinalis ?</i>	See Adlumia, Corydalis	
<i>Galanthus nivalis ?</i>	Large Snow Drop (see also <i>Leucojum vernum</i>)	Fumaria – Insipid Fumatory etc.
<i>Gelsemium sempervirens</i>	Carolina Jasmine	Yellow Jasmine
<i>Gladiolus communis</i>		Corn Flag
<i>Gnaphalium sylvestris?</i>	See Artemisia	
<i>Hedysarum coronarium</i>		French honeysuckle
<i>Helianthus annuus</i>		Sun Flower
<i>Helleborus foetidus</i>	Stinking Hellebore	Stinking Black Hellebore – Bear-foot or Setterwort
<i>Helichrysum orientale?</i>	See also <i>Gnaphalium</i> . AL. Has <i>G. sylvaticum</i>	Cudweed Goldilocks, or Eternal flower- raised fr. seeds sown in Apr. It doesn't bear removing & fls. best the first and second year
<i>Hemerocallis flava</i>		Common Yellow Daylily
<i>Hemerocallis fulva</i>		Common Tawny Daylily
<i>Hepatica sp.,</i>	H. acutiloba or H. americana	Liverwort (see <i>Hepatica</i>) single blue. By sowing seeds some varieties may be obtained. To be sown in August soon after they are ripe
<i>Hesperis matronalis</i>	Dames Rocket, Sweet Rocket	Double Rocket
<i>Hibiscus Coccineus, H. militaris or H. moscheutos,</i>		American Ketzia, what was sent me by the name of Holy Oak, 4th sort. American Ketzia with a Papaw leaf

<i>Hibiscus?</i>	and a large yellow flower having a purple bottom, a pyramidal six-cornered fruit and round seeds of a flat taste	
<i>Hibiscus coccineus?</i>	Great Red Hibiscus	Crimson Mallow
<i>Hibiscus cannabinus?</i>	Indian Hemp (see also Abelmoschus sp.)	The 6th sort Indian Kettmia I expect is the fl. Helen found at the spring. In the Encyclopaedia tis the 7 th sort which is there called Esculent Syrian Mallow
<i>Hibiscus syriacus</i>	Rose-of-Sharon	Double white and common Althea
<i>Hyacinthus orientalis</i>		Double blue and blush coloured
<i>Hyacinthus?</i>		3 double variegated fall Hyacinths ordered from Richmond
<i>Iberis saxatilis or I. semperflorens</i>	Perennial Candytuft	Candytuft
<i>Impatiens balsamina</i>	Double Balsam	AL notes in Appendix: Sir Peyton ordered
<i>Iris germanica or I. pallida?</i>	Sweet Iris	Common Blue
<i>Iris x germanica Florentina</i>	Florentine White Iris	Orris Root
<i>Iris persica</i>	Persian Iris	3 Persian Iris
<i>Jasminum officinale</i>		White Jasmine
<i>Lantana camara</i>		Prickly Lantana (house plant) very brilliant, seldom without flowers.
<i>Lathyrus latifolius</i>	Everlasting Pea	Perennial Pea
<i>Lathyrus odoratus varieties?</i>		Sweet Peas 2 sorts
<i>Lilium candidum</i>	Madonna Lily	Large White Lily
<i>Lilium superbum or L. canadense</i>	Spotted Canada Martagon Lily...much admired	Turk's Cap Lily
<i>Limonium vulgare</i>	Statice. AL: Lady Skipwith wished-for plant from Curtis' Botanical Magazine.	Purple cupped statice or thrift, dried - it retains its colour which renders it ornamental for a Mantel-piece in Winter-a biennial yet often increased by parting its roots, but more advantageously from seeds

<i>Listera smallii; L. cordata</i>	Appalachian Twayblade. Heart leaved T.	Tway blade (see Ophrys) I have I suppose 2 sorts
<i>Lonicera periclymenum</i>	Woodbine	English Honeysuckle
<i>Lonicera sempervirens</i>		Red-trumpet Honeysuckle
<i>Lupinus luteus</i>		Yellow lupins
<i>Matthiola incana</i>	Stock	Queens Stock
<i>Matthiola incana 'Annua'</i>		Red 10 week stock
<i>Mertensia virginica?</i>	Virginia Bluebell	Pulmonaria virginica. Lung-wort. What I call blue funnel flower
<i>Mesembryanthemum crystallinum</i>		Ice Plant(see Mesembryanthemum) should be raised in pots – I must get some seed if I can
<i>Momordica balsamina</i>		Balsam Apple (see Momordica)
<i>Muscari armeniacum</i>		Grape Hyacinths
<i>Muscari comosum plumosum</i>		Feathered Hyacinths
<i>Myrtis communis</i>		Dwarf Myrtle
<i>Narcissus</i>		Double, Single, and polyanthus Daffodil
<i>Narcissus 'Butter & Eggs'?</i>		3 double variegated narcissus
<i>Narcissus jonquilla flora plena</i>		Double Jonquil
<i>Narcissus tazetta cv.</i>	Paperwhite Narcissus	3 Polianthus narcissus
<i>Nerium oleander</i>		Oleander
<i>Ononis sp.</i>	Rest-Harrow	<ol style="list-style-type: none"> 1. Early shrub Anonis. Raised fr. seed in open Ground. v. beautiful and when once established gives no trouble. The seeds should be sown in Sept. (see Ononis Miller) 5th sort. Purple shrubby Rest Harrow grows naturally 2. commonly called Rest Harrow Starflower (see Ornithogalum) 7th sort
<i>Ornithogalum</i>	Star of Bethlehem	
<i>Pelargonium sp. (P. capitatum?)</i>	Rose-scented Geranium	Rose Geranium
<i>Philadelphus coronarius</i>		Mock orange

Phlox divaricata or P. paniculata

1. Lychnis (see Phlox) six sorts all Handsome.
2. Wild Sweet William, early-flowering Lychnidea. See Phlox ...what we call woods pink, trestle flower, small blue flower in April. (see Miller)
3. Lychnidea, or Bastard Lychnis (see Phlox). What we call Woods Pink,
4. Trestle Flower
5. Bastard Lychnis (see Phlox). What we here call Woods Pink
6. Trestle flower, small blue flower in April.

Polianthes tuberosa

3 tuberose

Polygonatum biflorum or P. pubescens

1. Solomon's Seal (see Polygonatum 1,3,5,8th sorts)
2. Polygonatum. Solomon's Seal(our Jacobs Ladder).

Two sorts, with the red, the other purple berries and I believe a third sort in the point of the island

Primula veris

English cowslip

Primula sp.

Cowslip

Pulmonaria officinalis?

Lungwort (see also Mertensia

Pulmonaria virginica. Lung-wort. What I call blue funnel flower

Ranunculus asiaticus

12 ranunculus

Reseda odorata

Mignonette

Rosa cirs.

A tolerable collection of Roses

Rosa centifolia cv.

Cabbage Rose

Rosa gallica 'Versicolor'?

Rosa Mundi

Marble Rose

Rosa foetida persiana or Rosa spinosissima

Persian Yellow Rose
Single and Double Scotch Rose

double and single Yellow Rose

Sanguinaria canadensis

Puccoon, or Bloodroot

Scabiosa atropurpurea?

Pincushion Flower(see Centaurea moscha.)

Sweet Scabios

Silene virginica or caroliniana?

Fire Pink, Wild Pink(see Phlox divaricata)

Woods Pink

Sisyrinchium angustifolium

Blue-eyed Grass

Bermudiana (see Sizranchium)
the blue flower with grasslooking stalks

and leaves, plenty in the orchard

<i>Smilacena stellata</i> (?)	Common Starflower
<i>Sternbergia lutea</i>	Yellow Autumnal Amaryllis
<i>Syringa persica</i>	Persian Lilac
<i>Syringa vulgaris</i> cv.	Purple, White Lilac
<i>Tagetes patula</i> cv.	Striped French Marigold
<i>Tradescantia</i> sp.	Spiderwort
<i>Tradescantia virginiana</i>	Virginia Spiderwort (see <i>Tradescantia</i>)
<i>Trillium sessile</i>	Sessile Trillium
<i>Tulipa</i> cv.	6 tulips
<i>Viola odorata</i>	Blue and white sweet violets
<i>Viola</i> sp. ♂ cr.	Cultivated Violets (see <i>Viola</i>) some with a pansy flower
<i>Viola palmata</i> or <i>V. pedata</i>	Wood Violet; Bird's Foot Violet
<i>Watsonia mariana</i>	Mariana. Bulbous, kidney-shaped root, red flower. Well fr. Seed
<i>Wisteria frutescens</i>	Native Wisteria
<i>Yucca filamentosa</i> ?	Carolina Kidney-bean (see <i>Glycine</i>) Winged leaves & blue flowers growing in whorls-2nd sort. Got the seed from G. Skipwith
<i>Zephyranthes atamasco</i>	Bear Grass, Silk Grass(see also <i>Campanula pyramidalis</i>)
	Campanula pyramidalis. What we here call Bear Grass.
	Atamasco Lily(see Amaryllis 2nd sort)

Uncertains:

Skipwith's notes or Possibilities	
Common Starflower	Smilacena stellata,
Common Blue	(may be in reference to preceding <i>I. germanica Florentina</i>)
Egg Plant (Brown Jolly)	JS notes: see Melangena
Loranthus	(perhaps the seed I got from Mrs. S.) like dried cherry has a bright scarlet flower
Mountain Pea tree	Staphylea?

Virginia Gazette and Petersburg Intelligencer

Petersburg, Virginia, February 24, 1797
Submitted by Peter Hatch.

For Sale by A. Adams

Early Golden Hotspur peas	<i>[Pisum sativum 'Early Golden Hotspur']</i>
Large Marrowfat peas	<i>[P. sativum 'Large Marrowfat']</i>
Early Six Weeks peas	<i>[P. sativum 'Early Six Weeks']</i>
Early York Cabbage	<i>[Brassica oleracea 'Early York']</i>
Early Sugarloaf Cabbage	<i>[B. oleracea 'Early Sugarloaf']</i>
Early Battersea Cabbage	<i>[B. oleracea 'Early Battersea']</i>
Large Drumhead Cabbage	<i>[B. oleracea 'Large Drumhead']</i>
Large Winter Cabbage	<i>[B. oleracea 'Large Winter']</i>
Winter Kail	<i>[B. oleracea]</i>
Salmon radish	<i>[Raphanus sativus 'Salmon']</i>
Turnip radish	<i>[R. sativus 'Turnip-rooted']</i>
Cabbage lettuce	<i>[Lactuca sativa]</i>
Spinage	<i>[Spinacia oleracea]</i>
Orange Carrot	<i>[Daucus carota]</i>
Curled Parsley	<i>[Petroselinum crispum]</i>
Solid Celery	<i>[Apium graveolens var. dulce]</i>
Red Beet	<i>[Beta vulgaris]</i>
Asparagus	<i>[Asparagus officinale]</i>
Early Cauliflower	<i>[Brassica oleracea]</i>
Red Cabbage	<i>[B. oleracea]</i>
Green Savoy Cabbage	<i>[B. oleracea 'Green Savoy']</i>
Yellow Savoy Cabbage	<i>[B. oleracea 'Yellow Savoy']</i>
Purple Broccoli	<i>[B. oleracea]</i>
Green Broccoli	<i>[B. oleracea]</i>
White Spanish Onion	<i>[Allium cepa 'White Spanish']</i>

Virginia Gazette and General Advertiser

Richmond, October 9, 1798

**STRATCHAN and MAURY
OF SPOTSYVANIA COUNTY
GRAFTED APPLE-TREES
FOR SALE**

Newtown Pippin
Rholi's Janetts [Ralls Genet]
Limbertwigs
Pryor's Reds
Gloucester White Apple
Robinson White Apple
Smoothskin Leathercoat
Mylum's Pearmain
Greenings
Hughes's Crab
Lewis's Crab
Hereford Red Streak
Ellis' Red Streak
Warlock's Cheese Apple
Lewis's Cheese Apple
Herndon's Cheese Apple
Bell [?] Apple
Vandevere
Queen Apple
May Apple
June Apple
Spice Apple

The Virginia Herald

Fredericksburg, January 15, 1799

Submitted by Peter Hatch.

Seeds sold by George French

Red Brompton Stock	[<i>Matthiola incana</i> 'Red Brompton']
Yellow wallflower	[<i>C. cheiri</i>]
Bloody wallflower	[<i>C. cheiri</i> 'Bloody Warrior' (?)]
Auricula	[<i>Primula auricula</i>]
Polyanthus	[<i>Polyanthus Primrose, Primula × polyantha</i>]
Sweet William	[<i>Dianthus barbatus</i>]
Golden Rod	[<i>Solidago</i> sp.]
Carnation Poppies	[<i>Papaver somniferum</i>]
Catchfly	[? <i>Silene</i> sp.]
French Marigold	[<i>Tagetes patula</i>]
African Marigold	[<i>T. erecta</i>]
Candytuft	[<i>Iberis amara</i> or <i>umbellata</i>]
Balsam	[<i>Impatiens balsamina</i>]
Amaranthus	[<i>Amaranthus</i> sp.]
Lupus Larkspur	[? <i>Consolida orientalis</i>]
Golden thistle	[? <i>Scolymus hispanicus</i>]
Sensitive Plant	[<i>Mimosa pudica</i>]
China Aster	[<i>Callistephus chinensis</i>]
Sweet Sultan	[<i>Centaurea moschata</i>]
Belviders	[Summer Cypress, <i>Kochia scoparia</i>]
Flos Adonis	[<i>Adonis aestivalis</i>]
Caterpillars	[<i>Scorpiurus vermiculatus</i>]
Mignonette	[<i>Reseda odorata</i>]
Hearts Ease	[Johnny-jump-up, <i>Viola tricolor</i>]
Canterbury Bells	[<i>Campanula medium</i>]
Ranunculus	[<i>Ranunculus asiaticus</i>]
Animones	[<i>Anemone</i> sp.]
Tuberose	[<i>Polianthes tuberosa</i>]
Hyacinths	[<i>Hyacinthus orientalis</i>]
Polyanthus Narcissus	[<i>Narcissus tazetta</i>]

The Virginia Herald

Fredericksburg, Va., January 21, 1800
Submitted by Peter Hatch

George French
HAS IMPORTED FROM LONDON
A Large and General Assortment of
Garden and other Seeds,
of the Growth of 1799, which will be sold
for cash only.

CABBAGE

Early Imperial	<i>[Brassica oleracea 'Early Imperial']</i>
Early Yorkshire	<i>[B. oleracea 'Early Yorkshire']</i>
Early Sugar Loaf	<i>[B. oleracea 'Early Sugar Loaf']</i>
Early Dwarf	<i>[B. oleracea 'Early Dwarf']</i>
Early Dutch	<i>[B. oleracea 'Early Dutch']</i>
Long Scotch	<i>[B. oleracea 'Long Scotch']</i>
Large Hollow	<i>[B. oleracea 'Large Hollow']</i>
Large Scotch	<i>[B. oleracea 'Large Scotch']</i>
Large Winter	<i>[B. oleracea 'Large Winter']</i>
Large Transylvania	<i>[B. oleracea 'Large Transylvania']</i>
Long sided	<i>[B. oleracea 'Long-sided']</i>
Large long sided	<i>[B. oleracea 'Large Long-sided']</i>
Flat Top	<i>[B. oleracea 'Flat Top']</i>
Red Dutch	<i>[B. oleracea 'Red Dutch']</i>
Green curled Savoy	<i>[B. oleracea 'Green-curled Savoy']</i>
Yellow curled Savoy	<i>[B. oleracea 'Yellow-curled Savoy']</i>
Turnip headed	<i>[? Kohlrabi, B. oleracea]</i>
Turnip rooted	<i>[Rutabaga, B. napus]</i>
Scotch cail	<i>[Kale, B. oleracea 'Scotch']</i>
Green curled cail	<i>[B. oleracea 'Green-curled']</i>
Scotch collards	<i>[B. oleracea]</i>
Early Cauliflower	<i>[B. oleracea]</i>
Late Cauliflower	<i>[B. oleracea]</i>
Green Endive	<i>[Cichorium endiva 'Green-curled']</i>
Batavia Endive	<i>[C. endiva 'Batavia']</i>
Best Asparagus	<i>[Asparagus officinale]</i>
Red Beet	<i>[Beta vulgaris]</i>
White Beet	<i>[B. vulgaris]</i>
London Leek	<i>[Allium porrum 'London Flag']</i>
Rape	<i>[Brassica napus]</i>

ONIONS

Deptford	[<i>Allium cepa</i> 'Deptford']
[?] long keeping	[<i>A. cepa</i>]
White Spanish	[<i>A. cepa</i> 'White Spanish']

TURNIPS

Hanover	[<i>Brassica rapa</i> 'Hanover']
White Mustard	[<i>Brassica hirta</i>]

CELLERY

Large upright	[<i>Apium graveolens</i> var. <i>dulce</i>]
Large solid	[<i>A. graveolens</i> var. <i>dulce</i>]

CRESSES

Broad leaf	[<i>Lepidium sativum</i>]
------------	-----------------------------

LETTUCE

White Cos	[<i>Lactuca sativa</i> 'White Cos']
White Dutch Cos	[<i>L. sativa</i> 'White Dutch Cos']
Green Cabbage	[<i>L. sativa</i> 'Green Cabbage']
Royal Cabbage	[<i>L. sativa</i> 'Royal Cabbage']
Large Cabbage	[<i>L. sativa</i> 'Large Cabbage']
Royal Kent	[<i>L. sativa</i> 'Royal Kent']
Dutch Cos	[<i>L. sativa</i> 'Dutch Cos']
Grand Admiral	[<i>L. sativa</i> 'Grand Admiral']
Silesia	[<i>L. sativa</i> 'Silesia']
Imperial	[<i>L. sativa</i> 'Imperial']
Hardy Green	[<i>L. sativa</i> 'Hardy Green']
Love apple	[Tomato, <i>Lycopersicon lycopersicum</i>]

RADISHES

Early Purple Frame	[<i>Raphanus sativus</i> 'Early Purple Frame']
Early Salmon	[<i>R. sativus</i> 'Early Salmon']
Early Short top	[<i>R. sativus</i> 'Early Short-top']
[?] purple	
White turnip radish	[<i>R. sativus</i> 'White Turnip']
Purple turnip radish	[<i>R. sativus</i> 'Purple Turnip']

PEAS

Early Golden Hotspur	[<i>Pisum sativum</i> 'Early Golden Hotspur']
Early Salmon	[<i>P. sativum</i> 'Early Salmon']
Early Charlton	[<i>P. sativum</i> 'Early Charlton']
Dwarf Frame	[<i>P. sativum</i> 'Dwarf Frame']
Leadman's Dwarf	[<i>P. sativum</i> 'Leadman's Dwarf']
May Dwarf	[<i>P. sativum</i> 'May Dwarf']
Dwarf Marrowfat	[<i>P. sativum</i> 'Dwarf Marrowfat']
Tall running Marrowfat	[<i>P. sativum</i> 'Tall-running Marrowfat']

Prussian blue	[<i>P. sativum</i> 'Prussian Blue']
Spanish Morotto	[<i>P. sativum</i> 'Spanish Morotto']
Blue Union	[<i>P. sativum</i> 'Blue Union']

BEANS

Early Mazagan	[Broad Bean, <i>Vicia faba</i> 'Early Mazagan']
Early long pod	[Broad Bean, <i>V. faba</i> 'Early Long-pod']
Early Negro k	[Kidney Bean, <i>Phaseolus vulgaris</i> 'Early Negro']
White Dutch k	[Kidney Bean, <i>P. vulgaris</i> 'White Dutch']

PARSLEY

Curled	[<i>Petroselinum crispum</i> var. <i>crispum</i>]
Hamburg	[Turnip-rooted Parsley, <i>P. crispum</i> var. <i>tuberosum</i>]
Winter Savory	[<i>Satureja montana</i>]
Large Orange Carrot	[<i>Daucus carota</i> 'Long Orange']
Rhubarb Seed	[<i>Rheum rhabarbarum</i>]
Rosemary	[<i>Rosemarinus officinalis</i>]

TREES

Balm of Gilead Fir	[Balsam Fir, <i>Abies balsamina</i>]
Silver Fir	[? <i>Abies alba</i>]

GRASS SEEDS

Lucerne	[<i>Medicago sativa</i>]
Saint Foin	[<i>Onobrychis viciifolia</i>]
Red Dutch Clover	[<i>Trifolium pratense</i>]

FLOWER ROOTS

Tube Rose	[<i>Polianthes tuberosa</i>]
Purple blue Hyacinth	[<i>Hyacinthus orientalis</i>]
[?] blue Hyacinth	[<i>H. orientalis</i>]
Rose coloured Hyacinth	[<i>H. orientalis</i>]
Polyanthus Narcissus	[<i>Narcissus tazetta</i>]
Ranunculus	[<i>Ranunculus asiaticus</i>]
White Hyacinths	[<i>Hyacinthus orientalis</i>]
Garden double Anemonies	[<i>Anemone</i> sp.]
Double Tulips	[<i>Tulipa</i> sp.]
Persian Iris	[<i>Iris persica</i>]

FLOWER SEEDS

Red Brompton Stock	[<i>Matthiola incana</i> 'Red Brompton']
Auricula	[<i>Primula auricula</i>]
Polyanthus	[Polyanthus Primrose, <i>Primula</i> × <i>polyantha</i>]
Sweet William	[<i>Dianthus barbatus</i>]
Golden Rods	[<i>Solidago</i> sp.]
Carnation Poppies	[<i>Papaver somniferum</i>]
Catchflies	[? <i>Silene</i> sp.]
French Marigold	[<i>Tagetes patula</i>]
African Marigold	[<i>T. erecta</i>]

Candy Turf	<i>[Iberis amara or umbellata]</i>
Balsams	<i>[Impatiens balsamina]</i>
Amaranthus	<i>[Amaranthus sp.]</i>
Lupus Larkspur	<i>[?Consolida orientalis]</i>
Golden thistle	<i>[?Scylium hispanicus]</i>
Sensitive Plant	<i>[Mimosa pudica]</i>
China Aster	<i>[Callistephus chinensis]</i>
Sweet Sultan	<i>[Centaurea moschata]</i>
Belviders	<i>[Summer Cypress, Kochia scoparia]</i>
Caterpillars	<i>[Scorpiurus vermiculatus]</i>
Mignonette	<i>[Reseda odorata]</i>
Hearts Ease	<i>[Johnny-jump-up, Viola tricolor]</i>
Canterbury Bell	<i>[Campanula medium]</i>
Animonies	<i>[Anemone sp.]</i>
White and yellow double wallflower	<i>[Cheiranthus cheiri]</i>
Single yellow wallflower	<i>[C. cheiri]</i>
Bloody wallflower	<i>[C. cheiri 'Bloody Warrior'(?)]</i>

Governor Henry Middleton's Tree List, with some Shrubs

Compiled by Dawson Hodges, Middleton Place Foundation, October 1989, and submitted by Carolyn Harrington.

Botanical Name	Common Name
<i>Acer rubrum</i>	Flowering Maple
<i>Aesculus pavia</i>	Horse Chestnut or Red Buckeye
<i>Annona triloba</i>	Pawpaw (now <i>Asimina triloba</i>)
<i>Betula alba</i>	White Birch
<i>Betula nigra</i>	River Birch
<i>Bignonia catalpa</i>	Southern Catalpa or Indianbean
<i>Castanea</i>	Chestnut
<i>Castanea dentata</i>	Marsh Chestnut
<i>Cercis canadensis</i>	Redbud or Judastree
<i>Chionanthus virginicus</i>	Fringetree
<i>Cornus florida</i>	Dogwood
<i>Crataegus</i>	Hawthorn
<i>Cupressus distichum</i>	Cypress (now <i>Taxodium distichum</i>)
<i>Cupressus thyoides</i>	Cedar, white (now <i>Chamaecyparis thyoides</i>), Atlantic White Cedar
<i>Euonymus</i>	Spindletree
<i>Fraxinus</i>	Ash
<i>Itea virginiana</i>	Virginia Willow
<i>Juniperus virginiana</i>	Juniper (called Cedar), Eastern Red Cedar
<i>Kalmia latifolia</i>	Calico Bush, Mountain Laurel
<i>Laurus borbonica</i>	Red Bay
<i>Laurus indica</i>	Portugal Bay
<i>Liquidambar</i>	Gum
<i>Liquidambar styraciflua</i>	Sweet Gum
<i>Magnolia acuminata</i>	Cucumber Tree
<i>Magnolia glauca</i>	Swamp Laurel
<i>Magnolia tripetala</i>	Umbrella Magnolia
<i>Myrica</i>	Bayberry
<i>Pinus</i>	Pine
<i>Pinus glabra</i>	Spruce pine
<i>Pinus strobus</i>	White pine
<i>Pinus taeda</i>	Black or Pitchpine (Loblolly)
<i>Pinus virginiana</i>	Yellow pine
<i>Platanus</i>	Plane Tree, Sycamore
<i>Populus</i>	Poplar
<i>Populus grandidentata</i>	Bigtooth Aspen-rare
<i>Populus heterophylla</i>	Swamp Poplar, Black Cottonwood
<i>Populus tremula</i>	Aspen
<i>Quercus montana</i>	Chestnut Oak
<i>Quercus phellos</i>	Willow Oak
<i>Quercus pumila</i>	Ground Oak
<i>Quercus rubra</i>	Red Oak
<i>Quercus virginiana</i>	Live Oak
<i>Rhododendron maximum</i>	Rosebay Rhododendron

<i>Robinia pseudoacacia</i>	Locust
<i>Salix</i>	Willow
<i>Thuya occidentalis</i>	Arbor Vita, Northern White Cedar
<i>Tilia americana</i>	Linden
<i>Ulmus</i>	Elm

Shrubs and Plants

<i>Agave</i>	Aloe, Century Plant
<i>Berberis vulgaris</i>	Barberry
<i>Calycanthus floridus</i>	Sweet Scented Shrub
<i>Corylus</i>	Hazelnut
<i>Fragaria</i>	Strawberry
<i>Gelsemium sempervirens</i>	Yellow Jessamine
<i>Hedera Quinquefolia</i>	Ivy
<i>Lonicera sempervirens</i>	Trumpet Honeysuckle
<i>Nicotiana</i>	Tobacco
<i>Phytolacca</i>	Poke
<i>Rhus</i>	Sumac
<i>Ribes</i>	Gooseberry
<i>Rubus</i>	Black Raspberries
<i>Solanum tuberosum</i>	Potato
<i>Tillandsia usneoides</i>	Long Mop, Spanish Moss
<i>Vaccinium</i>	(?) Whortleberry
<i>Vaccinium</i>	(?) Cranberry
<i>Vitis</i>	Grapes

Henry Middleton's Seed and Plant Order

In the early 1800's Henry Middleton of Middleton Place, near Charleston, SC, placed a seed and plant order. Following is that order. Compiled by Dawson Hodges, Middleton Place Foundation, November, 1989, and submitted by Caroline Harrington.

Flower Seeds

Common name	Botanical Name
China Aster, 4 Sorts	<i>Callistephus</i>
Bush Violet	<i>Browallia elata</i>
Moldavian Balm	<i>Dracocephalum moldavica</i>
Candytuft, 3 Sorts	<i>Iberis</i>
Chrysanthemum	<i>Chrysanthemum</i>
Clary Purple Sage	<i>Salvia Sclarea</i>
Dwarf Morning Glory	<i>Convolvulus</i>
Cockscomb, 2 Sorts	<i>Celosia</i>
Gourds	
Globe Amaranthus	<i>Gomphrena</i>
Hawkweed	<i>Crepis rubra</i>
Honesty Plant	<i>Lunaria</i>
Ice Plant	<i>Mesembryanthemum</i>
Larkspur, 3 Sorts	<i>Delphinium ajacis</i>
Mallow	<i>Lavatera</i>
Lobel's Catchfly, 2 Sorts	<i>Silene armeria</i>
Love Apple	<i>Tomato</i>
Lupines, 5 Sorts	<i>Lupinus polyphyllus</i>
Mignonette 1 oz.	<i>Reseda odorata</i>
Marvel of Peru, 4 o'clock, 2 Sorts	
French Marigold, 4 Sorts	<i>Tagetes</i>
Love in a Mist, 2 Sorts	<i>Nigella</i>
Chilean Bellflower	<i>Nolana prostrata</i>
Evening Primrose, 2 Sorts	<i>Oenothera</i>
Castor Oil Plant	<i>Ricinus communis, Palma christi</i>
Sweet Peas, 10 Sorts	
Lady's-Thumb	<i>Persicaria</i>
Poppys, 2 Sorts	<i>Papaver</i>
Quaking Grass	<i>Briiza maxima</i>
Saltwort, Rose-coloured	
Pincushion Flower, 2 Sorts	<i>Scabiosa</i>
Sensitive Plant	<i>Mimosa pudica</i>
Soapwort	<i>Saponaria officinalis</i>
Brompton Stocks, 4 Sorts	<i>Matthiola incana</i>
Sunflower, 2 Sorts	<i>Helianthus</i>
Sweet Sultan, 2 Sorts	<i>Centaurea Moschata</i>
Crimson Trifoliate (Clover Species)	
Xeranthemum	<i>Immortelle</i>
Zinnia	
Double Primula	<i>Auricula</i>
Anemone	<i>Anemone</i>

Foxglove, 2 Sorts	<i>Digitalis</i>
Primrose	<i>Polyanthus</i>
Violet	<i>Viola</i>

Hardy Herbaceous Plants

Pheasant's Eye	<i>Adonis vernalis</i>
Corn Cockle	<i>Agrostemma</i>
Basket of Gold	<i>Alyssum saxatile</i> (Now <i>Aurinia Saxatilis</i>)
Anemone	<i>Anemone hepatica-sylvestris</i>
St. Bernard's Lily	<i>Anthericum</i>
American Columbine	<i>Aquilegia canadensis</i>
Carpathian Harebell, Tussock	<i>Aster alpinus</i>
Bellflower	<i>Campanula carpatica</i>
Cupid's Dart	<i>Catananche caerulea</i>
Dog's Tooth Violet	<i>Erythronium</i>
Dwarf Gentian	<i>Gentiana acaulis</i>
Yellow Gentian	<i>Gentiana lutea</i>
Willow Gentian	<i>Gentiana asclepiadea</i>
Christmas Rose	<i>Helleborus lividus</i>
Blackberry Lily	<i>Ixia chinensis</i> (now <i>Belamcanda chinensis</i>)
Dwarf Iris	<i>Iris pumila</i>
Siberian Iris	<i>Iris sibiricus</i>
Iris, Blue Flag	<i>Iris versicolor</i>
Cardinal Flower	<i>Lobelia cardinalis</i>
Maltese Cross	<i>Lychnis chalcedonica</i>
Balm	<i>Melissa grandiflora</i>
Allegheny Monkey Flower	<i>Mimulus ringens</i>
Wild Bergamot	<i>Monarda fistulosa</i>
Evening Primrose	<i>Oenothera pumila</i>
Purple Evening Primrose	<i>Oenothera pumila-purpurea</i>
Oriental Poppy	<i>Papaver orientale</i>
Primrose	<i>Primula dentata</i>
Primrose	<i>Primula helvetica</i>
striped Primrose	<i>Primula marginata</i>
Bird's Eye Primrose	<i>Primula arinosa</i>
Blue Jean's Primrose	<i>Primula acaulis</i>
Double Polyanthus Primrose	<i>Primula</i>
Double Cowslip Primrose	<i>Primula</i>
Sedum, 6 species	<i>Sedum</i>
London Pride	<i>Saxifraga Do.</i>
Alpine Snowbell	<i>Soldanella Alpina</i>
Bee Larkspur	<i>Delphinium elatum</i>
Horned Violet	<i>Viola cornuta</i>
Violet	<i>Viola odorata</i> (<i>Princess of Wales</i>)
Double Flowering Violet	<i>Viola odorata</i> (<i>Baroness de Rothschild</i>)
Neopolitan violet	<i>Viola sp.</i>
Violet	<i>Viola palmata</i>
Violet	<i>Viola grandiflora</i>
Johnny-Jump-Up	<i>Viola Tricolor</i>
Yellow Violet	<i>Viola lutea</i>
Hairy Violet	<i>Viola pilosa</i>
Hooded Violet	<i>Viola cuculata</i>
Speedwell	<i>Veronica saxatilis</i>
Speedwell	<i>Veronica sibericus</i>

Blue-spiked Speedwell

Veronica Spicata

Greenhouse Plants

Butterfly Bush	<i>Buddleia globosa</i>
Camellia	<i>Camellia japonica</i>
Cockscomb	<i>Celosia</i>
Wallflower	<i>Cheiranthus mutabilis</i>
Cineraria	<i>Cineraria</i>
Rockrose	<i>Cistus formosus</i>
Crown Vetch	<i>Coronilla glauca</i>
Bottle Brush	<i>Melaleuca coronata</i>
Bottle Brush	<i>Melaleuca pumitata</i>
Heath	<i>Erica grandiflora</i>
Heath	<i>Erica mediterannea</i>
Heath	<i>Erica herbacea</i>
Heath	<i>Erica persoluta</i>
Geranium	<i>Geranium tricolor</i>
Geranium	<i>Geranium echinatum</i>
St. John's Wort	<i>Hypericum</i>
White Monthly Rose	<i>Rosa semperflorens</i>
Chinese Monthly Rose	<i>Rosa chinensis</i>
African Flax	<i>Linum africanum</i>
Blue Passion Flower	<i>Passiflora caerulea</i>
Salvia	<i>Salvia formosa</i>
Monkey Flower	<i>Mimulus</i>

Culinary Herbs and Vegetables

Mazagon Beans	
Red Beet	
White Beet	
Borecole Purple (Kale)	
Brocoli, 3 sorts	
Cabbage, 4 sorts	
Carrots, 2 sorts	
Cauliflower	
Celery	
Cress	
Mustard	
Cucumbers, 4 sorts	
Endive, 3 sorts	
Kidney Bean, 6 sorts	
Leek	
Lettuce, 4 sorts	
Marjoram Sweet	
Marjoram Pot	
Melon	
Peppers, 4 Sorts	<i>Capsicum</i>
Curled Parsley	
Parsnips	
Peas	
Radish	
Viper Grass, Black Salsify	<i>Scorzonera</i>
Salsify	

Sea Kale
Sorrel
Spinach
Turnip, 6 sorts
Eschalots
Garlic
Rhubarb

Bulbs

Polyanthus Narcissus	<i>Narcissus tazetta</i>
Butter & Eggs	<i>Narcissus Majolis, fl. pleno</i>
Trumpet	<i>Narcissus incomparabile, fl. pleno</i>
Poet's Narcissus	<i>Narcissus Major pleno fl.</i>
Best Mixed Tulips	<i>Narcissus poeticus</i>
Hyacinths-dbl. & single	<i>Narcissus Minor</i>
Ranunculus-double	<i>Tulipa</i>
Double Anemone	<i>Hyacinthus</i>
Persian Iris (Mourning Iris)	<i>Ranunculus</i>
Crocus, 5 Sorts	<i>A. coronaria</i>
Grape Hyacinth	<i>Iris susiana</i>
Musk Hyacinths	<i>Crocus</i>
Feathered Hyacinths	<i>Muscari armaniacum</i>
White Lilly, Striped	<i>Muscari plumosum</i>
Orange Lilly	<i>Lilium candidum var</i>
Martagon Lilly, 6 Sorts (Turk's Cap)	<i>Lilium croceum</i>
Fritillaria	<i>Fritillaria meleagris</i>
Nodding Star of Bethlehem	<i>Ornithogalum Nutans</i>
Crown Imperial	<i>Fritillaria imperialis</i>
Autumn Crocus	<i>Colchicum</i>
(Yellow Oxalis	<i>Oxalis cuprina</i>
Oxalis	<i>Oxalis versicolor</i>
Jacobeon Lily	<i>Amaryllis formosissima (Sprekelia f.)</i>
Lily	<i>Amaryllis undulata</i>
Belladona Lily	<i>Amaryllis belladonna</i>
Lily	<i>Amaryllis vittata</i>
Lily	<i>Amaryllis reginae</i>
Yellow Lily	<i>Amaryllis lutea</i>
Lily	<i>Ixia odorata</i>
African Corn Lily	<i>Ixia longiflora</i>
Onion, 6 sorts	<i>Allium</i>
Cyclamen	<i>Cyclamen persicum</i>
Wood Hyacinths	<i>Scilla amona</i>
Wood Hyacinths	<i>Scilla campanulata</i>

1802 Seed Catalog

Bernard McMahon
Philadelphia, Pennsylvania

From Ireland, Bernard McMahon moved to Philadelphia in 1776 and by 1802 had established a seedhouse. In 1802, or 1803, published a broadsheet 'catalogue' that included 720 species and varieties of seeds and roots. This was America's first seed catalog. Submitted by Barbara Sarudy and compiled by Larry Griffith.

A CATALOGUE

OF GARDEN, GRASS, HERB, FLOWER, TREE & SHRUB-SEEDS, FLOWER -ROOTS,
&c.

Sold by Bernard McMahon, Seedsman,

No. 129, CHESTNUT STREET, PHILADELPHIA.

The Generic and Specific Names and Distinctions, according to the Sexual System of the celebrated LINNAEUS, are annexed to the common, for the use of such *Ladies, Gentlemen, and Gardeners*, as wish to become scientifically acquainted with the Plants they cultivate.

Listed in the following categories, the list has been sorted alphabetically by the botanical name.

SEEDS OF ESCULENT ROOTS & HERBS
PEAS AND BEANS
SEEDS OF SWEET AND PORT-HERBS
SEEDS OF PHYSICAL HERBS
SEEDS OF ANNUAL FLOWERS
SEEDS OF BIENNIAL FLOWERS
SEEDS OF ANNUAL FLOWERS
FLOWER ROOTS
SEEDS AND ROOTS USED IN FARMING
SEEDS OF TREES AMD SHRUBS

McMAHON'S Generic & Specific names

Acer pennsylvanicum
Acer pseudo platanus
Acer rubrum
Acer saccharinum
Achillea ageratum

McMAHON'S Common Names

Pennsylvannia Maple
Sycamore, Great Maple
Red Flowering Maple
Sugar Maple
Sweet Milfoil, Maudlin

<i>Achillea Ptarmica</i>	Sneeze-wort, Milfoil
<i>Aconitum napellus</i>	Monk's hood
<i>Adonis autumnalis</i>	Flos Adonis
<i>Aesculus Hippocastanum</i>	Common Horse Chestnut
<i>Aesculus Parva</i>	Scarlet Flowering Horse
<i>Agrostemma coronaria</i>	Painted Lady, Rose Campion
<i>Agrostemma coronaria</i>	Red Rose Campion
<i>Agrostemma coronaria</i>	White Rose Campion
<i>Alcea chinensis</i>	China Hollyhock
<i>Alcea rosea</i>	Double Hollyhock
<i>Allium ascalonicum</i>	Schallot
<i>Allium Cepa 'Deptford'</i>	Deptford Onion
<i>Allium Cepa 'Long Keeping'</i>	Long Keeping Onion
<i>Allium Cepa 'Portugal'</i>	Portugal Onion
<i>Allium Cepa 'Red Spanish'</i>	Red Spanish Onion
<i>Allium Cepa 'Silver Skinned'</i>	Silver Skinned Onion
<i>Allium Cepa 'Strasburg'</i>	Strasburg Onion
<i>Allium Cepa 'Tree Onion'</i>	Tree Onion
<i>Allium Cepa 'White Spanish'</i>	White Spanish Onion
<i>Allium fistulosum Welsh Onion'</i>	Welsh Onion
<i>Allium Porrum</i>	Broad English Leek
<i>Allium sativum</i>	Garlick
<i>Allium Scorodoprasum</i>	Rocambole
<i>Allium Schoenoprasum</i>	Chives
<i>Aloe africana</i>	Aloe
<i>Althea officinalis</i>	Marsh Mallow
<i>Alyssum minimum</i>	Sweet Alysson
<i>Amaranthus bicolor</i>	Bicolor Amaranthus
<i>Amaranthus caudatus</i>	Love-lies-bleeding
<i>Amaranthus hypocondriacus</i>	Prince's Feather
<i>Amaranthus maximus</i>	Tree Amaranthus
<i>Amaranthus spica</i>	Spike Amaranthus
<i>Amaranthus tricolor</i>	Tricolor Amaranthus
<i>Anagallis arvensis</i>	Pimpernel
<i>Anemone coronaria</i>	Anemone

<i>Anemone Hepatica</i>	Hepatica
<i>Anemone hortensis</i>	Double Anemone
<i>Anemone pulsatilla</i>	Pasque-flower
<i>Anethum azoricum</i>	Finochia
<i>Anethum dulce</i>	Sweet Fennel
<i>Anethum Goeniculum</i>	Common Fennel
<i>Anethum graveolens</i>	Dill
<i>Angelica archangelica</i>	Garden Angelica
<i>Annona triloba</i>	Papaw Tree
<i>Antirrhinum</i>	Toad Flax
<i>Antirrhinum majus</i>	Red Snapdragon
<i>Antirrhinum majus</i>	White Snapdragon
<i>Antirrhinum viscosum</i>	Spanish Snap-Dragon
<i>Apium crispum</i>	Curled Parsley
<i>Apium graveolens</i>	North's Large Celery
<i>Apium graveolens</i>	Smallage
<i>Apium graveolens</i> 'Italian'	Italian Celery
<i>Apium graveolens</i> 'Solid'	Solid Celery
<i>Apium radice esculenta</i> 'Large Rooted'	Hamburg Parsley
<i>Apium rapaceum</i>	Turnep Rooted Celery, Celeriac
<i>Apium sativum</i>	Common Parsley
<i>Aquilegia canadensis</i>	Columbine
<i>Aquilegia canadensis</i>	Double Columbine
<i>Aralia spinosa</i>	Angelica Tree
<i>Arbutus</i>	Arbutus, Strawberry-Tree
<i>Arbutus uva ursi</i>	Trailing Arbutus
<i>Argemone mexicana</i>	Mexican Poppy
<i>Artemesia Absinthium</i>	Wormwood
<i>Artemesia Dracunculus</i>	Tarragon
<i>Asparagus vulgaris</i> 'Battersea'	Asparagus
<i>Asparagus vulgaris</i> 'Gravesend'	Asparagus
<i>Asparagus vulgaris</i> 'Large <i>Cork'</i>	Asparagus
<i>Aster chinensis</i>	Double Blue China Aster

<i>Aster chinensis</i>	Double Purple China Aster
<i>Aster chinensis</i>	Double Purple China Aster
<i>Aster chinensis</i>	Double Purple Striped China Aster
<i>Aster chinensis</i>	Double Red Bonnet China Aster
<i>Aster chinensis</i>	Double Red China Aster
<i>Aster chinensis</i>	Double Red Striped China Aster
<i>Aster chinensis</i>	Double Striped China Aster
<i>Aster chinensis</i>	Double White China Aster
<i>Aster chinensis</i>	Double White China Aster
<i>Aster chinensis</i>	Quilled China Aster
<i>Astragalus uliginosus</i>	Milk Vetch
<i>Atriplex hortensis</i>	Orrach
<i>Azalea nudiflora</i>	Upright Honeysuckle
<i>Bellis perennis fistulosa</i>	Double Quilled Daisy
<i>Bellis perennis hortensis</i>	Double Daisy
<i>Berberis canadensis</i>	Canada Berberry
<i>Berberis vulgaris</i>	Berberry
<i>Beta vulgaris</i>	Long Red Beet
<i>Beta vulgaris</i>	Mangel Worzel, Root of Beet, Root of Scarcity
<i>Beta vulgaris</i>	Turnep Rooted Red Beet
<i>Betula alba vulgaris</i>	White Birch
<i>Betula Alnus</i>	Common Alder
<i>Betula Alnus glauca</i>	Silver leaved Alder
<i>Betula papyracea</i>	Paper Birch
<i>Bignonia Catalpa</i>	Catalpa
<i>Bignonia radicans</i>	Red Trumpet Flower
<i>Borago officinalis</i>	Borage
<i>Brassica Botrytis</i>	Large Late Cauliflower
<i>Brassica Botrytis</i>	True Early Cauliflower
<i>Brassica capitata</i>	Red Pickling Cabbage
<i>Brassica capitata</i> 'Early Battersea'	Cabbage
<i>Brassica capitata</i> 'Early Heart Shaped'	Cabbage

<i>Brassica capitata</i> 'Early Russia'	Cabbage
<i>Brassica capitata</i> 'Early Sugarloaf'	Cabbage
<i>Brassica capitata</i> 'Early York'	Cabbage
<i>Brassica capitata</i> 'Large Battersea'	Cabbage
<i>Brassica capitata</i> 'Large Drum-headed'	Cabbage
<i>Brassica capitata</i> 'Large English'	Cabbage
<i>Brassica capitata</i> 'Large Flat Dutch'	Cabbage
<i>Brassica capitata</i> 'Late Sugarloaf'	Cabbage
<i>Brassica capitata</i> Large Scotch Cabbage	Cabbage
<i>Brassica caulorapa</i>	Turnep, Rooted Cabbage
<i>Brassica caulorapa</i>	Turnep, Rooted Cabbage
<i>Brassica italicica</i>	White Cauliflower, Brocoli
<i>Brassica</i> 'Early Green'	Brocoli
<i>Brassica</i> 'Early Purple'	Brocoli
<i>Brassica</i> 'Large Late Purple'	Brocoli
<i>Brassica napus</i>	Cole, Rape
<i>Brassica napus</i>	Common Colewort
<i>Brassica napus</i>	Jerusalem Kale
<i>Brassica napus</i>	Rape
<i>Brassica Rapa</i>	Early Dutch Turnep
<i>Brassica Rapa</i>	Early Green Turnep
<i>Brassica Rapa</i>	Early Stone Turnep
<i>Brassica Rapa</i>	Large Norfolk Field Turnep
<i>Brassica Rapa</i>	Large Red Turnep
<i>Brassica Rapa</i>	Large Tankard Turnep
<i>Brassica Rapa</i>	White Round Turnep
<i>Brassica Rapa</i>	Yellow Turnep
<i>Brassica saubauda</i>	Anjou Savoy Cabbage

<i>Brassica oleracea</i>	Brussels Sprouts
<i>Brassica oleracea</i>	Green Savoy Cabbage
<i>Brassica oleracea</i>	Milan Savoy, Savoy Cabbage
<i>Brassica oleracea</i>	Yellow Savoy Cabbage
<i>Brassica oleracea</i>	Brown Curled Borecole
<i>Brassica oleracea</i>	Brussels Sprouts
<i>Brassica oleracea</i>	Green Curled Borecole
<i>Browallia specaria</i>	Browallia
<i>Bupleurum rotundifolium</i>	Annual Hare's-Ear
<i>Calendula</i>	Cape Marigold
<i>Caltha palustris</i>	Double Pot Marigold
<i>Calycanthus floridus</i>	Calycanthus
<i>Campanula medium</i>	Blue Canterbury Bells
<i>Campanula medium</i>	White Canterbury Bells
<i>Campanula persicifolia</i>	Peach-leaved Bell-flower
<i>Campanula pyramidalis</i>	Pyrimidal Bell-Flower
<i>Campanula Rapunculoides</i>	Nettle-leaved Bell-Flower
<i>Campanula Rapunculus</i>	Rampion
<i>Campanula speculum</i>	Venus's Looking Glass
<i>Canna Cannacorus</i>	Scarlet Indian Shoot
<i>Canna Cannacorus</i>	Yellow Indian Shoot
<i>Cannabis sativa</i>	Hemp
<i>Capsicum frutescens</i>	True Cayenne Pepper
<i>Capsicum indicum</i>	Cherry Pepper, Capsicum
<i>Capsicum indicum</i>	Large Globe Pepper, Capsicum
<i>Capsicum indicum</i>	Large Heart Pepper, Capsicum
<i>Capsicum indicum</i>	Long Drooping Pepper, Capsicum
<i>Capsicum indicum</i>	Long Orange Pepper, Capsicum
<i>Capsicum indicum</i>	Long Small Upright Pepper, Capsicum
<i>Capsicum indicum</i>	Long Yellow Pepper, Capsicum
<i>Capsicum indicum</i>	Red, Guinea Pepper
<i>Cardamine pratensis</i>	Lady's Smock
<i>Cardiospermum corindum</i>	Heart Pea

<i>Carpinus betulus vulgaris</i>	Hornbeam
<i>Carpinus ostrya</i>	Hop Hornbeam
<i>Carum Carvi</i>	Caraway
<i>Cathamus tinctorius</i>	Bastard Saffron
<i>Ceanothus americanus</i>	New-Jersey Tea-Tree
<i>Celosia cristata</i>	Branching Cockscomb
<i>Celosia cristata</i>	Buff Cockscomb
<i>Celosia cristata</i>	Giant Crimson Cockscomb
<i>Celosia cristata</i>	Purple Cockscomb
<i>Celosia cristata</i>	White Cockscomb
<i>Celosia cristata</i>	Yellow Cockscomb
<i>Celtis occidentalis</i>	Nettle Tree
<i>Centaurea Cyanus</i>	Blue Cyanus
<i>Centaurea Cyanus</i>	Purple Cyanus
<i>Centaurea Cyanus</i>	Red Cyanus
<i>Centaurea Cyanus</i>	Striped Cyanus
<i>Centaurea Cyanus</i>	White Cyanus
<i>Centaurea moschata</i>	Purple Sweet Sultan
<i>Centaurea moschata</i>	Red Sweet Sultan
<i>Centaurea moschata</i>	White Sweet Sultan
<i>Centaurea moschata</i>	Yellow Sweet Sultan
<i>Cephalanthus occidentalis</i>	Button Tree
<i>Cercis canadensis</i>	Judas Tree
<i>Cerinthe majus</i>	Great Purple Honey-wort
<i>Cheiranthus annuus</i>	French Ten Week Stock
<i>Cheiranthus annuus</i>	Prussian Ten Week Stock
<i>Cheiranthus annuus</i>	Purple Ten Week Stock
<i>Cheiranthus annuus</i>	Scarlet Ten Week Stock
<i>Cheiranthus annuus</i>	White Ten Week Stock
<i>Cheiranthus cheiri</i>	Bloody Wallflower
<i>Cheiranthus cheiri</i>	Yellow Wallflower
<i>Cheiranthus incanus</i>	Queen's Stock, Gilliflower
<i>Cheiranthus incanus</i>	Twickenham Stock
<i>Cheiranthus incanus albus</i>	White Stock, Gilliflower
<i>Cheiranthus incanus coccineus</i>	Scarlet Brompton Stock, Gilliflower
<i>Cheiranthus incanus glabrus</i>	White Wallflower

<i>Cheiranthus maritimus</i>	Virginian Stock
<i>Chelidonium minus</i>	Celedine
<i>Chenopodium scoparia</i>	Belvidere, Summer
<i>Chenopodium glaucum</i>	Oak-leaved Chenopodium
<i>Chionanthus virginica</i>	Fringe Tree
<i>Chrysanthemum coronarium</i>	Double White Chrysanthemum
<i>Chrysanthemum coronarium</i>	Double White Quilled Chrysanthemum
<i>Chrysanthemum coronarium</i>	Double Yellow Chrysanthemum
<i>Chrysanthemum coronarium</i>	Double Yellow Quilled Chrysanthemum
<i>Cichorium endiva</i>	Broad Batavian Endive
<i>Cichorium endiva</i>	Green Curled Endive
<i>Cichorium endiva</i>	White Curled Endive
<i>Cochlearia officinalis</i>	Scurvy-grass
<i>Coix Lacryma-jobi</i>	Job's Tears
<i>Colchicum autumnalis</i>	Colchicum
<i>Colutea arborescens</i>	Bladder Senna
<i>Colutea frutescens</i>	Scarlet Colutea
<i>Convolvulus batatas</i>	Sweet Potatoes
<i>Convolvulus hederaceous</i>	Ivy leaved Convolvulus
<i>Convolvulus lusitanicus</i>	Blue Con. Minor Convolvulus
<i>Convolvulus purpureus</i>	Blue Con. Major Convolvulus
<i>Convolvulus rubra</i>	Red Con. Major Convolvulus
<i>Convolvulus tricolor</i>	Striped Con. Major Convolvulus
<i>Coriandrum sativum</i>	Coriander
<i>Crambe maritima</i>	Sea Kale, Sea Cabbage
<i>Crataegus coccinea</i>	Cockspur Hawthorn
<i>Crataegus oxyacantha</i>	English Hawthorn
<i>Crepia rubra</i>	Purple Hawkweed
<i>Crocus autumnalis</i>	Blue Autumnal Crocus
<i>Crocus sativus officinalis</i>	True Cultivated Saffron
<i>Crocus sativus vernus</i>	Blue Spring Crocus
<i>Crocus sativus vernus</i>	Yellow Spring Crocus
<i>Cucumis Anguria (in sorts)</i>	Water Melons
<i>Cucumis colocyntha</i>	Coliquintida, Bitter Gourd

<i>Cucumis Melo</i>	Black Rock Melon
<i>Cucumis Melo</i>	Carbuncled Rock Melon
<i>Cucumis Melo</i>	Early Cantaloupe Melon
<i>Cucumis Melo</i>	Early Jerusalem Melon
<i>Cucumis Melo</i>	Early Rocket Melon
<i>Cucumis Melo</i>	Early Romana Melon
<i>Cucumis Melo</i>	Golden Rock Melon
<i>Cucumis Melo</i>	Green Fleshed Melon
<i>Cucumis Melo</i>	Green Fleshed Nutmeg Melon
<i>Cucumis Melo</i>	Japan Rock Melon
<i>Cucumis Melo</i>	Large Mogul Melon
<i>Cucumis Melo</i>	Musk Melon
<i>Cucumis Melo minus</i>	Dwarf Melon
<i>Cucumis Melo minus</i>	Jerusalem Pickle
<i>Cucumis Melo minus</i>	Pomegranate Melon
<i>Cucumis sativus</i>	Early Frame Cucumber
<i>Cucumis sativus</i>	Early Prickley Cucumber
<i>Cucumis sativus</i>	Green Cluster Cucumber
<i>Cucumis sativus</i>	Green Roman Cucumber
<i>Cucumis sativus</i>	Long Green Turkey Cucumber
<i>Cucumis sativus</i>	Long Prickley Cucumber
<i>Cucumis sativus</i>	Long White Turkey Cucumber
<i>Cucumis sativus</i>	Short Prickley Cucumber
<i>Cucurbita Melopepo</i> (in sorts)	Squashes
<i>Cucurbita Pepo</i>	Cashaw Pumpkin
<i>Cucurbita Pepo</i>	Pumpkin
<i>Cucurbita Pepo</i>	Thick Fleshed Italian Pumpkin
<i>Cucurbita verrucosa</i>	Warted Gourds
<i>Cupressus disticha</i>	Deciduous Cypress
<i>Cupressus sempervirens</i>	Cypress
<i>Cupressus thyoides</i>	White Ceda
<i>Cyclamen autumnalis</i>	Autumnal Cyclamen
<i>Cyclamen vernus</i>	Spring Cyclamen
<i>Cynara cardunculus</i>	Cardoon
<i>Cynoglossum linifolium</i>	Venus's Navel-Wort
<i>Cytisus Laburnum</i>	Laburnum

<i>Daphne Mezereum</i>	Mezereon
<i>Datura Stramonium</i>	Double Purple Stramonium
<i>Datura Stramonium</i>	Double White Stramonium
<i>Datura tatula</i>	Thorn Apple
<i>Daucus carota</i>	Early Horn Carrot
<i>Daucus carota</i>	Long Orange Carrot
<i>Delphinium ajacis</i>	Double Blue Rocket Larkspur
<i>Delphinium ajacis</i>	Double Purple Larkspur
<i>Delphinium ajacis</i>	Double Rose Larkspur
<i>Delphinium ajacis</i>	Double Striped Blue Larkspur
<i>Delphinium ajacis</i>	Double Striped White Larkspur
<i>Delphinium ajacis</i>	Tall White Rocket Larkspur
<i>Delphinium consolida</i>	Branched Larkspur
<i>Delphinium elatum</i>	Bee Larkspur
<i>Delphinium minus</i>	Dwarf Rocket Larkspur
<i>Dianthus Caryophyllus simplex</i>	Clove Pink
<i>Dianthus Caryophyllus simplex</i>	Manchester Pink
<i>Dianthus Caryophyllus simplex</i>	Pheasant-eyed Pink
<i>Dianthus Caryophylus maximus</i>	Double Carnation
<i>Dianthus chinensis</i>	Double China Pink
<i>Dianthus imperialis</i>	Imperial Indian Pink
<i>Dictamnus albus</i>	White Fraxinella
<i>Dictamnus rubra</i>	Red Fraxinella
<i>Digitalis alba</i>	White Foxglove
<i>Digitalis ferruginea</i>	Iris-coloured Fox-glove
<i>Digitalis purpurea</i>	Purple Foxglove
<i>Diospyros virginiana</i>	Persimmon, American
<i>Dipsacus fullonum sativus</i>	Teasel
<i>Dodecatheon Meadia</i>	Virginian Cowslip
<i>Dracocephalon canariensis</i>	Balm of Gilead
<i>Dracocephalon Moldavia</i>	Moldavian Balm
<i>Echinops strigosus</i>	Globe Thistle

<i>Erythronium lens</i>	Lentils
<i>Erythronium Dens Canis</i>	Dens Canis, Dog's Tooth
<i>Euonymus europaeus</i>	Spindle Tree
<i>Euonymus sempervirens</i>	Evergreen Spindle Tree
<i>Euphorbia lathyris</i>	Caper Spurge
<i>Fagus Castanea</i>	Chesnut
<i>Fagus ferruginea</i>	American Beech
<i>Fagus pumila</i>	Chinquapin, Dwarf
<i>Fagus sylvatica vulgaris</i>	Beech
<i>Franklinia alatamaha</i>	Franklinia
<i>Fraxinus americana</i>	Carolina Ash, Red Ash
<i>Fraxinus excelsior</i>	English Ash
<i>Fraxinus pennsylvanica</i>	Pennsylvannian Ash
<i>Fritillaria imperialis</i>	Crown Imperial
<i>Fritillaria persica</i>	Persian Fritillary
<i>Fumaria Capnoides</i>	White Fumitory
<i>Galanthus nivalis</i>	Double Spring Snowdrop
<i>Galanthus nivalis</i>	Single Spring Snowdrop
<i>Gaultheria procumbens</i>	Mountain Tea
<i>Genista italicica</i>	Lucca Broom
<i>Geranium africanum</i>	Geranium
<i>Gleditsia tricanthos</i>	Three Thorned Acacia
<i>Gomphrena Amaranthoides</i>	Purple Globe Amaranthus
<i>Gomphrena Amaranthoides</i>	Spiked Amaranthus
<i>Gomphrena Amaranthoides</i>	Striped Amaranthus
<i>Gomphrena Amaranthoides</i>	White Globe Amaranthus
<i>Gossypium Xylon americanum</i>	Green Seeded Upland Cotton
<i>Halesia tetrapetra</i>	Snowdrop Tree
<i>Hedysarum coronarium</i>	Red French Honeysuckle
<i>Hedysarum coronarium</i>	White French Honeysuckle
<i>Hedysarum onobrychis</i>	Saintfoin
<i>Helianthus annuus</i>	Tall Double Sunflower
<i>Helianthus indicus</i>	Dwarf Double Sunflower
<i>Hesperis tristis</i>	Night Smelling Rocket
<i>Hibiscus brasiliensis</i>	Okra
<i>Hibiscus syriacus</i>	Althaea Frutex, Syrian
<i>Hibiscus trionum</i>	Bladder Ketmia
<i>Hieracium aurantiacum</i>	Orange Mouse-ear

<i>Hippocrepis unisiliquosa</i>	Horse-Shoes
<i>Hyacinthus orientalis</i>	Double Hyacinth
<i>Hyssopus officinalis</i>	Hyssop
<i>Iberis</i>	Candytuft
<i>Iberis pyrimidalis</i>	Pyrimidal Candytuft
<i>Iberis umbellata</i>	Normandy Candytuft
<i>Iberis umbellata</i>	Purple Candytuft
<i>Impatiens</i>	Yellow Balsam, Touch me
<i>Impatiens Balsamina</i>	Balsam, Balsamine
<i>Impatiens Balsamina</i>	Double Purple Stiped Balsam, Balsamine
<i>Impatiens Balsamina</i>	Double Red Balsam, Balsamine
<i>Impatiens Balsamina</i>	Double Red Striped Balsam, Balsamine
<i>Impatiens Balsamina</i>	Double White Balsam, Balsamine
<i>Impatiens Balsamina</i>	Immortal Eagle Flower
<i>Ipomea coccinea</i>	Scarlet Ipomea
<i>Ipomea Quamoclit</i>	Wing'd leaved Ipomoea
<i>Iris persica</i>	Dwarf Persian Iris
<i>Ixia chinensis</i>	Chinese Ixia
<i>Juglans alba</i>	White Walnut
<i>Juglans alba minima</i>	Pignut Hickory
<i>Juglans alba odorata</i>	Balsalm Hickory
<i>Juglans alba orata</i>	Shell-barked Hickory
<i>Juglans nigra</i>	Black Walnut
<i>Juglans oblonga alba</i>	Butter Nut
<i>Juniperus bermudiana</i>	Bermuda Cedar
<i>Juniperus communis</i>	Common Juniper
<i>Juniperus thurifera</i>	Spanish Juniper
<i>Juniperus virginiana</i>	Red Cedar
<i>Kalmia angustifolia</i>	American Laurel
<i>Lactuca sativa</i>	Aleppo, Spotted Coss Lettuce
<i>Lactuca sativa</i>	Brown Dutch Lettuce
<i>Lactuca sativa</i>	Cabbage Lettuce
<i>Lactuca sativa</i>	Capuchine Lettuce

<i>Lactuca sativa</i>	Early Forcing Coss Lettuce
<i>Lactuca sativa</i>	Egyptian Coss Lettuce
<i>Lactuca sativa</i>	Grand Admiral Lettuce
<i>Lactuca sativa</i>	Green Coss Lettuce
<i>Lactuca sativa</i>	Hammersmith Hardy Lettuce
<i>Lactuca sativa</i>	Honey Lettuce
<i>Lactuca sativa</i>	Imperial Lettuce
<i>Lactuca sativa</i>	Large Royal Lettuce
<i>Lactuca sativa</i>	Mogul Lettuce
<i>Lactuca sativa</i>	New Zealand Cabbage Lettuce
<i>Lactuca sativa</i>	Prince's Cabbage Lettuce
<i>Lactuca sativa</i>	Royal Cabbage Lettuce
<i>Lactuca sativa</i>	Silicia Lettuce
<i>Lactuca sativa</i>	Tennisball Lettuce
<i>Lactuca sativa</i>	White Coss Lettuce
<i>Lathyrus americanus</i>	Lord Anton's, Cape Horn
<i>Lathyrus latifolius</i>	Everlasting Pea
<i>Lathyrus odoratus</i>	Blue Sweet Pea
<i>Lathyrus odoratus</i>	Painted Lady Sweet Pea
<i>Lathyrus odoratus</i>	Purple Sweet Pea
<i>Lathyrus odoratus</i>	Scarlet Sweet Pea
<i>Lathyrus odoratus</i>	Sweet Pea
<i>Lathyrus odoratus</i>	White Sweet Pea
<i>Lathyrus tingitanus</i>	Tangier Pea
<i>Laurus Benzoin</i>	Benjamin Tree
<i>Laurus nobilis</i>	Sweet Bay
<i>Laurus Sassafras</i>	Sassafras Tree
<i>Lavatera arborea</i>	Tree Mallow
<i>Lavatera trimestris</i>	Red Lavatera
<i>Lavatera trimestris</i>	White Lavatera
<i>Lavendula spica</i>	Lavender
<i>Lepidium crispum</i>	Curled Cress
<i>Lepidium latifolium</i>	Broad-leaved Cress
<i>Ligustrum vulgare</i>	Privet
<i>Lilium candidum</i>	Jacoba Lily
<i>Linum flavum</i>	Perennial Flax
<i>Linum usitatissimum</i>	Flax

<i>Liquidamber styraciflua</i>	Sweet Gum
<i>Liriodendron Tulipifera</i>	Tulip Tree, Poplar
<i>Lithospermum officinalis</i>	Gromwell
<i>Lobelia cardinalis</i>	Scarlet Cardinal's Flower
<i>Lobelia siphilitica</i>	Blue Cardinal's Flower
<i>Lotus tetragonolobus</i>	Winged Pea
<i>Lunaria biennis</i>	Honesty, Satin Flower
<i>Lupinus hirsutus</i>	Large Blue Lupin
<i>Lupinus luteus</i>	Yellow Lupin
<i>Lupinus pilosus</i>	Rose Lupin
<i>Lupinus varius</i>	Small Blue Lupin
<i>Lychnis chalcedonica</i>	Scarlet Lychnis
<i>Lychnis viscaria</i>	Catchfly
<i>Magnolia acuminata</i>	Cucumber Tree
<i>Magnolia glauca</i>	Swamp Magnolia
<i>Magnolia grandiflora</i>	Laurel-leaved Magnolia
<i>Malva crispa</i>	Curled Mallow
<i>Malva orientalis</i>	Oriental Mallow
<i>Malva peruviana</i>	Oriental Mallow
<i>Martynia annua</i>	Martynia
<i>Marubium vulgare</i>	Horehound
<i>Matricaria Parthenium</i>	Feverfew
<i>Medicago intertexta</i>	Hedgehogs
<i>Medicago muricata</i>	Horns
<i>Medicago sativa</i>	Lucern
<i>Melia Azadarach</i>	Beed Tree
<i>Melissa officinalis</i>	Balm
<i>Mentha arvensis</i>	Corn Mint
<i>Mentha piperita</i>	Pepper Mint
<i>Mentha viridis</i>	Spear Mint
<i>Mespilus canadensis</i>	Dwarf Red Medlar
<i>Mespilus Pyracantha</i>	Pyracantha, Evergreen
<i>Milium arundinaceum</i>	Guinea Corn
<i>Milium effusum</i>	Millet
<i>Mimosa humilis spinosa</i>	Sensitive Plant
<i>Mirabilis Jalapa</i>	Gold Striped Marvel of Peru

<i>Mirabilis Jalapa</i>	Purple Striped Marvel of Peru
<i>Mirabilis Jalapa</i>	Red Marvel of Peru
<i>Mirabilis Jalapa</i>	Red Striped Marvel of Peru
<i>Mirabilis Jalapa</i>	White Marvel of Peru
<i>Mirabilis Jalapa</i>	White Striped Marvel of Peru
<i>Mirabilis Jalapa</i>	Yellow Marvel of Peru
<i>Mirabilis longiflora</i>	Sweet Scented Marvel of Peru
<i>Momordica Elaterium</i>	Squirting Cucumber
<i>Monarda fistulosa</i>	Crimson Monarda
<i>Morus alba</i>	White Chinese Mulberry
<i>Morus nigra</i>	Black Mulberry
<i>Morus rubra</i>	Red Virginian Mulberry
<i>Myrtus angustifolium</i>	Narrow leaved Myrtle
<i>Myrtus latifolium</i>	Broad leaved Myrtle
<i>Narcissus jonquilla</i>	Double Jonquil
<i>Narcissus majus</i>	Great Daffodil
<i>Narcissus tazetta</i>	Polyanthus Narcissus
<i>Nepeta Cataria</i>	Nep, Catmint
<i>Nerium Oleander</i>	Rose Bay
<i>Nicotiana angustifolia</i>	Virginia narrow leaf'd Tobacco
<i>Nicotiana rustica</i>	Common Tobacco
<i>Nicotiana tabacum</i>	Virginia Broad leaf'd Tobacco
<i>Nigella damascena</i>	Love in a Mist
<i>Nigella hispanica</i>	Spanish Fennel Flower
<i>Nolana prostrata</i>	Nolana
<i>Nyssa sylvatica</i>	Upland Tupelo Tree
<i>Ocimum minus</i>	Bush Basil
<i>Ocimum vulgaris</i>	Sweet Basil
<i>Oenothera biennis</i>	Primrose Tree
<i>Origanum heracleoticum</i>	Winter Sweet Marjoram
<i>Origanum Marjorana</i>	Knotted Marjoram
<i>Origanum onites</i>	Pot Marjoram
<i>Ornithogalum pyramidale</i>	Star of Bethlehem

<i>Papaver dubium</i>	Double Carnation Poppy
<i>Papaver nigra</i>	Maw
<i>Papaver rhoeas</i>	Double Dwarf, Corn Poppy
<i>Papaver somniferum</i>	White Poppy
<i>Passiflora caerulea</i>	Passion Flower
<i>Pastinaca sativa</i>	Large Dutch Parsnep
<i>Phalaris canariensis</i>	Canary
<i>Phaseolus coccineus</i>	Scarlet Bean
<i>Phaseolus purpureus</i>	Purple Flowering Bean
<i>Phaseolus purpureus</i>	White Flowering Bean
<i>Phaseolus vulgaris</i>	Battersea Dwarf Beans
<i>Phaseolus vulgaris</i>	Bishop's Black-eyed Beans
<i>Phaseolus vulgaris</i>	Black Speckled Dwarf Beans
<i>Phaseolus vulgaris</i>	Canterbury Dwarf Beans
<i>Phaseolus vulgaris</i>	Corn Running Beans
<i>Phaseolus vulgaris</i>	Cream colored Dwarf Beans
<i>Phaseolus vulgaris</i>	Dwarf Dutch Beans
<i>Phaseolus vulgaris</i>	Lima Running Beans
<i>Phaseolus vulgaris</i>	Negro Dwarf Beans
<i>Phaseolus vulgaris</i>	Purple Speckled Beans
<i>Phaseolus vulgaris</i>	Scarlet Runner Beans
<i>Phaseolus vulgaris</i>	White Dutch Running Beans
<i>Phaseolus vulgaris</i>	White Dwarf Beans
<i>Phaseolus vulgaris</i>	Yellow Dwarf Beans
<i>Phleum pratense</i>	Timothy-Grass
<i>Phlox</i>	Purple Lychnidea
<i>Phlox</i>	White Lychnidea
<i>Physalis Alkekengi</i>	Alkekengi
<i>Phytolacca decandra</i>	Poke
<i>Pimpinella anisum</i>	Anise
<i>Pinus Abies</i>	Norway Spruce Fir
<i>Pinus Abies alba</i>	White American Fir
<i>Pinus Abies balsamea</i>	Balm of Gilead Fir
<i>Pinus Abies canadensis</i>	Hemlock Spruce Fir
<i>Pinus Abies nigra</i>	Black American Fir
<i>Pinus Abies picea</i>	Silver Fir
<i>Pinus alopecuroides</i>	Fox-tail Pine
<i>Pinus cedrus</i>	Cedar of Lebanon

<i>Pinus inopha</i>	Jersey Pine
<i>Pinus Larix</i>	Larch
<i>Pinus pinaster</i>	Pinaster
<i>Pinus pinea</i>	Stone Pine
<i>Pinus resinosa</i>	White Pitch Pine
<i>Pinus strobus</i>	New England Pine, White Scotch Pine
<i>Pinus sylvestris</i>	Frankincense, Black Pitch
<i>Pinus taeda</i>	Yellow Pine
<i>Pinus virginica</i>	Blue Union Peas
<i>Pisum sativum</i>	Crown, Rose Pea
<i>Pisum sativum</i>	Crown, Rose Peas
<i>Pisum sativum</i>	Dwarf Marrowfat Peas
<i>Pisum sativum</i>	Dwarf Sugar Peas
<i>Pisum sativum</i>	Early Charleton Peas
<i>Pisum sativum</i>	Early Forcing Peas
<i>Pisum sativum</i>	Early Frame Peas
<i>Pisum sativum</i>	Early Golden Hotspur Peas
<i>Pisum sativum</i>	Essex Reading Peas
<i>Pisum sativum</i>	Field Peas
<i>Pisum sativum</i>	Glory of England Peas
<i>Pisum sativum</i>	Green Nonpareil Peas
<i>Pisum sativum</i>	Green Rouncival Peas
<i>Pisum sativum</i>	Large Marrowfat Peas
<i>Pisum sativum</i>	Leadman's Dwarf Peas
<i>Pisum sativum</i>	Nichol's Early Peas
<i>Pisum sativum</i>	Spanish Dwarf Peas
<i>Pisum sativum</i>	Spanish Morotto Peas
<i>Pisum sativum</i>	Tall Crooked Sugar Peas
<i>Pisum sativum</i>	White Rouncival Peas
<i>Pisum sativum</i>	Whole and Split Peas
<i>Pisum sativum</i>	Wrench's Hotspur Peas
<i>Plantago media</i>	Plantain
<i>Platanus occidentalis</i>	Western Plane
<i>Poinciana pulcherrima</i>	Barbadoes Flower-Fence
<i>Polemonium album</i>	White Greek Valerian
<i>Polemonium coeruleum</i>	Blue Greek Valerian
<i>Polyanthes tuberosa</i>	Double Tuberose

<i>Polygonum Fagopyrum</i>	Buck Wheat
<i>Polygonum orientale</i>	Persicaria
<i>Poterium sanguisorba</i>	Garden Burnet
<i>Primula Auricula</i>	Auricula
<i>Primula elatior</i>	Polyanthus
<i>Prinos verticillatus</i>	Black Alder, Winter-Berry
<i>Prunus Lauro-cerasus</i>	Oriental Laurel
<i>Prunus lusitanica</i>	Portugal Laurel
<i>Quercus Suber</i>	Cork-Tree
<i>Ranunculus</i>	Ficaria
<i>Ranunculus asiaticus</i>	Double Persian
<i>Ranunculus asiaticus</i>	Ranunculus
<i>Raphanus sativus</i>	Black Spanish Radish
<i>Raphanus sativus</i>	Early Frame Radish
<i>Raphanus sativus</i>	Early Short-topped Radish
<i>Raphanus sativus</i>	London Radish
<i>Raphanus sativus</i>	Red Spanish Radish
<i>Raphanus sativus</i>	Red Turnep Radish
<i>Raphanus sativus</i>	Salmon Radish
<i>Raphanus sativus</i>	White Short-topped Radish
<i>Raphanus sativus</i>	White Spanish Radish
<i>Raphanus sativus</i>	White Turnep Radish
<i>Reseda Luteola</i>	Weld, Dyer's Weed
<i>Reseda odorata</i>	Mignonette
<i>Rheum raphonticum</i>	True Turkey Rhubarb
<i>Rhododendron maximum</i>	Dwarf Rose Bay
<i>Rhus Toxicodendron vernix</i>	Poison Sumach, Varnish
<i>Rhus typhinum</i>	Virginian Sumach
<i>Ricinus majus</i>	Palma Christi Major
<i>Ricinus minus</i>	Palma Christi Minor
<i>Robinia hispida</i>	Rose Acacia
<i>Robinia pseudo acacia</i>	Virginia Acacia
<i>Rumex Acetosa</i>	Garden Sorrel
<i>Rumex scutatus</i>	French Sorrel
<i>Ruta graveolens</i>	Rue
<i>Salvia hispanica</i>	Spanish Sage
<i>Salvia officinalis</i>	Sage
<i>Salvia Sclarea</i>	Clary

<i>Salvia violacea</i>	Purple Clary
<i>Sanguisorba officinalis</i>	Field Burnet
<i>Saponaria officinalis plena</i>	Double Soapwort
<i>Satureja hortensis</i>	Summer Savory
<i>Satureja montana</i>	Winter Savory
<i>Scabiosa alba</i>	White Sweet Scabious
<i>Scabiosa atropurpurea</i>	Purple Sweet Scabious
<i>Scandix cerefolium</i>	Chervil
<i>Scorpiurus vermiculata</i>	Caterpillars
<i>Secale cereale hybernum</i>	Winter Rye
<i>Secale cereale vernum</i>	Spring Rye
<i>Senecio Jacobea</i>	Double Purple Jacobea
<i>Senecio Jacobaea</i>	Double White Jacobea
<i>Silene armeris</i>	Red Lobel's Catchfly
<i>Silene armeria</i>	White Lobel's Catchfly
<i>Silene quinquevulnera</i>	Dwarf Lychnis
<i>Sinapis alba</i>	White Mustard
<i>Sinapis nigra</i>	Brown Mustard
<i>Sium</i>	Skirret
<i>Smyrnium olusatrum</i>	Alisander, Alexander
<i>Solanum Lycopersicum</i>	Love Apple
<i>Solanum Lycopersicum</i>	Tomatoes, Love Apples
<i>Solanum Melongena</i>	Purple Egg Plant
<i>Solanum Melongena</i>	White Egg Plant
<i>Solanum pseudo capsicum</i>	Jerusalem Cherry
<i>Solanum tuberosum</i>	Potatoes
<i>Soldanella alpina</i>	Soldanella
<i>Solidago canadensis</i>	Golden Rod
<i>Spartium junceum</i>	Spanish Broom
<i>Spartium multiflorum</i>	White Portugal Broom
<i>Spartium scoparium</i>	Common Broon
<i>Spinacia oleracea</i>	Berry-headed Spinach
<i>Spinacia oleracea</i>	Bordeaux Spinach
<i>Spinacia oleracea</i>	Prickly Spinach
<i>Spinacia oleracea</i>	Red Leaf'd Spinach
<i>Spinacia oleracea</i>	Spinach
<i>Spinacia oleracea</i>	Strawberry Spinach
<i>Spirea ulmaria</i>	Meadow Sweet

<i>Staphylea trifoliata</i>	Bladder Nut
<i>Syringa alba</i>	White Lilac
<i>Syringa violacea</i>	Purple Lilac
<i>Tagetes erecta</i>	Double Lemon African Marigold
<i>Tagetes erecta</i>	Double Lemon Quilled Marigold
<i>Tagetes erecta</i>	Double Orange African Marigold
<i>Tagetes erecta</i>	Double Orange Quilled Marigold
<i>Tagetes petula</i>	Double French Marigold
<i>Tagetes petula</i>	Sweet Scented Marigold
<i>Tanacetum vulgare</i>	Tansey
<i>Thunia occidentalis</i>	American Arbor Vita, Tree
<i>Thymus serpyllum</i>	Lemon Thyme
<i>Thymus vulgaris</i>	Thyme
<i>Tilia americana</i>	Linden, Lime
<i>Tradescantia virginiana</i>	Virginian Spiderwort
<i>Tragopogon purpureum</i>	Salsafy
<i>Triconanthus</i>	Serpent Cucumber
<i>Trifolium purpureum</i>	Red Clover
<i>Trifolium repens</i>	White Dutch Clover
<i>Trigonella Foenumgraecum</i>	Fenugreek
<i>Triticum</i>	Summer Wheat
<i>Triticum hybernum</i>	Winter Wheat, Lamas
<i>Tropaeolum majus</i>	Large Nasturtium
<i>Tropaeolum majus</i>	Small Indian Cress,
<i>Tropaeolum minus</i>	Large Nasturtium Nasturtium
<i>Tropaeolum minus</i>	Small Nasturtium
<i>Tsuga chinensis</i>	Chinese Arbor Vite, Tree of
<i>Tulipa gesneriana</i>	Tulip
<i>Ulex europaeus</i>	Furze, Whins
<i>Urtica pilulifera</i>	Roman Nettle
<i>Vaccinium hispidulum</i>	Cranberry
<i>Valeriana locusta olitoria</i>	Corn Salad
<i>Valeriana rubra</i>	Red Valerian
<i>Verbascum Blattaria</i>	Moth Mullein

<i>Veronica virginiana</i>	Veronica, Speedwell
<i>Vicia Faba</i>	Beans
<i>Vicia Faba</i>	Broad Spanish Beans
<i>Vicia Faba</i>	Dwarf Beans
<i>Vicia Faba</i>	Early Beans
<i>Vicia Faba</i>	Early Hotspur Beans
<i>Vicia Faba</i>	Early Lisbon Beans
<i>Vicia Faba</i>	Green Genoa Beans
<i>Vicia Faba</i>	Green Nonpareil Beans
<i>Vicia Faba</i>	Horse Beans
<i>Vicia Faba</i>	Large Token Beans
<i>Vicia Faba</i>	Large Windsor Beans
<i>Vicia Faba</i>	Mumford Beans
<i>Vicia Faba</i>	Sandwich Beans
<i>Vicia Faba</i>	Turkey Longpod Beans
<i>Vicia Faba</i>	White Blossom Beans
<i>Vicia sativa</i>	Common Vetch, Tare
<i>Viola tricolor</i>	Heart's Ease
<i>Vitis Burgundy</i>	Vines
<i>Vitis Cape of Good Hope</i>	Vines
<i>Vitis Lisbon</i>	Vines
<i>Vitis Muscat of Alexandria</i>	Vines
<i>Vitis vinifera</i>	Vines
<i>Xeranthernum annuum</i>	Purple Xeranthernum
<i>Xeranthernum annuum</i>	White Xeranthernum
<i>Zanthosilum fraxinifolium</i>	Ash-leav'd Tooth-ache
<i>Zea Mays</i>	Indian Corn
<i>Zea Mays minus</i>	Chicken Corn
<i>Zinnia multiflora</i>	Red Zinnia
<i>Zinnia pauciflora</i>	Yellow Zinnia

Petersburg Intelligencer

Petersburg, Virginia, January 21, 1803

Garden Seeds Sold by Joseph Davenport

Garden Peas	[<i>Pisum sativum</i>]
Salmon Radish	[<i>Raphanus sativus</i> 'Salmon']
Short-top Radish	[<i>R. sativus</i> 'Short-top']
Strasburg Onion	[<i>Allium cepa</i> 'Strasburg']
White Mustard	[<i>Brassica hirta</i>]
Cauliflower	[<i>Brassica oleracea</i>]
Early Dwarf Cabbage	[<i>B. oleracea</i> 'Early Dwarf']
Early York Cabbage	[<i>B. oleracea</i> 'Early York']
White Broccoli	[<i>B. oleracea</i>]
Purple Broccoli	[<i>B. oleracea</i>]
Scotch Broccoli	[<i>B. oleracea</i>]
Green Dutch Savoy Cabbage	[<i>B. oleracea</i> 'Green Dutch Savoy']
Sugarloaf Cabbage	[<i>B. oleracea</i> 'Sugarloaf']
Red Cabbage	[<i>B. oleracea</i>]
Cabbage Lettuce	[<i>Lactuca sativa</i>]
Black Cos Lettuce	[<i>L. sativa</i> 'Black Cos']
White Cos Lettuce	[<i>L. sativa</i> 'White Cos']
Green Cos Lettuce	[<i>L. sativa</i> 'Green Cos']
Brown Dutch Lettuce	[<i>L. sativa</i> 'Brown Dutch']
Green Curled Cole	
Garden Cresses	[<i>Lepidium sativum</i>]
Celery	[<i>Apium graveolens</i> var. <i>dulce</i>]
Asparagus	[<i>Asparagus officinale</i>]
Long Prickly Cucumber	[<i>Cucumis sativus</i> 'Long Prickly']
Short Prickly Cucumber	[<i>C. sativus</i> 'Short Prickly']
[?] Spinnage	[<i>Spinacia oleracea</i>]
Orange Carrots	[<i>Daucus carota</i>]

Submitted by Peter Hatch, Monticello

The Virginia Argus

New Kent County, Virginia, October 6, 1804

Grafted Apple Trees sold by Samuel Bailey

Winesap	<i>[Malus pumila 'Winesap']}</i>
Bellflower	<i>[Yellow Bellflower]</i>
Summer Cheese	
Winter Cheese	
Clopton's Hangfast	
May Apple	
June Apple	
July Apple	
Sheepnose	
Harvest Apple	<i>[Early Harvest?]</i>
Sweet Russet	
Golden Wilding	
Rawl's Jennetts	<i>[Ralls Genet]</i>
Lowry Apple	
Summer Pearmain	
Winter Pearmain	
Trueman's Pearmain	
Cannon Pearmain	
Lightfoot's Pearmain	
Longstem	
Long Crab	
Red Crab	
Flat Crab	

Submitted by Peter Hatch

Bernard M'Mahon

1806

Benedictus	?
Double Purple Jacobea	?
Double White Jacobea	?
Pennsylvannia Maple	<i>Acer pennsylvanicum</i>
Sycamore, Great Maple	<i>Acer pseudo platanus</i>
Red Flowering Maple	<i>Acer rubrum</i>
Sugar Maple	<i>Acer saccharinum</i>
Sweet Milfoil, Maudlin	<i>Achillea ageratum</i>
Sneeze-wort, Milfoil	<i>Achillea Ptarmica</i>
Monk's hood	<i>Aconitum napellus</i>
Flos Adonis	<i>Adonis autumnalis</i>
Common Horse Chestnut	<i>Aesculus Hippocastanum</i>
Scarlet Flowering Horse	<i>Aesculus Parva</i>
Painted Lady, Rose Campion	<i>Agrostemma coronaria</i>
Red Rose Campion	<i>Agrostemma coronaria</i>
White Rose Campion	<i>Agrostemma coronaria</i>
China Hollyhock	<i>Alcea chinensis</i>
Double Hollyhock	<i>Alcea rosea</i>
Schallot	<i>Allium ascalonicum</i>
Long Keeping Onion	<i>Allium Cepa 'Long Keeping'</i>
Deptford Onion	<i>Allium Cepa 'Deptford'</i>
Portugal Onion	<i>Allium Cepa 'Portugal'</i>
Red Spanish Onion	<i>Allium Cepa 'Red Spanish'</i>
Silver Skinned Onion	<i>Allium Cepa 'Silver Skinned'</i>
Strasburg Onion	<i>Allium Cepa 'Strasburg'</i>
Tree Onion	<i>Allium Cepa 'Tree Onion'</i>
White Spanish Onion	<i>Allium Cepa 'White Spanish'</i>
Welsh Onion	<i>Allium fistulosum 'Welsh Onion'</i>
Allium Moly	<i>Allium Moly</i>
Broad English Leek	<i>Allium Porrum</i>
Garlick	<i>Allium sativum</i>
Chives	<i>Allium Schoenoprasum</i>
Rocambole	<i>Allium Scorodoprasum</i>
Aloe	<i>Aloe africana</i>
Marsh Mallow	<i>Althea officinalis</i>
Sweet Alysson	<i>Alyssum minimum</i>
Bicolor Amaranthus	<i>Amaranthus bicolor</i>
Love-lies-bleeding	<i>Amaranthus candatus</i>
Prince's Feather	<i>Amaranthus hypocondriacus</i>
Tree Amaranthus	<i>Amaranthus maximus</i>
Spike Amaranthus	<i>Amaranthus spica</i>

Tricolor Amaranthus	<i>Amaranthus tricolor</i>
Pimpernel	<i>Anagallis arvensis</i>
Anemone	<i>Anemone coronaria</i>
Hepatica	<i>Anemone Hepatica</i>
Double Anemone	<i>Anemone hortensis</i>
Pasque-flower	<i>Anemone pulsatilla</i>
Finochia	<i>Anethum azoricum</i>
Sweet Fennel	<i>Anethum dulce</i>
Common Fennel	<i>Anethum Goeniculum</i>
Dill	<i>Anethum graveolens</i>
Garden Angelica	<i>Angelica archangelica</i>
Papaw Tree	<i>Annona triloba</i>
Toad Flax	<i>Antirrhinum</i>
Red Snapdragon	<i>Antirrhinum majus</i>
White Snapdragon	<i>Antirrhinum majus</i>
Spanish Snap-Dragon	<i>Antirrhinum viscosum</i>
Curled Parsley	<i>Apium crispum</i>
North's Large Celery	<i>Apium graveolens</i>
Smallage	<i>Apium graveolens</i>
Italian Celery	<i>Apium graveolens 'Italian'</i>
Solid Celery	<i>Apium graveolens 'Solid'</i>
Hamburg Parsley	<i>Apium radice esculenta 'Large Rooted'</i>
Turnep Rooted Celery, Celeriac	<i>Apium rapaceum</i>
Common Parsley	<i>Apium sativum</i>
Columbine	<i>Aquilegia canadensis</i>
Double Columbine	<i>Aquilegia canadensis</i>
Angelica Tree	<i>Aralia spinosa</i>
Arbutus, Strawberry-Tree	<i>Arbutus</i>
Trailing Arbutus	<i>Arbutus uva ursi</i>
Mexican Poppy	<i>Argemone mexicana</i>
Wormwood	<i>Artemesia Absinthium</i>
Tarragon	<i>Artemesia Dracunculus</i>
Asparagus	<i>Asparagus vulgaris 'Battersea'</i>
Asparagus	<i>Asparagus vulgaris 'Gravesend'</i>
Asparagus	<i>Asparagus vulgaris 'Large Cork'</i>
Double Blue China Aster	<i>Aster chinensis</i>
Double Purple China Aster	<i>Aster chinensis</i>
Double Purple China Aster	<i>Aster chinensis</i>
Double Purple Striped China Aster	<i>Aster chinensis</i>
Double Red Bonnet China Aster	<i>Aster chinensis</i>
Double Red China Aster	<i>Aster chinensis</i>
Double Red Striped China Aster	<i>Aster chinensis</i>
Double Striped China Aster	<i>Aster chinensis</i>
Double White China Aster	<i>Aster chinensis</i>
Double White China Aster	<i>Aster chinensis</i>
Quilled China Aster	<i>Aster chinensis</i>

Milk Vetch	<i>Astragalus uliginosus</i>
Orrach	<i>Atriplex hortensis</i>
Upright Honeysuckle	<i>Azalea nudiflora</i>
Double Quilled Daisy	<i>Bellis perennis fistulosa</i>
Double Daisy	<i>Bellis perennis hortensis</i>
Canada Berberry	<i>Berberis canadensis</i>
Berberry	<i>Berberis vulgaris</i>
Long Red Beet	<i>Beta vulgaris</i>
Mangel Worzel, Root of Beet	<i>Beta vulgaris</i>
Turnep Rooted Red Beet	<i>Beta vulgaris</i>
White Birch	<i>Betula alba vulgaris</i>
Common Alder	<i>Betula Alnus</i>
Silver leaved Alder	<i>Betula Alnus glauca</i>
Paper Birch	<i>Betula papyracea</i>
Catalpa	<i>Bignonia Catalpa</i>
Red Trumpet Flower	<i>Bignonia radicans</i>
Borage	<i>Borago officinalis</i>
Large Late Cauliflower	<i>Brassica Botrytis</i>
True Early Cauliflower	<i>Brassica Botrytis</i>
Red Pickling Cabbage	<i>Brassica capitata</i>
Cabbage	<i>Brassica capitata</i> 'Early Battersea'
Cabbage	<i>Brassica capitata</i> 'Early Heart Shaped'
Cabbage	<i>Brassica capitata</i> 'Early Russia'
Cabbage	<i>Brassica capitata</i> 'Early Sugarloaf'
Cabbage	<i>Brassica capitata</i> 'Early York'
Cabbage	<i>Brassica capitata</i> 'Large Battersea'
Cabbage	<i>Brassica capitata</i> 'Large Drum-headed'
Cabbage	<i>Brassica capitata</i> 'Large English'
Cabbage	<i>Brassica capitata</i> 'Large Flat Dutch'
Cabbage	<i>Brassica capitata</i> 'Large Scotch'
Cabbage	<i>Brassica capitata</i> 'Late Sugarloaf'
Turnep, Rooted Cabbage	<i>Brassica caudata</i>
Turnep, Rooted Cabbage	<i>Brassica caudata</i>
White Cauliflower, Brocoli	<i>Brassica italicica</i>
Brocoli	<i>Brassica italicica</i> 'Early Green'
Brocoli	<i>Brassica italicica</i> 'Early Purple'
Brocoli	<i>Brassica italicica</i> 'Large Late Purple'
Brown Mustard	<i>Brassica juncea</i>
White Mustard	<i>Brassica juncea</i>
Cole, Rape	<i>Brassica napus</i>
Common Colewort	<i>Brassica napus</i>
Jerusalem Kale	<i>Brassica napus</i>
Rape	<i>Brassica napus</i>
Early Dutch Turnep	<i>Brassica Rapa</i>
Early Green Turnep	<i>Brassica Rapa</i>
Early Stone Turnep	<i>Brassica Rapa</i>

Large Norfolk Field Turnep	<i>Brassica Rapa</i>
Large Red Turnep	<i>Brassica Rapa</i>
Large Tankard Turnep	<i>Brassica Rapa</i>
White Round Turnep	<i>Brassica Rapa</i>
Yellow Turnep	<i>Brassica Rapa</i>
Anjou Savoy Cabbage	<i>Brassica saubauda</i>
Green Savoy Cabbage	<i>Brassica saubauda</i>
Milan Savoy, Savoy Cabbage	<i>Brassica saubauda</i>
Yellow Savoy Cabbage	<i>Brassica saubauda</i>
Brown Curled Borecole	<i>Brassica subelllica</i>
Brussels Sprouts	<i>Brassica subelllica</i>
Green Curled Borecole	<i>Brassica subelllica</i>
Browallia	<i>Browallia scoparia</i>
Annual Hare's-Ear	<i>Bupleurum rotundifolium</i>
Cape Marigold	<i>Calendula</i>
Double Pot Marigold	<i>Caltha palustris</i>
Calycanthus	<i>Calycanthus floridus</i>
Blue Canterbury Bells	<i>Campanula medium</i>
White Canterbury Bells	<i>Campanula medium</i>
Peach-leaved Bell-flower	<i>Campanula persicifolia</i>
Pyrimidal Bell-Flower	<i>Campanula pyramidalis</i>
Nettle-leaved Bell-Flower	<i>Campanula Rapunculoides</i>
Rampion	<i>Campanula Rapunculus</i>
Venus's Looking Glass	<i>Campanula speculum</i>
Scarlet Indian Shoot	<i>Canna Cannacorus</i>
Yellow Indian Shoot	<i>Canna Cannacorus</i>
Hemp	<i>Cannabis sativa</i>
True Cayenne Pepper	<i>Capsicum frutescens</i>
Cherry Pepper, Capsicum	<i>Capsicum indicum</i>
Large Globe Pepper, Capsicum	<i>Capsicum indicum</i>
Large Heart Pepper, Capsicum	<i>Capsicum indicum</i>
Long Drooping Pepper, Capsicum	<i>Capsicum indicum</i>
Long Orange Pepper, Capsicum	<i>Capsicum indicum</i>
Long Yellow Pepper, Capsicum	<i>Capsicum indicum</i>
Red, Guinea Pepper	<i>Capsicum indicum</i>
Lady's Smock	<i>Cardamine pratensis</i>
Heart Pea	<i>Cardiospermum corindum</i>
Hornbeam	<i>Carpinus betulus vulgaris</i>
Hop Hornbeam	<i>Carpinus ostrya</i>
Caraway	<i>Carum Carvi</i>
Bastard Saffron	<i>Cathamus tinctorius</i>
New-Jersey Tea-Tree	<i>Ceanothus americanus</i>
Branching Cockscomb	<i>Celosia cristata</i>
Buff Cockscomb	<i>Celosia cristata</i>
Giant Crimson Cockscomb	<i>Celosia cristata</i>
Purple Cockscomb	<i>Celosia cristata</i>

White Cockscomb	<i>Celosia cristata</i>
Yellow Cockscomb	<i>Celosia cristata</i>
Nettle Tree	<i>Celtis occidentalis</i>
Blue Cyanus	<i>Centaurea Cyanus</i>
Purple Cyanus	<i>Centaurea Cyanus</i>
Red Cyanus	<i>Centaurea Cyanus</i>
Striped Cyanus	<i>Centaurea Cyanus</i>
White Cyanus	<i>Centaurea Cyanus</i>
Purple Sweet Sultan	<i>Centaurea moschata</i>
Red Sweet Sultan	<i>Centaurea moschata</i>
White Sweet Sultan	<i>Centaurea moschata</i>
Yellow Sweet Sultan	<i>Centaurea moschata</i>
Button Tree	<i>Cephalanthus occidentalis</i>
Judas Tree	<i>Cercis canadensis</i>
Great Purple Honey-wort	<i>Cerinthe majus</i>
French Ten Week Stock	<i>Cheiranthus annuus</i>
Prussian Ten Week Stock	<i>Cheiranthus annuus</i>
Purple Ten Week Stock	<i>Cheiranthus annuus</i>
Scarlet Ten Week Stock	<i>Cheiranthus annuus</i>
White Ten Week Stock	<i>Cheiranthus annuus</i>
Bloody Wallflower	<i>Cheiranthus cheiri</i>
Yellow Wallflower	<i>Cheiranthus cheiri</i>
Queen's Stock, Gilliflower	<i>Cheiranthus incanus</i>
Twickenham Stock	<i>Cheiranthus incanus</i>
White Stock, Gilliflower	<i>Cheiranthus incanus albus</i>
Scarlet Brompton Stock,	<i>Cheiranthus incanus coccineus</i>
White Wallflower	<i>Cheiranthus incanus glabrus</i>
Virginian Stock	<i>Cheiranthus maritimus</i>
Celedine	<i>Chelidonium minus</i>
Belvidere, Summer	<i>Chenopodium scoparia</i>
Oak-leaved Chenopodium	<i>Chenopodium glaucum</i>
Fringe Tree	<i>Chionanthus virginica</i>
Double White Chrysanthemum	<i>Chrysanthemum coronarium</i>
Double White Quilled Chrysanthemum	<i>Chrysanthemum coronarium</i>
Double Yellow Chrysanthemum	<i>Chrysanthemum coronarium</i>
Double Yellow Quilled Chrysanthemum	<i>Chrysanthemum coronarium</i>
Broad Batavian Endive	<i>Cichorium endiva</i>
Green Curled Endive	<i>Cichorium endiva</i>
White Curled Endive	<i>Cichorium endiva</i>
Scurvy-grass	<i>Cochlearia officinalis</i>
Job's Tears	<i>Coix Lacryma-jobi</i>
Colchicum	<i>Colchicum autumnalis</i>
Bladder Senna	<i>Colutea arborescens</i>
Scarlet Colutea	<i>Colutea frutescens</i>
Sweet Potatoes	<i>Convolvulus batatas</i>
Ivy leaved Convolvulus	<i>Convolvulus hederaceous</i>

Blue Con. Minor Convovulus	<i>Convolvulus lusitanicus</i>
Blue Con. Major Convovulus	<i>Convolvulus purpureus</i>
Red Con. Major Convovulus	<i>Convolvulus rubra</i>
Striped Con. Major Convovulus	<i>Convolvulus tricolor</i>
Coriander	<i>Coriandrum sativum</i>
Sea Kale, Sea Cabbage	<i>Crambe maritima</i>
Cockspur Hawthorn	<i>Crataegus coccinea</i>
English Hawthorn	<i>Crataegus oxyacantha</i>
Purple Hawkweed	<i>Crepia rubra</i>
Blue Autumnal Crocus	<i>Crocus autumnalis</i>
True Cultivated Saffron	<i>Crocus sativus officinalis</i>
Blue Spring Crocus	<i>Crocus sativus vernus</i>
Yellow Spring Crocus	<i>Crocus sativus vernus</i>
Water Melons	<i>Cucumis Anguria (in sorts)</i>
Coliquintida, Bitter Gourd	<i>Cucumis colocyntha</i>
Black Rock Melon	<i>Cucumis Melo</i>
Carbuncled Rock Melon	<i>Cucumis Melo</i>
Early Cantaloupe Melon	<i>Cucumis Melo</i>
Early Jerusalem Melon	<i>Cucumis Melo</i>
Early Rocket Melon	<i>Cucumis Melo</i>
Early Romana Melon	<i>Cucumis Melo</i>
Golden Rock Melon	<i>Cucumis Melo</i>
Green Fleshed Melon	<i>Cucumis Melo</i>
Green Fleshed Nutmeg Melon	<i>Cucumis Melo</i>
Japan Rock Melon	<i>Cucumis Melo</i>
Large Mogul Melon	<i>Cucumis Melo</i>
Musk Melon	<i>Cucumis Melo</i>
Dwarf Melon	<i>Cucumis Melo minus</i>
Jerusalem Pickle	<i>Cucumis Melo minus</i>
Pomegranate Melon	<i>Cucumis Melo minus</i>
Early Frame Cucumber	<i>Cucumis sativus</i>
Early Prickley Cucumber	<i>Cucumis sativus</i>
Green Cluster Cucumber	<i>Cucumis sativus</i>
Green Roman Cucumber	<i>Cucumis sativus</i>
Long Green Turkey Cucumber	<i>Cucumis sativus</i>
Long Prickley Cucumber	<i>Cucumis sativus</i>
Long White Turkey Cucumber	<i>Cucumis sativus</i>
Short Prickley Cucumber	<i>Cucumis sativus</i>
Squashes	<i>Cucurbita Melopepo (in sorts)</i>
Cashaw Pumpkin	<i>Cucurbita Pepo</i>
Pumpkin	<i>Cucurbita Pepo</i>
Thick Fleshed Italian Pumpkin	<i>Cucurbita Pepo</i>
Warted Gourds	<i>Cucurbita verrucosa</i>
Deciduous Cypress	<i>Cupressus disticha</i>
Cypress	<i>Cupressus sempervirens</i>
White Cedar	<i>Cupressus thyoides</i>

Autumnal Cyclamen	<i>Cyclamen autumnalis</i>
Spring Cyclamen	<i>Cyclamen vernus</i>
Cardoon	<i>Cynara cardunculus</i>
Venus's Navel-Wort	<i>Cynoglossum linifolium</i>
Laburnum	<i>Cytisus Laburnum</i>
Mezereon	<i>Daphne Mezereum</i>
Double Purple Stramonium	<i>Datura Stramonium</i>
Double White Stramonium	<i>Datura Stramonium</i>
Thorn Apple	<i>Datura tatula</i>
Early Horn Carrot	<i>Daucus carota</i>
Long Orange Carrot	<i>Daucus carota</i>
Double Blue Rocket Larkspur	<i>Delphinium ajacis</i>
Double Purple Larkspur	<i>Delphinium ajacis</i>
Double Rose Larkspur	<i>Delphinium ajacis</i>
Double Striped Blue Larkspur	<i>Delphinium ajacis</i>
Double Striped White Larkspur	<i>Delphinium ajacis</i>
Tall White Rocket Larkspur	<i>Delphinium ajacis</i>
Branched Larkspur	<i>Delphinium consolida</i>
Bee Larkspur	<i>Delphinium elatum</i>
Dwarf Rocket Larkspur	<i>Delphinium minus</i>
Clove Pink	<i>Dianthus Caryophyllus simplex</i>
Manchester Pink	<i>Dianthus Caryophyllus simplex</i>
Pheasant-eyed Pink	<i>Dianthus Caryophyllus simplex</i>
Double Carnation	<i>Dianthus Caryophylus maximus</i>
Double China Pink	<i>Dianthus chinensis</i>
Imperial Indian Pink	<i>Dianthus imperialis</i>
White Fraxinella	<i>Dictamnus albus</i>
Red Fraxinella	<i>Dictamnus rubra</i>
White Foxglove	<i>Digitalis alba</i>
Iris-coloured Fox-glove	<i>Digitalis ferruginea</i>
Purple Foxglove	<i>Digitalis purpurea</i>
Persimmon, American	<i>Diospyros virginiana</i>
Teasel	<i>Dipsacus fullonum sativus</i>
Virginian Cowslip	<i>Dodecatheon Meadia</i>
Balm of Gilead	<i>Dracocephalon canariensis</i>
Moldavian Balm	<i>Dracocephalon Moldavia</i>
Globe Thistle	<i>Echinops strigosus</i>
Lentils	<i>Eruvum lens</i>
Dens Canis, Dog's Tooth	<i>Erythronium Dens Canis</i>
Spindle Tree	<i>Euonymus europeus</i>
Evergreen Spindle Tree	<i>Euonymus sempervirens</i>
Caper Spurge	<i>Euphorbia lathyris</i>
Chesnut	<i>Fagus Castanea</i>
American Beech	<i>Fagus ferruginea</i>
Chinquapin, Dwarf	<i>Fagus pumila</i>
Beech	<i>Fagus sylvatica vulgaris</i>

Franklinia	<i>Franklinia alatamaha</i>
Carolina Ash, Red Ash	<i>Fraxinus americana</i>
English Ash	<i>Fraxinus excelsior</i>
Pennsylvanian Ash	<i>Fraxinus pennsylvanica</i>
Crown Imperial	<i>Fritillaria imperialis</i>
Persian Fritillary	<i>Fritillaria persica</i>
White Fumitory	<i>Fumaria Capnoides</i>
Double Spring Snowdrop	<i>Galanthus nivalis</i>
Single Spring Snowdrop	<i>Galanthus nivalis</i>
Mountain Tea	<i>Gaultheria procumbens</i>
Lucca Broom	<i>Genista italicica</i>
Geranium	<i>Geranium africanum</i>
Three Thorned Acacia	<i>Gleditsia tricanthos</i>
Purple Globe Amaranthus	<i>Gomphrena Amaranthoides</i>
Spiked Amaranthus	<i>Gomphrena Amaranthoides</i>
Striped Amaranthus	<i>Gomphrena Amaranthoides</i>
White Globe Amaranthus	<i>Gomphrena Amaranthoides</i>
Green Seeded Upland Cotton	<i>Gossypium Xylon americanum</i>
Snowdrop Tree	<i>Halesia tetrapeta</i>
Red French Honeysuckle	<i>Hedysarum coronarium</i>
White French Honeysuckle	<i>Hedysarum coronarium</i>
Saintfoin	<i>Hedysarum onobrychis</i>
Tall Double Sunflower	<i>Helianthus annuus</i>
Dwarf Double Sunflower	<i>Helianthus indicus</i>
Night Smelling Rocket	<i>Hesperis tristis</i>
Okra	<i>Hibiscus brasiliensis</i>
Althaea Frutex, Syrian	<i>Hibiscus syriacus</i>
Bladder Ketmia	<i>Hibiscus trionum</i>
Horse-Shoes	<i>Hippocratea unisiliquosa</i>
Double Hyacinth	<i>Hyacinthus orientalis</i>
Hyssop	<i>Hyssopus officinalis</i>
Candytuft	<i>Iberis</i>
Pyrimidal Candytuft	<i>Iberis pyrimidalis</i>
Normandy Candytuft	<i>Iberis umbellata</i>
Purple Candytuft	<i>Iberis umbellata</i>
Yellow Balsam, Touch me	<i>Impatiens</i>
Balsam, Balsamine	<i>Impatiens Balsamina</i>
Double Purple Stiped Balsam,	<i>Impatiens Balsamina</i>
Double Red Balsam, Balsamine	<i>Impatiens Balsamina</i>
Double Red Striped Balsam,	<i>Impatiens Balsamina</i>
Double White Balsam,	<i>Impatiens Balsamina</i>
Immortal Eagle Flower	<i>Impatiens Balsamina</i>
Scarlet Ipomea	<i>Ipomea coccinea</i>
Wing'd leaved Ipomoea	<i>Ipomea Quamoclit</i>
Dwarf Persian Iris	<i>Iris persica</i>
Chinese Ixia	<i>Ixia chinensis</i>

White Walnut	<i>Juglans alba</i>
Pignut Hickory	<i>Juglans alba minima</i>
Balsalm Hickory	<i>Juglans alba odorata</i>
Shell-barked Hickory	<i>Juglans alba ovata</i>
Black Walnut	<i>Juglans nigra</i>
Butter Nut	<i>Juglans oblonga alba</i>
Bermuda Cedar	<i>Juniperus bermudiana</i>
Common Juniper	<i>Juniperus communis</i>
Spanish Juniper	<i>Juniperus thurifera</i>
Red Cedar	<i>Juniperus virginiana</i>
American Laurel	<i>Kalmia angustifolia</i>
Aleppo, Spotted Coss Lettuce	<i>Lactuca sativa</i>
Brown Dutch Lettuce	<i>Lactuca sativa</i>
Cabbage Lettuce	<i>Lactuca sativa</i>
Capuchine Lettuce	<i>Lactuca sativa</i>
Early Forcing Coss Lettuce	<i>Lactuca sativa</i>
Egyptian Coss Lettuce	<i>Lactuca sativa</i>
Grand Admiral Lettuce	<i>Lactuca sativa</i>
Green Coss Lettuce	<i>Lactuca sativa</i>
Hammersmith Hardy Lettuce	<i>Lactuca sativa</i>
Honey Lettuce	<i>Lactuca sativa</i>
Imperial Lettuce	<i>Lactuca sativa</i>
Large Royal Lettuce	<i>Lactuca sativa</i>
Mogul Lettuce	<i>Lactuca sativa</i>
New Zealand Cabbage Lettuce	<i>Lactuca sativa</i>
Prince's Cabbage Lettuce	<i>Lactuca sativa</i>
Royal Cabbage Lettuce	<i>Lactuca sativa</i>
Silicia Lettuce	<i>Lactuca sativa</i>
Tennisball Lettuce	<i>Lactuca sativa</i>
White Coss Lettuce	<i>Lactuca sativa</i>
Lord Anton's, Cape Horn	<i>Lathyrus americanus</i>
Everlasting Pea	<i>Lathyrus latifolius</i>
Blue Sweet Pea	<i>Lathyrus odoratus</i>
Painted Lady Sweet Pea	<i>Lathyrus odoratus</i>
Purple Sweet Pea	<i>Lathyrus odoratus</i>
Scarlet Sweet Pea	<i>Lathyrus odoratus</i>
Sweet Pea	<i>Lathyrus odoratus</i>
White Sweet Pea	<i>Lathyrus odoratus</i>
Tangier Pea	<i>Lathyrus tingitanus</i>
Benjamin Tree	<i>Laurus Benzoin</i>
Sweet Bay	<i>Laurus nobilis</i>
Sassafras Tree	<i>Laurus Sassafras</i>
Tree Mallow	<i>Lavatera arborea</i>
Red Lavatera	<i>Lavatera trimestris</i>
White Lavatera	<i>Lavatera trimestris</i>
Lavender	<i>Lavendula spica</i>

Curled Cress	<i>Lepidium crispum</i>
Broad-leaved Cress	<i>Lepidium latifolium</i>
Privet	<i>Ligustrum vulgare</i>
Jacobaea Lily	<i>Lilium candidum</i>
Perennial Flax	<i>Linum flavum</i>
Flax	<i>Linum usitatissimum</i>
Sweet Gum	<i>Liquidamber styraciflua</i>
Tulip Tree, Poplar	<i>Liriodendron Tulipifera</i>
Gromwell	<i>Lithospermum officinalis</i>
Scarlet Cardinal's Flower	<i>Lobelia cardinalis</i>
Blue Cardinal's Flower	<i>Lobelia siphilitica</i>
Winged Pea	<i>Lotus tetragonolobus</i>
Honesty, Satin Flower	<i>Lunaria biennis</i>
Large Blue Lupin	<i>Lupinus hirsutus</i>
Yellow Lupin	<i>Lupinus luteus</i>
Rose Lupin	<i>Lupinus pilosus</i>
Small Blue Lupin	<i>Lupinus varius</i>
Scarlet Lychnis	<i>Lychnis chalcedonica</i>
Dwarf Lychnis	<i>Lychnis quinquedentata</i>
Catchfly	<i>Lychnis viscaria</i>
Cucumber Tree	<i>Magnolia acuminata</i>
Swamp Magnolia	<i>Magnolia glauca</i>
Laurel-leaved Magnolia	<i>Magnolia grandiflora</i>
Curled Mallow	<i>Malva crispa</i>
Oriental Mallow	<i>Malva orientalis</i>
Oriental Mallow	<i>Malva peruviana</i>
Martynia	<i>Martynia annua</i>
Horehound	<i>Marubium vulgare</i>
Feverfew	<i>Matricaria Parthenium</i>
Hedgehogs	<i>Medicago intertexta</i>
Horns	<i>Medicago muricata</i>
Lucern	<i>Medicago sativa</i>
Beed Tree	<i>Melia Azadarach</i>
Balm	<i>Melissa officinalis</i>
Corn Mint	<i>Mentha arvensis</i>
Pepper Mint	<i>Mentha piperita</i>
Spear Mint	<i>Mentha viridis</i>
Dwarf Red Medlar	<i>Mespilus canadensis</i>
Pyracantha, Evergreen	<i>Mespilus Pyracantha</i>
Guinea Corn	<i>Milium arundinaceum</i>
Millet	<i>Milium effusum</i>
Sensitive Plant	<i>Mimosa humilis spinosa</i>
Gold Striped Marvel of Peru	<i>Mirabilis Jalapa</i>
Purple Striped Marvel of Peru	<i>Mirabilis Jalapa</i>
Red Marvel of Peru	<i>Mirabilis Jalapa</i>
Red Striped Marvel of Peru	<i>Mirabilis Jalapa</i>

White Marvel of Peru	<i>Mirabilis Jalapa</i>
White Striped Marvel of Peru	<i>Mirabilis Jalapa</i>
Yellow Marvel of Peru	<i>Mirabilis Jalapa</i>
Sweet Scented Marvel of Peru	<i>Mirabilis longiflora</i>
Squirting Cucumber	<i>Momordica Elaterium</i>
Crimson Monarda	<i>Monarda fistulosa</i>
White Chinese Mulberry	<i>Morus alba</i>
Black Mulberry	<i>Morus nigra</i>
Red Virginian Mulberry	<i>Morus rubra</i>
Narrow leaved Myrtle	<i>Myrtus angustifolium</i>
Broad leaved Myrtle	<i>Myrtus latifolium</i>
Double Jonquil	<i>Narcissus jonquilla</i>
Great Daffodil	<i>Narcissus majus</i>
Polyanthus Narcissus	<i>Narcissus tazetta</i>
Nep, Catmint	<i>Nepeta Cataria</i>
Rose Bay	<i>Nerium Oleander</i>
Virginia narrow leaf'd Tobacco	<i>Nicotiana angustifolia</i>
Common Tobacco	<i>Nicotiana rustica</i>
Virginia Broad leaf'd Tobacco	<i>Nicotiana tabacum</i>
Love in a Mist	<i>Nigella damascena</i>
Spanish Fennel Flower	<i>Nigella hispanica</i>
Nolana	<i>Nolana prostrata</i>
Upland Tupelo Tree	<i>Nyssa sylvatica</i>
Bush Basil	<i>Ocimum minus</i>
Sweet Basil	<i>Ocimum vulgaris</i>
Primrose Tree	<i>Oenothera biennis</i>
Winter Sweet Marjoram	<i>Origanum heracleoticum</i>
Knotted Marjoram	<i>Origanum Marjorana</i>
Pot Marjoram	<i>Origanum onites</i>
Star of Bethlehem	<i>Ornithogalum pyramidalis</i>
Double Carnation Poppy	<i>Papaver dubium</i>
Maw	<i>Papaver nigra</i>
Double Dwarf, Corn Poppy	<i>Papaver rhoeas</i>
White Poppy	<i>Papaver somniferum</i>
Passion Flower	<i>Passiflora caerulea</i>
Large Dutch Parsnep	<i>Pastinaca sativa</i>
Canary	<i>Phalaris canariensis</i>
Scarlet Bean	<i>Phaseolus coccineus</i>
Purple Flowering Bean	<i>Phaseolus purpureus</i>
White Flowering Bean	<i>Phaseolus purpureus</i>
Battersea Dwarf Beans	<i>Phaseolus vulgaris</i>
Bishop's Black-eyed Beans	<i>Phaseolus vulgaris</i>
Black Speckled Dwarf Beans	<i>Phaseolus vulgaris</i>
Canterbury Dwarf Beans	<i>Phaseolus vulgaris</i>
Corn Running Beans	<i>Phaseolus vulgaris</i>
Cream colored Dwarf Beans	<i>Phaseolus vulgaris</i>

Dwarf Dutch Beans	<i>Phaseolus vulgaris</i>
Lima Running Beans	<i>Phaseolus vulgaris</i>
Negro Dwarf Beans	<i>Phaseolus vulgaris</i>
Purple Speckled Beans	<i>Phaseolus vulgaris</i>
Scarlet Runner Beans	<i>Phaseolus vulgaris</i>
White Dutch Running Beans	<i>Phaseolus vulgaris</i>
White Dwarf Beans	<i>Phaseolus vulgaris</i>
Yellow Dwarf Beans	<i>Phaseolus vulgaris</i>
Timothy-Grass	<i>Phleum pratense</i>
Purple Lychnidea	<i>Phlox</i>
White Lychnidea	<i>Phlox</i>
Alkekengi	<i>Physalis Alkekengi</i>
Poke	<i>Phytolacca americana</i>
Anise	<i>Pimpinella anisum</i>
Norway Sprunce Fir	<i>Pinus Abies</i>
White American Fir	<i>Pinus Abies alba</i>
Balm of Gilead Fir	<i>Pinus Abies balsamea</i>
Hemlock Spruce Fir	<i>Pinus Abies canadensis</i>
Black American Fir	<i>Pinus Abies nigra</i>
Silver Fir	<i>Pinus Abies picea</i>
Fox-tail Pine	<i>Pinus alopecuroides</i>
Cedar of Lebanon	<i>Pinus cedrus</i>
Jersey Pine	<i>Pinus inopis</i>
Larch	<i>Pinus Larix</i>
Pinaster	<i>Pinus pinaster</i>
Stone Pine	<i>Pinus pinea</i>
White Pitch Pine	<i>Pinus resinosa</i>
New England Pine, White	<i>Pinus strobus</i>
Scotch Pine	<i>Pinus sylvestris</i>
Frankincense, Black Pitch	<i>Pinus taeda</i>
Yellow Pine	<i>Pinus virginiana</i>
Blue Union Peas	<i>Pisum sativum</i>
Crown, Rose Pea	<i>Pisum sativum</i>
Crown, Rose Peas	<i>Pisum sativum</i>
Dwarf Marrowfat Peas	<i>Pisum sativum</i>
Dwarf Sugar Peas	<i>Pisum sativum</i>
Early Charleton Peas	<i>Pisum sativum</i>
Early Forcing Peas	<i>Pisum sativum</i>
Early Frame Peas	<i>Pisum sativum</i>
Early Golden Hotspur Peas	<i>Pisum sativum</i>
Essex Reading Peas	<i>Pisum sativum</i>
Field Peas	<i>Pisum sativum</i>
Glory of England Peas	<i>Pisum sativum</i>
Green Nonpareil Peas	<i>Pisum sativum</i>
Green Rounival Peas	<i>Pisum sativum</i>
Large Marrowfat Peas	<i>Pisum sativum</i>

Leadman's Dwarf Peas	<i>Pisum sativum</i>
Nichol's Early Peas	<i>Pisum sativum</i>
Spanish Dwarf Peas	<i>Pisum sativum</i>
Spanish Morotto Peas	<i>Pisum sativum</i>
Tall Crooked Sugar Peas	<i>Pisum sativum</i>
White Rounclival Peas	<i>Pisum sativum</i>
Whole and Split Peas	<i>Pisum sativum</i>
Wrench's Hotspur Peas	<i>Pisum sativum</i>
Plantain	<i>Plantago media</i>
Western Plane	<i>Platanus occidentalis</i>
Barbadoes Flower-Fence	<i>Poiciana pulcherrima</i>
White Greek Valerian	<i>Polemonium album</i>
Blue Greek Valerian	<i>Polemonium caeruleum</i>
Double Tuberose	<i>Polyanthes tuberosa</i>
Buck Wheat	<i>Polygonum Fagopyrum</i>
Persicaria	<i>Polygonum orientale</i>
Garden Burnet	<i>Poterium sanguisorba</i>
Auricula	<i>Primula Auricula</i>
Polyanthus	<i>Primula elatior</i>
Black Alder, Winter-Berry	<i>Prinos verticillatus</i>
Oriental Laurel	<i>Prunus Lauro-cerasus</i>
Portugal Laurel	<i>Prunus lusitanica</i>
Cork-Tree	<i>Quercus Suber</i>
Ficaria	<i>Ranunculus</i>
Double Persian	<i>Ranunculus asiaticus</i>
Ranunculus	<i>Ranunculus asiaticus</i>
Black Spanish Radish	<i>Raphanus sativus</i>
Early Frame Radish	<i>Raphanus sativus</i>
Early Short-topped Radish	<i>Raphanus sativus</i>
London Radish	<i>Raphanus sativus</i>
Red Spanish Radish	<i>Raphanus sativus</i>
Red Turnep Radish	<i>Raphanus sativus</i>
Salmon Radish	<i>Raphanus sativus</i>
White Short-topped Radish	<i>Raphanus sativus</i>
White Spanish Radish	<i>Raphanus sativus</i>
White Turnep Radish	<i>Raphanus sativus</i>
Weld, Dyer's Weed	<i>Reseda Luteola</i>
Mignonette	<i>Reseda odorata</i>
True Turkey Rhubarb	<i>Rheum raphonticum</i>
Dwarf Rose Bay	<i>Rhododendron maximum</i>
Poison Sumach, Varnish	<i>Rhus Toxicodendron vernix</i>
Virginian Sumach	<i>Rhus typhinum</i>
Palma Christi Major	<i>Ricinus majus</i>
Palma Christi Minor	<i>Ricinus minus</i>
Rose Acacia	<i>Robinia hispida</i>
Virginia Acacia	<i>Robinia pseudo acacia</i>

Garden Sorrel	<i>Rumex Acetosa</i>
French Sorrel	<i>Rumex scutatus</i>
Rue	<i>Ruta graveolens</i>
Spanish Sage	<i>Salvia hispanica</i>
Sage	<i>Salvia officinalis</i>
Clary	<i>Salvia Sclarea</i>
Purple Clary	<i>Salvia violacea</i>
Field Burnet	<i>Sanguisorba officinalis</i>
Double Soapwort	<i>Saponaria officinalis plena</i>
Summer Savory	<i>Satureja hortensis</i>
Winter Savory	<i>Satureja montana</i>
White Sweet Scabious	<i>Scabiosa alba</i>
Purple Sweet Scabious	<i>Scabiosa atropurpurea</i>
Chervil	<i>Scandix pecten-veneris</i>
Caterpillars	<i>Scorpiurus vermiculata</i>
Winter Rye	<i>Secale cereale hybernum</i>
Spring Rye	<i>Secale cereale vernum</i>
Red Lobel's Catchfly	<i>Silene armeria</i>
White Lobel's Catchfly	<i>Silene armeria</i>
Skirret	<i>Sium</i>
Alisander, Alexander	<i>Smyrnium olusatrum</i>
Love Apple	<i>Solanum Lycopersicum</i>
Tomatoes, Love Apples	<i>Solanum Lycopersicum</i>
Purple Egg Plant	<i>Solanum Melongena</i>
White Egg Plant	<i>Solanum Melongena</i>
Jerusalem Cherry	<i>Solanum pseudo capsicum</i>
Potatoes	<i>Solanum tuberosum</i>
Soldanella	<i>Soldanella alpina</i>
Golden Rod	<i>Solidago canadensis</i>
Spanish Broom	<i>Spartium junceum</i>
White Portugal Broom	<i>Spartium multiflorum</i>
Common Broom	<i>Spartium scoparium</i>
Berry-headed Spinach	<i>Spinacia loeracea</i>
Green Garden Spinach	<i>Spinacia loeracea</i>
Strawberry Spinach	<i>Spinacia loeracea</i>
Bordeaux Spinach	<i>Spinacia oleracea</i>
Prickly Spinach	<i>Spinacia oleracea</i>
Red Leaf'd Spinach	<i>Spinacia oleracea</i>
Spinach	<i>Spinacia oleracea</i>
Meadow Sweet	<i>Spirea ulmaria</i>
Bladder Nut	<i>Staphylea trifolia</i>
White Lilac	<i>Syringa alba</i>
Purple Lilac	<i>Syringa violacea</i>
Double Lemon African Marigold	<i>Tagetes erecta</i>
Double Lemon Quilled Marigold	<i>Tagetes erecta</i>
Double Orange African Marigold	<i>Tagetes erecta</i>

Double Orange Quilled Marigold	<i>Tagetes erecta</i>
Double French Marigold	<i>Tagetes petula</i>
Sweet Scented Marigold	<i>Tagetes petula</i>
Tansey	<i>Tanacetum vulgare</i>
American Arbor Vita Tree	<i>Thuja occidentalis</i>
Lemon Thyme	<i>Thymus serpyllum</i>
Thyme	<i>Thymus vulgaris</i>
Linden, Lime	<i>Tilia americana</i>
Virginian Spiderwort	<i>Tradescantia virginica</i>
Salsafy	<i>Tragopogon purpureum</i>
Serpent Cucumber	<i>Triconanthus</i>
Red Clover	<i>Trifolium purpureum</i>
White Dutch Clover	<i>Trifolium repens</i>
Fenugreek	<i>Trigonella Foenumgraecum</i>
Summer Wheat	<i>Triticum</i>
Winter Wheat, Lamas	<i>Triticum hybernum</i>
Large Nasturtium	<i>Tropaeolum majus</i>
Small Indian Cress, Nasturtium	<i>Tropaeolum majus</i>
Large Nasturtium	<i>Tropaeolum minus</i>
Small Nasturtium	<i>Tropaeolum minus</i>
Chinese Arbor Vite, Tree of Life	<i>Tsuga chinensis</i>
Tulip	<i>Tulipa gesneriana</i>
Furze, Whins	<i>Ulex europaeus</i>
Roman Nettle	<i>Urtica pilulifera</i>
Cranberry	<i>Vaccinium hispidulum</i>
Corn Salad	<i>Valeriana locusta olitoria</i>
Red Valerian	<i>Valeriana rubra</i>
Moth Mullein	<i>Verbascum Blattaria</i>
Veronica, Speedwell	<i>Veronica virginiana</i>
Beans	<i>Vicia Faba</i>
Broad Spanish Beans	<i>Vicia Faba</i>
Dwarf Beans	<i>Vicia Faba</i>
Early Beans	<i>Vicia Faba</i>
Early Hotspur Beans	<i>Vicia Faba</i>
Early Lisbon Beans	<i>Vicia Faba</i>
Green Genoa Beans	<i>Vicia Faba</i>
Green Nonpareil Beans	<i>Vicia Faba</i>
Horse Beans	<i>Vicia Faba</i>
Large Token Beans	<i>Vicia Faba</i>
Large Windsor Beans	<i>Vicia Faba</i>
Mumford Beans	<i>Vicia Faba</i>
Sandwich Beans	<i>Vicia Faba</i>
Turkey Longpod Beans	<i>Vicia Faba</i>
White Blossom Beans	<i>Vicia Faba</i>
Common Vetch, Tare	<i>Vicia sativa</i>
Heart's Ease	<i>Viola tricolor</i>

Lisbon Vines	<i>Vitis</i>
Muscat of Alexandria Vines	<i>Vitis</i>
Burgundy Vines	<i>Vitis</i>
Vines	<i>Vitis Cape of Good Hope</i>
Vines	<i>Vitis vinifera</i>
Purple Xeranthernum	<i>Xeranthernum annuum</i>
White Xeranthernum	<i>Xeranthernum annuum</i>
Ash-leav'd Tooth-ache	<i>Zanthosilum fraxinifolium</i>
Indian Corn	<i>Zea Mays</i>
Chicken Corn	<i>Zea Mays minus</i>
Red Zinnia	<i>Zinnia multiflora</i>
Yellow Zinnia	<i>Zinnia pauciflora</i>

A

CATALOGUE

OF

**Kitchen Garden Seeds and Plants; Physical Seeds and
Plants; and Seeds to Improve Land;**

FRUIT TREES & FRUITS;

ANNUAL, BIENNIAL AND PERENNIAL FLOWERS;
HERBACEOUS PLANTS AND BULBOUS ROOTS;
FOREST TREES, FLOWERING SHRUBS
AND EVERGREENS;

GREEN-HOUSE AND STOVE PLANTS

SOLD BY

WILLIAM BOOTH

NURSERY AND SEEDS-MAN, FREDERICK TOWN ROAD. HALF A MILE FROM
BALTIMORE

CATALOGUES to be had at the nursery, where all Orders will be
executed with the greatest punctuality and dispatch: Also,
at Mr. GEORGE ACKERMAN'S No. 9, High-street, Old
Town, PAMPHILION'S HOTEL, Fell's-Point, and at
GADSBY'S INDIAN QUEEN TAVERN AND HOTEL,
Baltimore-street, Baltimore

G. DOBBIN AND MURPHY ... PRINTERS

1810

A CATALOGUE, &c.

SEEDS AND PLANTS FOR THE KITCHEN GARDEN

Artichokes

gloab or purple

oval or green

Asparagus

Beans, English

early mazagan
long podded
Turkey long podded
windsor
white blossomed
green

Beets

red
white
marbled
Mangel wurtzel beet

Borecole or Kale

green curled
red curled
thick leafed
brussels sprouts

Brocoli

early white
early purple
siberian
late purple

Burnet

Cabbages

early york
early dwarf
large early
early sugar loaf
late sugar loaf

early battersea
large winter
imperial
large drum-head
red
cabbage turnip
turnip rooted cabbage
chux de milan

Carrots
early horn
early orange
large orange
large lemon

Cauliflower
early
late

Celery
Italian
solid
new giant
turnip rooted or celeriac

Chardon

Chervil

Corn-Sallad

Cress
garden
curled leafed
winter

Cucumbers

early short prickley
long prickley
long green Turkey
southgate
black spine
white spine
West Indian for pickling

Eggplant

white
purple
large new prickley purple

Endive

green curled
white curled
broad leafed

Eschalot

Garlic

German greens

Jerusalem artichoke

Kidney or French Bean

early yellow dwarf
early white dwarf
early Negro do.
Canterbury do.
battersea white do.
black speckled do.
dun coloured do.
liver do.
lammas do.
Turkey do.
cockstone do.

Canterbury runners
large Dutch do.
asparagus do.
cherry or cranbury do.
scarlet flowering do.
white flowering do.
hommony do.

Leek

Lettuce

brown Dutch
yellow Holland
cilicia
tennis-ball
Green cos
green cos black seed
black cos (or ice lettuce)
large cilicia or brount versailes
large green cabbage or lasey
aleppo, or spotted cos
aleppo cabbage
white
hardy green

Lima Been, large and small

Love Apple, or tomato, red and white

Mustard, white and black

Musk Melon, in variety

Melon, water

Nasturtium, large and dwarf

Onion

Strawsburg
white Spanish
Portugal
blood red
silver skinned
brown Spanish
Welsh

Parsley

plain leafed
curled leafed
Hamburg, or large-rooted

Parsnip

common large swelling
Duff's fine new, a very superior sort

Pea

Boothe's early
early frame
superfine early
early Charlton
golden hotspur
dwarf marrowfat
tall marrowfat
green nonpareil
royal blue Prussian

Lady pea

Indian or black eyed pea
Purslane, green and golden

Radish

early short topped
salmon coloured
dwarf transparent salmon
white Italian turnip rooted
red Italian turnip rooted
black Spanish
white Spanish
white short-toped
pink coloured turnip-rooted
early scarlet

Rocambole

Salsafy

Scorzonera

Sorrel

broad leafed

French

Savoy cabbage

common green curled
Duff's best green curled
white
yellow

spinach

smooth seeded
prickley seeded

Tarragan

Turnip

early Dutch
early stone
large round white
large white Norfolk
red topped
white topped
yellow
Swedish
Lapland
Hanover, for sprouts

Ockra

Orace

Gourds, in a variety

Pompions or simblings in sorts

Horse Radish

SWEET HERBS AND POT HERBS

Basil sweet, three sorts

Borage two sorts

Clary

Fennel

Marjoram

notted or sweet

pot

English marygold

Double flowering, eight sorts

Savory, summer and winter

Thyme, upright and running

Sage, green and red

Mint, spear and pepper

Carraway

PHYSICAL SEEDS AND PLANTS

Balm

Chamomile

Dill

Lavender

Hyssop

Mugwort

Rheubarb

English

Turkey

Rosemary

Rue

Poppy

White ditto

Carraway

Tansey, common

Scurvey-grass, common

Tobacco

Bergamot Balm

Maw Seed

Comfrey

SEEDS TO IMPROVE THE LAND

Buck Wheat

Canary

Clover

Red Dutch

White Dutch

Cole-seed or Rape

Flax
Grass
Timothy or Herd
Peruvian
Hemp
Lucern

FRUIT TREES AND FRUITS

Almond Tree *Amygdalus*

Bitter fruited
Large sweet fruited, hard shelled
Sweet fruited, tender shelled
Lady, or Parchmen shelled
Double flowering

Apple tree, *Pyrus-Malus*

Large early, early harvest
Large early codling
June apple
White summer calville
Red summer calville
Golden pearmain

Golden Pippen, *English rennet--Pomme d'or, ou reinette d'angle terre*

Large green calville
Booth's Baltimore pippin
Nonpareil
Grey rennet
Summer codling
Golden russet
Golden rennet
English codling
Roman knight or *pennock*
Yellow vandever
Red vandever
Spice spitzenburgh
Priest apple

Black redstricke
Herfordshire redstricke
Black redstricke, yellow pulp
Maiden's Blush
Kentish codlling
Yellow bellflower

Grey russet, *New-England russet, or Novascotia winter russeten*

Early bow
Late bow
Seek-no-further
Yorkshire, or Northern greening
White autumn calville
Red autumn calville
Frost apple
Docter, or American nonpareil
White paradise
Jerusalem apple
Early lady-finger
Brown's winter apple
Green Newtown pippin

Yellow Newtown pippin, Newark or yellow pippin, French pippin

Holland pippin, *Red-Dutch*
Monstrous pippin, *New-York gloria mundi*
Ribston pippin
Michael Henry pippin
Long pippin

Orange pippin, *dumling apple, Flanders, or Dalmine Reinette*

Sweet pippin
Large lb. Pippin
Dutchess of Hamilton
American pippin
Nonsuch
Winter pearmain

Cat head
Bull's head
Staat apple
Robinson
Alban crann
Miller's Hartford apple
Queen's thin skin
Large white sweeting
Large red and green sweeting
Early margaret
Black annet
Wheeler's russet
Red coare, or *surprise*
Api, ephrow or *ladyapple*
Rose apple, or *greater api*
Large yellow English codling
Jersy greening
Wine apple
Flushing spitzburgh
Roman stem
Early French reinette
Rambour
Winter Queen
Ruckman's pearmain
Catling
Red fenouillet, *ou carpenda*
Orange apple
Aromatic busset
English gloria mundi
Famagusta
Striped crab
Double flowering Chinese crab
Double bearing crab
Siberian crab
Hughes Virginian crab
Sweet scented crab

Apples for making Cyder

Cart house or gilpen
Fox whelps
West chester
Olive green
White sour
Cockagee or white red speck
Mother Jean
House or grey house
Styre apple
Catsbury
Common redstricke

Appricot tree, *Armeniaca*

Early orange
Transparent
Early white
Breda
Brussels
Moor Park, Anson, Temple or Dunmoer's breda
Gold blotched
Clingston

Barberry

Cherry tree, *prunus cerasus*

Early May
May duke
Duke heart
Early white heart
Kentish
Ox heart
Black corone
Carnation
Halifax
Black heart
Early Richmond
White Orleans
Black Orleans

Belle cheveruse, *nonsuch*, *turkey bigaro*, *imperial*

Yellow heart

Graffion

Harrison heart

Medock

Large red bigaro

Gros gobet a courte queue

Morello or Milan

Double dwarf flowering

Double wild flowering

Currant tree, *Ribes*

Red dutch

White dutch

Champaigne

Black fruited

Filbert, coylus, *Avellana*

Red filbert

White filbert

Fig tree, *Ficus*

Large blue

Early white

Large white genoa

Brown or chestnut Ischia

Gooseberry tree, *ribes grossularia*

Red Goosberries

Large amber

Champaigne

Alcock's king

Alcock's duke of York

Warrington

Yellow Gooseberries

Golden drop

Prince of Orange

Rocket's yellow

Golden seedling

White Gooseberries

Highland white
Snowball
White elephant
White heart
Green Goosberries
Early green hairy
Green gascoin
Duke of Bedford
Satisfaction
Green oak
Small American

Large American for bottling

Besides the above twenty sorts, which are all very good, I have sent an order to Messrs. M'Nivens Nurserymen, at Manchester, (Eng.) which is at the fountainhead of the best gooseberries in the world, for fifty trees or plants of their best and newest sorts, which I expect to receive this fall, and when added to the above will make my assortment good.

Grapes for wine, *Vitis vinifera*

White sweet water
Black sweet water
White frotinack or muscat blanc
Black frontinack or *muscat noir*
Black hamburg
White hamburg
Syrian grape, *Vitis vulpina*

Fox grape in varieties, *Vitis vitifera Americana*, American grape, in varieties

Medlar tree, *Mespilus*

Dutch medlar

Mulberry tree, *Morus*

Black or English
White or Italian
Red or Virginian
Chinese

Nectarine-tree, *Amygdalus-Persica Nectarina*

Fairchild's early
Red roman
Violet nectarine

Queen Charlotta

Elruge

Nut tree, *Corylus*

Cob nut

Peach tree, *Amygdalus-Persica*

White nutmeg, early white or avant peche blanche

Red nutmeg, avant peche rouge

Yellow nutmeg, avnat peche jaune

Early anne

Double troyes or *small mignonne*

White rare ripe

Large early

Early purple

Duff's early yellow

Muriton

Early white clingstone

Red pine apple

Booth's early admirable

President

English swalsh

Orange clingstone

Chancellor

Carollina clingstone

Kennedy's carolina

Large heath

Royal George

Old Newington

Red check malagatune

Small blood

Large blood clingstone

White blossomed

Fine large white

Large yellow autumn

Lemon clingstone

Late admirable

Yellow pine apple

Royal Charlotta
Dr. Couper's excellent cling
Green cathering
Red magdalin
Spanish seedling
Elizabeth town
White newington
Teton de Venus, or *breast of Venus*
Vanguard
French noblesse
Gough's late red clingstone
White winter openstone

Pear-tree, *Pyrus*

Saint John's *amire ioannet*
Early sugar
Early chaumontelle
Early beurre
Early bergamot or summer bergamot
Diana, deans, doyenne, St. Michael, burree blanc, burree de roy, yellow butter, white madam, bonne ente, or white burree
Vergoluse
Windsor

Summer Arch Duke, *amire roux, archiduc d' Ele, or Ognonet*
Cappershone
Summer boncretien, *Gracioli*
Crassanne, or *Crasan, Bergamotte Cra*
Sharples
Peach pear
Green winter sugar
July or Summer bell
Autumn bergamot
Long green, *mouth water, verte longue, mouille bouche*

Beury, or *butter pear, red beury, green beury, grey beury*
Howard's pear

Striped long green, or Swiss pear, *vert longue panachee, su Swisseee*

Large red

Swans egg

St. Germaine, inconnue la tare

Skinless, early russet, *fleur de guignes, poir sans peau*

Martin sire, *bonville*

Great winter weilding

Echasserry, *bezj de chassery*

Franc real, *golden end of winter*

Winters wonder, *petit oin, Merveille, d hiver*

Bretish, or *orang bergamote*

Jenette pear

Autumn St. Germain

Bon Chretien d'Aauch, *Bon Chretien d'Or, Bon Chretien d' Hyver, golden good Christian, winter good christian*

Berzi de la Motte

Russlet de autumn

Golden Beurree, *Beurree d Or*

Germain muscat

Gancels bergamot

Sarasin

Easter bergamot terling

Plum-tree, *Prunus*

Precoce de *touers early touers*

Early Harvest

Blue perdigon

Blue vine

White winter damson, *or Jersey cluster*

Green gage

Blue gage

Yellow gage

White gage

Cheston

Orleans

Striped imperial
Gros damas de tours, *great damascene plum of tours*
Late black damascene, *damas noir tardif or damson*

White imperial, *white Holland, white bonum magnum, white egg, or Mogul plum*

Quince-tree, *Pyrus Cydonia*

Orange *or apple*
Oblong *or pear*
Portugal

Raspberry, *Rubus*

Large red antwerp
large white antwerp
Smooth cane double-bearing
American purple
English purple
White

Service-tree, *Crataegus*

Strawberry, *Fragaria*

Hudson bay
Large scarlet
Red alpine
White alpine
Red monthly
Red wood
Red chili
White chili
white chili
Royal Houtboy
Gloab Houtbay
New strawberry raised from seed

Walnut-tree, *Juglans*

English walnut
Pecan nut, or Illinois hickory
White walnut or butter nut

Amaranth

Red cock's comb
Yellow cock's comb
Tricolour or three-color'd
Becolour or two-coloured
Princess feather
Purple globe
White globe
Love lies-a-bleeding
Tree amaranth

Alysson or Madwort

Sweet alysson

Aster, Chinese

Double purple
Double white
Double red
Double purple-striped
Double red-striped
Bonnet aster
Quilled aster

Balm Moldavian

Balsom, various colours double

Candytuft

Purple-flowered
White-flowered

Capsicum

Red in variety
Yellow in variety
Black

Catchfly, Lobel's, *Silene*

White-flowered
Red flowered

Caterpillar, Trefoil, *Medicago*

Chrysanthemum, Sylphium

Double yellow
Double white

	Double quilled
Convolvulus	
	Great blue
	Small blue
	Great white
	Small white
	Small striped
	Scarlet
Hawkweed	
	Purple-flowered
	Yellow flowered
Hedgehog, Trefoil	
Ice plant, <i>Diamond Ficoides</i>	
Ipomaea	
	Quamoclit
	Winged leaved
	Upright
	Scarlet flowered
Ketmia, bladder ketmia	
Larkspur	
	Double dwarf rocket
	Double tall rocket
	Double variegated branching
	Double rose coloured
Lupen	
	Yellow flowered
	Rose or painted lady
	Large blue
	White luping
Lychnis mountain	
Marvel of Peru, in varieties	
Marygold, African, in varieties	
Marygold, French, in varieties	
Mignonette	
	Sweet scented
	Upright

Nigella, blue-flowered
Noli me tangere
Peas
Painted lady crown
Sweet scented, in variety
Palma Christi
Major, or purple stalked
Minor, or green stalked
Pink, Indian, or China, in varieties
Rose of Jericho
Scabius, globe
Snail, Trefoil
Sensitive Plant, *Mimosa*
Saffron, *Carthamus*
Stock, July flower, Cheiranthus
French
Purple
White
Red
Scarlet
Strawberry spinach, *Blitum*
Sunflower, double and single
Sweet Sultan, *Centaurea*
Purple
White
Yellow
Snap dragon, Antirrhinum
Purple
Crimson
Venus's looking glass, *Campanula*
White
Blue
Venus navelwort. *Cynoglossum*
Wallflower, Cheiranthus-cheiri
Prussian
Purple flowered

White ditto
Scarlet ditto
Xeranthemum
Purple flowered
White ditto
Yellow Toad flax, Antirrhinum
Zinnia
Red flowered
Yellow flowered

BIENNIAL AND PERENNIAL FLOWERS, HERBACEOUS PLANTS AND BULBOUS ROOTS

Agrostemma
White rose campion
Red rose campion
Alcia
Hollyhocks, in varieties
Chinese painted lady ditto
Allium-cepa
Tree onion
Althaea
Marsh-mallow
Alyssum
Madwort, in varieties
Amaryllis
Jacobealily
Guernsey lily
Anemone
Broad leaved garden, in varieties
Double white wood
Blue wood
Anemone-hepatica, or liverwort
Double blue hepatica
Double red hepatica
Aquilegia
Columbine, in varieties
Artemisia

Mugwort
Artemisia-absynthium
Common wormwood
Ambrosia maratima
Acorus, Sweet smelling Flag
Sweet rush
Asclepias
Swallow wort in varieties
Bellis. Daisy
Double daisy's, in variety
Quilled daisy
Hen and chicken
Cassia, or wild sena
Maryland sena
Campanula
Canterbury bells
Chelone
White
Rose coloured
Cherianthus cheiri
Double bloody wall-flower
Double yellow wall flower
Single wall-flower
Single bloody wall-flower
Chelidonium, Celandine
Horned poppy
Great flowering double celandine
Chrysanthemum indicum
Churanthus, incanus
Queen stock gilliflower
Purple stock
Brompton stock
Red stock
White stock
Convallaria
Lily of the valley

Crocus
Vernus or spring, in varieties

Delphinium
Bee-larkspur

Dianthus, Pink
Sweet William, in varieties
Pinks, in varieties
Carnations, fifty sorts by name

Fritillaria
Fritillaria, in varieties

Digitalis
White foxglove
Purple foxglove
Yellow foxglove

Dodecatheon
Virginia cowslip

Bartsia pale coloured

Echinopa
Globular thistle

Galega
Goat's-rue, officinal

Geranium, crane-bill
Maculatum

Hedysarum
French honeysuckle

Hesperis, Dame's violet or rocket
Single purple rocket
Single white rocket

Hibiscus
White marsh mallow
Pink marsh mallow

Galanthus
Common snow drop

Horminum
Clary

Hyacinthus, Hyacinth

	Grape, in varieties
	Feathered blue
	Oriental, double, and a great variety of colours
Iris, Flower-de-luce	
	White florentine
	Dwarf purple
	Variegated
	Chalcedonian
	Persian
	Virginian
	Spanish bulbous
Imperialis	
	Crown imperial, in varieties
Lilium, Lily	
	Orange
	Canada Martagon
	Common white
	Striped leaved white
	Double flowered white
Leucoitum	
	Greater spring snowdrop
Lobelia	
	Scarlet cardinal-flower
Lunaria	
	Honesty
Lupinus	
	Perennial-rooted lupine
Lychnis	
	Scarlet
Malva	
	Vervain mallow
	Jagged leaved vervain mallow
Matricarea	
	Double flowered feverfew
Monarda	
	Scarlet lion's tail

	White ditto
	Purple ditto
Lathyrus	
	Pease everlasting
Narcissus or daffodil	
	Jonquil, double and single
	Double-flowered narcissus, in varieties
	Polyanthus Narcissus, in varieties
	Common daffodil, in varieties
Ornithogalum	
	Star of Bethlehem
Polianthes	
	Tuberose, double and single
Primula	
	Double purple primrose
	Cowslips, in varieties
Primula-Auricula	
	Auricula, in varieties
Primula Polyantha	
	Polyanthus, in varieties
	Double Polyanthus or hose-in-hose
Panicum	
	variegated panic-grass
Ranunculus or crowfoot	
	Persian ranunculus, in varieties
	Upright meadow yellow crowfoot
	Double yellow crowfoot
Paeonea	
	Double red piony
Sempervivum	
	Common houseleek
Stachys	
	Base horehound, or German
Mountain pink	
Sanguinaria	
	Canadian puccoo

Saponaria	Double soap-wart
Sanicula	Sanicula or self-heal
Sarracenia	Purple side-saddle flower
Scabiosa	Sweet scabius
Sedum	Orpine
Sophora, tinctoria	Dyers pophora
Spigelia	Maryland worm seed
Tulipa	Fine striped tulips, in varieties Early blowing tulips, in varieties Double tulips, in varieties Parrot tulips, in ditto
Passiflora	Olive shaped-fruited passiflora

FOREST TREES, FLOWERING SHRUBS AND EVERGREENS

Acer, Maple tree	
	Sugar, <i>saccharinum</i>
	Scarlet flowering, <i>rubrum</i>
Aesculus, Horse-chestnut-tree	
	Common
	Gold striped
	Silver striped
	Scarlet flowering, <i>rubrum</i>
	Dwarf scarlet flowering
	Dwarf white flowering
	Yellow flowering
	Straw coloured flowering

Amygdalus-persica, duplex

Double flowering peach

Andromeda

Sorrel-tree

Maryland

Pennsylvania

Panicled

Evergreen dwarf

Carolinian red bud

Carolinian iron wood

Annona

Trifid-fruited custard apple

Aralia

Angelica-tree

Ascyrum

St. Peter's wort

Azalea

Red flowered

White flowered

Swamp

Artemesia, Abrotanum

Common southern-wood

Baccharis

Virginian groundsel-tree

Bignonia

Catalpa-tree

Climbing trumpet-flower

Cross-vine

Cross bearing

Boxus

Dwarf box

Gold striped box

Broad leaved tree box

Narrow leaved tree box

Gold edged tree box

Calycanthus floridus

	Carolinian Alspice
Celtis	Yellow-fruited nettle tree
Celastrus	Climbing staff tree
Callicarpa	Carolina shrubby
Cephalanthus	Button tree
Cercis	Red-bud or Judas tree
Chionanthus	Snow-drop or fringe-tree
Clematis	Curled virgins bower
Clethra	Alder leaved
Colutea	Traling bladder sena Reddish podded bladder sena
Cornus	Male Virginian dogwood American red-rod Deep-red-fruited cornelian cherry tree
Cupressus	Virginian deciduous cypress-tree
Cytisus	Common broad-leaved laburnum
Crataegus	Common hawthorn Double blossomed hawthorn Large scarlet hawthorn Virginian cockspur hawthorn
Daphne	Alpine Lemon scented

	Neapolitan mezereon
	Traling, elegant fragrant shrub
Dirca	
	Marsh leather-wood
Epigaea	
	Trailing Arbutus
Euonymus	
	Narrow leafed spindle-tree
	Broad leafed spindle-tree
	Evergreen leafed spindle-tree
Fraxinus	
	American white ash
	Pennsylvania ash
Franklinia	
Genista	
	Dwarf English broom needle-furze, or petty whin
	Dyer's broom
Gleditsia	
	Triple thorned acacia or honey locust
Glycinne	
	Carolinian shrubby kidney bean
Gordonia, Loblolly bay	
	Pubescent
Guilandina	
	Hardy bunduc
Halsia, Silver-bell-tree	
	Two-winged fruited
	Four-winged fruited
Hamamellis	
	Virginian witch hazel
Hedera	
	English ivy
	Virginian creeper
Hibiscus	
	Double flowering red althea
	Double flowering white althea

	Silver striped leafed althea
	Single althea in variety
Hydrangea	
	Virginia shrubby
Hypericum, St. John's Wort	
	Virginian
Jasminum	
	Common white jasmine
	Italian yellow jasmine
	Gold striped-leaved jasmine
	Indian jasmine
Ilex	
	Common Holly
Juniperus	
	Red cedar
	Tree or Swedish juniper
	Common savin
Lausus	[Laurus]
	Benjamin tree
	Common sweet bay
	Sassafras
Kalmia	
	Broad leaved
	Narrowed leaved
Ligustrum	
	Common privet
Liriodendron	
	Virginian tulip-tree
Lonicera	
	Scarlet trumpet honeysuckle
	Striped leav'd honeysuckle
	Long blowing honeysuckle
	Red Dutch honeysuckle
	Early white Italian honeysuckle
	Fly honeysuckle
	Shrubby, St. Peter's wort

	Maryland scarlet conicera [lonicera]
Lycium	Willow leaved box thorn
Magnolia	Grandiflora, laurel-leaved Glauca, swamp Acuminata, cucumber-tree Tripetala, umbrella-tree
Mespilus	Evergreen thorn, or pyracantha
Myrica	Candleberry myrtle
Philadelphus	Syringa or mock-orange Carolinian scentless syringa
Pinus-Abies	Balm or Gilead, fir-tree Newfoundland spruce ditto Hemlock ditto
Pinus-Larix	Larch-tree
Pyrola, Maryland spotted	
Platanus	Occidental plane-tree
Populus, Poplar tree	Lombardy poplar Athenian poplar Carolina poplar Canadian poplar Trembling or aspen-tree Balsom or Tacamahac
Rhododendron	Pennsylvanian mountain laurel Errugineous [Ferrugineous]dwarf rosebay
Melia. Azedarach	Bead tree, or pride of China

Rhus

Lentiscus leaved sumach
Scarlet-flowering sumach
Stag-horn sumach

Rosa. Rose

Single white
Double white
Maiden's blush
Virgin
White flowered dog
Red flowered dog
Blush belgic, large & fine
Dwarf red burgundy
Wild Virginian
Double Pennsylvanian
Double cinnamon
Single sweet briar
Scentless briar or Eglantine
Large cabbage provence
Deep red provence
Moss provence
Franckfort, or purple, by some called the *Black Rose*
Single red damask
Double red damask
Single yellow
Double yellow
York and Lancaster
Double marbled
Red Monthly
White Monthly
Blush Monthly
Double Musk
Double Chinese
Otahity
Pompon
White dwarf Scotch

	Common cabbage
Rubus odoratus	Rose flowering raspberry
Salix	Babylonian or weeping willow Yellow or golden willow Osier or basket willow
Spartium	Spanish broom Portugal broom
Spiraea	Phidelphian red flowering Philadelphian white flowering Virginian gelder-rose-leaved spiraea, or nine-bark- tree
Staphylea	Three leaved bladder nut
Syringa,Lilace	White lilace Purple ditto Persian ditto
Taxus	Common yew tree
Thuya	Chinese arbor vitae American arbor vitae
Tilia	European lime or linden American lime-tree
Viburnum	Pliant mealy-tree, wayfaring tree, or viburnum
Viburnum-opulus	Gelder-rose
Viburnum-tinus	Hairy leaved laurustinus Shining leaved laurustinus
Vinca. Periwinkle	

Small green blue flowered
Gold striped-leaved white flowering

Ulmus

Dutch elm
American elm
Common broad-rough-leaved or English elm

GREEN HOUSE AND STOVE PLANTS

GENERIC.	SPECIFIC	ENGLISH NAME
Achras		Sapota
	<i>mammosa</i>	Mammee
	<i>sapota</i>	Common
Acorus		Flag
	<i>gramineus</i>	Chinese sweet grass
Adenanthera		Bastard flower-fence
	<i>pavonina</i>	Bastard
Aeschynomene		Bastard sensitive plant
	<i>grandiflora</i>	Large flowered
	<i>sesban</i>	Aegyptian obtuse leaved
Agave		Agave or American aloe
	<i>Americana</i>	Great American
	<i>aureo-varieg.</i>	Gold-striped
Aleurites		Alewrites
	<i>triloba</i>	Three lobed leaved
Aloe		Aloe
	<i>variegata</i>	Partridge breast
	<i>spiralis</i>	Upright with pointed leaves
	<i>imbricata</i>	Imbricated spiral
	<i>pentagona</i>	Five sidded spiral
	<i>retusa</i>	Cushion
	<i>viscosa</i>	Tpright triangular
	<i>magaritifera</i>	Pearl
	<i>major</i>	Great Pearl
	<i>minor</i>	Small Pearl
	<i>lingua</i>	Common tongue
	<i>Perfoliata</i>	Perfoliata
	<i>africana</i>	Broad leaved sword
	<i>barbadensis</i>	Barbados
	<i>obscura</i>	Common soap
	<i>suberecta</i>	Upright perfoliated
Amaryllis		Amaryllis
	<i>pumila</i>	Dwarf
	<i>sarnienses</i>	Guernsey lily
	<i>martinicensis</i>	Martinica
	<i>equestris</i>	Barbadoes
Amomum		Ginger
	<i>zinziber or zingiber</i>	Common
	<i>sylvestre</i>	Great wild
Anacardium		Cashew-nut tree

	<i>occidentale</i>	Cashew-nut
Annona		Custard apple or soursop
	<i>muricata</i>	Rough fruited
Arbutus		Strawberry-tree
	<i>unedo</i>	Common
	<i>andrachne</i>	Oriental
Arctotis		Arctotis
	<i>calendulacea superba</i>	Marygold flowered
Aristolochia		Birthwort
	<i>trilobata</i>	Three lobed birth-wort
Artemesia		Wormwood
	<i>argentea</i>	Broad leaved tree
Arum		Aru
	<i>esculentum</i>	m Esculent or eatable
Asclepias		Swallow wart
	<i>arborescens</i>	Arborescent
	<i>fruticosa</i>	Willow-leaved
	<i>gigantea</i>	Curled flowering gigantic
	<i>parriflora</i>	Small flowered
Aucuba		Aucuba
	<i>Japonica</i>	Japan aucuba or gold plant
Bignonia		Trumpe-flower
	<i>Pentaphylla</i>	Five leaved
	<i>Stans</i>	Large yellow
	<i>cocrulea</i>	Blue flowering
	<i>crucigera</i>	Dark-yellow flowering
Bixa		Bixa
	<i>orellana</i>	Heart leaved
Bombax		Silk cotton-tree
	<i>Pentandrum</i>	Smooth stemmed
Cactus		Melon thistle
	<i>mamillares</i>	Small
	<i>pentagonus</i>	Five angled
Cactus Cereus		Torch thistle
	<i>grandiflorus</i>	Great night flowering
	<i>flagelliformis</i>	Pink flower'd creeping cereus
	<i>pentagonus</i>	Pentangular
	<i>tringularis</i>	Triangular creeping cereus
Cactus Opuntia		Indian-fig
	<i>opuntia</i>	Common
	<i>coccinellifer, maxima</i>	Cochineal
	<i>curassavicus</i>	Curassow or least
	<i>Pereskia</i>	White flowering
Caesalpina		Babados flowere-fence

pulcherrima	Variegated flowers
<i>elata</i>	Smooth
Caffe or Coffea	Coffee-tree
Arabica	Arabian
Cassia	Caasia
<i>senna</i>	Egyptian
Canna Indica	Indian reed
<i>lutea</i>	Yellow Indian flowering reed
<i>coccinea</i>	Scarlet Indian flowering reed
Camellia	Japan rose
<i>Japonica</i>	Red
<i>variegata</i>	Red and white
<i>pleno</i>	Double
Capsicomb	Cianne pepper
<i>baccatum</i>	Bird pepper
<i>luteum</i>	Round yellow pepper
<i>album annum</i>	Round white pepper
Carica	Papaw-tree
<i>papaya</i>	Common
Cerbera	Cerberus
<i>thevetia</i>	French physic nut
Chamaerops	Dwarf palm
<i>humilis major</i>	European fan palm
<i>glabra</i>	West Indian palm
Chelone	Chelone
<i>barbata</i>	Scarlet flowering
Cistus	Sistus
<i>salicifolus</i>	Willow leaved
<i>creticus</i>	Creten
<i>purpureus</i>	Purple flowered
Cestrum	Cestrom or bastard jasmin
<i>nocturnum</i>	Night smelling
Citrus	Citron-tree
<i>medica major</i>	Large bergamot
<i>minor</i>	Small bergamot
Citrus Limon	Lemon-tree
<i>lusitanica</i>	Large Portugal
<i>curassavica</i>	Large Curassa
<i>rlbum</i>	Large white
<i>occidentalis</i>	West Indian
Citrus Lima	Lime-tree
<i>sentolina</i>	St. Helena
<i>occidentalis</i>	West Indian
Citrus Aurantium	Orange-tree
<i>sinensis</i>	China

<i>sinensis humilis</i>	Dwarf China
<i>Acris</i>	Seville
<i>dulcis</i>	Sweet Saville
<i>rubra</i>	Red fruited
<i>crispa-viridis</i>	Green fruited, curled leaved
<i>myrtifolia</i>	Broad myrtle leaved
<i>pumila-var</i>	Dwarf leaves & fruited variegated
<i>albo varieg</i>	silver striped
<i>luteo-var</i>	Gold-striped
Citrus Decumana	Shaddock-tree
<i>crispa</i>	Curled leaved
Cineraria	Cineraria
<i>maritima</i>	Sea-rag wort
<i>populifolia</i>	Poplar leaved
Clitoria	Clitoria
<i>Peruviana</i>	Peruvian
<i>Galactia</i>	Jamaican
Convulvulus	Convulvulus
<i>maximus</i>	Red and purple flowered
<i>asiaticus</i>	Asiaticus
Clutea	Bladder-senna
<i>frutescens</i>	Scarlet
Crasula	Crasula
<i>argentea</i>	Silvery
<i>cotyledon</i>	Tree
Crinum	Crinum
<i>Americanum</i>	Great American
<i>asiaticum</i>	Asiaticus
Cyclamen	Cyclamen
<i>Persicum</i>	Persian white and purple
Cytisus	Cytisus
<i>cajan</i>	Pigeon pea
Daphne	Daphne or spurge laurel
<i>odora indica</i>	Sweet scented
Dionaea	Venus's fly-trap
<i>muscipula</i>	Venus's fly-trap
Diosma	Diosma
<i>cliata</i>	Ciliated
Dolichos	Dolichos
<i>lablab</i>	Egyptian kidney-bean
<i>pruriens</i>	Cowhage or cow-itch
<i>maritima</i>	Jamaican maritime
<i>alba</i>	White dolichos
Dracocephalum	Dragons head
<i>canariense</i>	Balm of Gilead

Dracaena		Dracaema, female dragon
	<i>terminalis ferrea</i>	Purple leaved
Erica		Heath
	<i>grandiflora</i>	Great flowering
	<i>paniculata</i>	purpled flowering
	<i>viscaria</i>	Clammy flowered
Erythrina		Coral-tree
	<i>corallodendron</i>	Smooth leaved
Eugenia		Eugenia
	<i>malaccensis</i>	Red-fruited eugenia or rose apple
Ferraria		Ferraria
	Pavonia	Mexian
	<i>undulata</i>	Cape
Fuchsia		Fuschsia
	<i>coccinea</i>	Scarlet flowering
Gardenia		Cape Jasmin
	<i>florid</i>	Fragrant
	<i>latifolia</i>	Broad leaved
Genista		Broom
	<i>linifolia</i>	Flax leaved
Gnidia		Gnidia
	<i>simplex</i>	Flaxed leaved
Gordonia		Loblolly bay
	<i>lasianthus</i>	Smooth
Glycine		Glycine
	<i>coccinea</i>	Scarlet flowering
	<i>bimaculata</i>	Nettle leaved
	<i>rubicunda</i>	Scarlet & purple flowering
Guettarda		Guettarda
	<i>speciosa</i>	Jamaica
Heliotropium		Heliotropium or turnsole
	<i>peruvianum</i>	Peruvian turnsole
	<i>Indicum</i>	Indian turnsole
	<i>gnaphalodes</i>	Jamaica turnsole
Hibiscus		Hibiscus
	<i>cordifolius</i>	Yellow flowering
	<i>populneus</i>	Poplar leaved
	<i>manihot</i>	Palmated leaved
	<i>Sabdariffa</i>	
	<i>mutabilis</i>	changeable rose
	<i>Rosa Sinensis</i>	China rose
	<i>praemorsus</i>	Round leaved
	<i>solandra</i>	Maple leaved
Hura		Hura
	<i>crepitans</i>	Sand-box-tree

Hydrangea	Hydrangea
<i>bortentia</i>	Garden, Chinese guilder rose
Hypeucum	St. John's wort
<i>Aegypticum</i>	Egyptian
Jasminum	Jasmine
<i>scambac flore pleno</i>	Double Arabian
<i>azoricum</i>	Azorian
<i>odoratissimum</i>	Yellow Indian
<i>grandiflorum</i>	Spanish or Catalonian
<i>aureo-var,</i>	Gold striped azorian
Jatropha	Cassava or physic nut
<i>multifida</i>	French
Indigofera	Indigo
<i>tinctoria</i>	Dyer's
Illicium	Aniseed-tree
<i>floridanum</i>	Red flowering
Ipomoca	Ipomaca
<i>violacea</i>	purple flowering
Justicia	Justicia
<i>adhatoda</i>	Malabar nut
Ixia	Ixia
<i>rosea</i>	Rose coloured
Lantana	American viburnum
<i>odorata</i>	Sweet scented
<i>aculeata</i>	Prickly
<i>africana</i>	Ilex leaved
Lagerstroemia	Lagerstroemia
<i>Indica</i>	Indian
Lavandula	Lavender
<i>stochas</i>	French
Lamium	Archangel
<i>orvala</i>	Balm leaved
Laurus	Laurus
<i>Borbonia</i>	Broad leaved Carolina bay
<i>Persea</i>	Aligator pear
Limonia	Limonia
<i>acidissima</i>	Ceylon
<i>trifoliata</i>	Three leaved
Linum	Flax
<i>quadrifolium</i>	African four leaved
Lyonia	Lyonia
<i>racemosa</i>	
Lythrum	Lythrum
Magnolia	Magnolia
<i>indica</i>	Oriental

	<i>pumila</i>	Dwarf
Malpighia		Barbados cherry
	<i>Glabra</i>	Smooth leaved
Mammea		Mammee-tree
	<i>Americana</i>	American
Melaleuca		Melaleuca
	<i>ericifolia</i>	Heath leaved
	<i>glaucia</i>	Glaucous
Melia		Bead tree
	<i>sempervirens</i>	Evergreen
Melianthus		Honeyflower
	<i>major</i>	Great
Mesembryanthemum		Fig-marigold
	<i>acinaciforme</i>	Cimeter leaved
	<i>bicolorum</i>	Two coloured
	<i>edule</i>	Eatable
	<i>dolabriiforme</i>	Hatchet leaved
	<i>serratum</i>	Serrated leaved
	<i>aureum</i>	Golden
Mimosa		Mimosa
	<i>pudica</i>	Humble plant
	<i>unguis cati</i>	Four leaved
	<i>grandiflora</i>	Great flowered
	<i>cornigera</i>	Horned or cockold-tree
	<i>farnesiana</i>	Farnesian or sponge-tree
	<i>speciosa</i>	Bladder senna leaved
	<i>odoratissima</i>	Sweet scented
	<i>arborea</i>	White flowering
	<i>purpurea</i>	Purple or soldier wood
	<i>pennata</i>	Small leaved
	<i>elegans</i>	Elegant
Metrosideros		Metrosideros
	<i>lineares</i>	Lineares
	<i>citirna</i>	Citirna
Moraea		Moraea
	<i>gladiata</i>	Sword leaved
Myrsine		Myrsine
	<i>Africana</i>	African
Myrtus		Myrtle-tree
	<i>romana</i>	Common broad leaved
	<i>arentina</i>	Box leaved
	<i>flore pleno</i>	Double flowering
	<i>Italica</i>	Italian upright
	<i>Ital. varieg</i>	Silver striped Italian
	<i>cristata</i>	Cock's comb or bird's nest

Nerium	Oleander or rose bay
<i>oleander flore-rubra</i>	Red flowering
<i>flore-albo</i>	White flowering
<i>flore-pleno-rubra</i>	Double flowering red and white
<i>luteum</i>	Yellow flowering
<i>indicum</i>	Peal-red flowering
<i>flore-rosea</i>	Rose or beach blossom flowering
<i>variegatum pleno</i>	Striped leaved double flowering
Leptospermum	Leptospermum
Ambiguum	Purple flowered
Olea	Olive
Americana	American
<i>Fragrans</i>	Sweet scented
Oxalis	Wood sorrel
<i>versicolor</i>	Striped flowered
<i>purpurea</i>	purple
<i>flara</i>	Narrow leaved
Parkinsonia	Parkinsonia
<i>aculeata</i>	Prickly
Passiflora	Passion-flower
<i>laurifolia</i>	Laurel leaved or water lemon
Pelargonium	Crane's-bill
<i>labatum</i>	Vine leaved in variety
<i>tabulare</i>	Rough stalked in variety
<i>odoratissimum</i>	Sweet scented in variety
<i>grossularioides</i>	Gooseberry leaved
<i>anceps</i>	angular stalked
<i>gigbosum</i>	Gouty
<i>coriandrifolium</i>	Corienderleaved
<i>scabrum</i>	Rough leaved
<i>glutinosum</i>	Clammy in variety
<i>alchemilloides</i>	Lady's-mantle leaved
<i>acetosum</i>	Sorrel
<i>zonal</i>	Horse shoe from purple
<i>cordatum</i>	Heart-leaved
<i>inquinans</i>	Scarlet flowered
<i>graveolens</i>	Strong scented
<i>ovale</i>	Oval leaved
<i>fulgidum</i>	Celandine leaved
<i>acerifolium</i>	Maple leaved
<i>triste</i>	Night smelling
<i>radula</i>	Multifid-leaved
<i>carnosum</i>	Fleshy stalked
<i>querdifolium</i>	Oak leaved
<i>betulinum</i>	Birch leaved

<i>capitatum</i>	Rose-scented
<i>cucullatum</i>	Hooded
<i>vitifolium</i>	Balm scented
<i>glaucum</i>	spear leaved
<i>papilionaceum</i>	Butter-fly
<i>peltatum</i>	Peltated
<i>lateripes</i>	Ivy leaved
<i>senecioides</i>	Small white-flowering
<i>zon-var</i>	Variegated
Phlomis	Jerusalem sage or sage tree
<i>purpurea</i>	Purple Portugal
<i>leonurus</i>	Narrow-leaved lion's tail
Phaseolus	Kidney bean
<i>lathyroides</i>	Blood-red-flowering
<i>sarinosus or rosea</i>	Rose-coloured flowering
Pentapetes	Pentapetes
<i>phoenicea</i>	Scarlet-flowering
Plumbago	Lead wort
<i>zeylanica</i>	Ceylon
<i>rosea</i>	Red-flowering
Plumeria	Plumeria
<i>alba</i>	White
Phillyria	Phillyrea or mock privet
<i>oleafolia</i>	Olive leaved
<i>rosmarinifolia</i>	Rosemary leaved
<i>spinosa</i>	Prickley-broad leaved

American Farmer

Baltimore, Maryland, March 22, 1822

Trees sold by Hull and Bowne's Nursery, New York, NY

FOREST TREES OF LARGE GROWTH

European white flowering horse chestnut	<i>[Aesculus hippocastanum]</i>
Spanish chestnut, with very large fine eatable fruit	<i>[Castanea sativa]</i>
American chestnut	<i>[C. dentata]</i>
Weeping willow	<i>[Salix babylonica]</i>
Upright green weeping willow	<i>[S. babylonica]</i>
Yellow willow	<i>[S. vitellina]</i>
Tulip tree, one of the most ornamental trees	<i>[Liriodendron tulipifera]</i>
Fox's white oak	<i>[Quercus alba]</i>
American oaks, twenty varieties	<i>[Quercus sp.]</i>
Liquidambar, or maple-leaved sweet gum	<i>[Liquidambar styraciflua]</i>
Lombardy poplar	<i>[Populus nigra 'Italica']</i>
Athenian poplar	<i>[P. tremuloides]</i>
Balsam poplar, or broad-leaved Tacmahac	<i>[P. balsamifera]</i>
Carolina poplar, or cotton tree	<i>[P. canadensis]</i>
Aspen poplar	<i>[P. tremuloides]</i>
Canada poplar	<i>[P. canadensis]</i>
Honey locust, or three thorned acacia	<i>[Gleditsia triacanthos]</i>
Common locust	<i>[Robinia pseudoacacia]</i>
Western plane, Sycamore, or Buttonbush	<i>[Platanus occidentalis]</i>
English linden, or Lime tree	<i>[Tilia europaea]</i>
American linden, or Basswood	<i>[T. americana or heterophylla]</i>
American Bird cherry	<i>[Prunus avium or serotina?]</i>
European larch, or deciduous fir	<i>[Larix decidua]</i>
Madeira nut, or English walnut	<i>[Juglans regia]</i>
Round black walnut	<i>[Juglans nigra]</i>
Long black walnut	<i>[J. nigra]</i>
Illinois, or Pecan nut	<i>[Carya illinoensis]</i>
Hickory nuts of varieties	<i>[Carya sp.]</i>
Sassafras	<i>[Sassafras albidum]</i>
Weeping birch	<i>[Betula pendula]</i>
Canada birch	<i>[B. populifolia?]</i>
Black American birch	<i>[B. nigra]</i>
White, or Paper birch	<i>[B. papyrifera]</i>
English elm	<i>[Ulmus procera]</i>
Scotch elm	<i>[U. glabra]</i>
Pride of India, or head tree, with purple flowers and beautiful foliage	<i>[Chinaberry, Melia azedarach]</i>
Catalpa	<i>[Catalpa speciosa or bignonioides]</i>
American cypress	<i>[Taxodium distichum]</i>
European white ash	<i>[Fraxinus excelsior]</i>
Sugar maple	<i>[Acer saccharum]</i>
Scarlet flowering maple	<i>[Acer rubrum]</i>

Norway maple
Kentucky coffee, or bonduc

[*Acer platanoides*]
[*Gymnocladus dioicus*]

FOREST TREES OF MIDDLE GROWTH

European mountain ash, or Roan tree	[<i>Sorbus aucuparia</i>]
American mountain ash	[<i>S. americana</i>]
European autumn flowering alder	[<i>Alnus viridis?</i>]
Magnolia tripetala, or umbrella tree	[<i>Magnolia tripetala</i>]
Magnolia glauca	[<i>Sweet Bay, M. virginiana</i>]
Magnolia acuminata, or cucumber tree	[<i>M. acuminata</i>]
Magnolia macrophylla	[<i>M. macrophylla</i>]
Magnolia auriculata, or ear leaved magnolia	[<i>M. fraseri</i>]
Magnolia cordata, yellow flowering	[<i>M. cordata</i>]
Scarlet flowering horse chestnut	[<i>Red Buckeye, Aesculus pavia</i>]
Yellow flowering horse chestnut	[<i>Aesculus octandra</i>]
Willow leaved oak	[<i>Quercus phellos</i>]
Black Canada willow	[<i>Salix nigra</i>]
English basket willow	[<i>Common Osier, Salix viminalis</i>]
Coccinia, Venetian summach, or purple fringe tree	[<i>Cotinus coggyria</i>]
American large, or deciduous fir	[<i>Larix decidua</i>]

Submitted by Peter Hatch

Sinclair & Moore
Baltimore, Maryland
1825

CATALOGUE

OF

KITCHEN GARDEN,
GRASS AND OTHER FIELD

SEEDS,

GRAPE CUTTINGS,

AND

FRUIT TREES,

PLOUGHES,

And other Agricultural Implements

SOLD BY

SINCLAIR & MOORE

*At their Agricultural Repository, No. 1, Endicott, near
Pratt-street Wharf, Baltimore.*

BALTIMORE:

PRINTED BY JOSEPH ROBINSON
1825.

Plant list submitted by Barbara Sarudy.

SEEDS OF ESCULENT VEGETABLES

Asparagus	
Gravesend	<i>Asparagus officinalis</i>
Battersea	<i>Asparagus officinalis var.</i>
Artichoke	
Green Globe	<i>Cynara Scotymas</i>
Beans (Eng. Dwarfs)	
Early Mazagan	<i>Vicia Faba.</i>
Broad Windsor	<i>Vicia Faba. var.</i>
Long Pod	<i>Vicia Faba. var.</i>
Green Nonpareil	<i>Vicia Faba. var.</i>
Beans (Kidney Dwarfs or Snap)	
Early Yellow Six Weeks	<i>Phaseolus vulgaris</i>
Early Dun Coloured	<i>Phaseolus vulgaris var.</i>
Early China Dwarf	<i>Phaseolus vulgaris var.</i>
Large White Kidney Dwarf	<i>Phaseolus vulgaris var.</i>

White Cranberry Dwarf	<i>Phaseolus vulgaris</i> var.
Red Cranberry Dwarf	<i>Phaseolus vulgaris</i> var.
White Marrow	<i>Phaseolus vulgaris</i> var.
Red Marrow	<i>Phaseolus vulgaris</i> var.
Refugee, of thousand to one	<i>Phaseolus vulgaris</i> var.
Rob Roy	<i>Phaseolus vulgaris</i> var.
Beans (Pole or running)	
Large white Lima	<i>Phaseolus lamensis</i>
Small White Lima	<i>Phaseolus lamensis</i> var.
Scarlet Running	<i>Phaseolus lamensis</i> var. <i>coccinea</i>
White Dutch Running	<i>Phaseolus lamensis</i> var. <i>vulgaris</i>
Dutch case knife or Princess, snap	<i>Phaseolus lamensis</i> var.
Red Cranberry Dwarf, snap	<i>Phaseolus lamensis</i> var.
White Cranberry Dwarf, snap	<i>Phaseolus lamensis</i> var.
Yard Long, snap	<i>Phaseolus lamensis</i> var.
Beet	
Early Blood Turnip rooted	<i>Beta rubra, radice rapas</i>
Long Blood Red	<i>Beta rubra, vulgaris rubra.</i>
Yellow Turnip rooted	<i>Beta rubra lutea major</i> var.
Mangel Wursel	<i>Beta rubra cicla</i>
Borecole (<i>Brassica oleracea, selenisia</i>)	
Brussels Sprouts (<i>Brassica oleracea</i> , var.)	
Brocoli	
Early White	<i>Brassica oleracea</i>
Early Purple	<i>Brassica oleracea</i> var.
Large Cape	<i>Brassica oleracea</i> var.
Colewort or Collards (<i>Brassica oleracea viridis</i>)	
Cardoon (<i>Cynara cardunculus</i>)	
Cabbage	
Early Salisbury Dwarf	<i>Brassica Oleracea capitata</i>
Early York	<i>Brassica Oleracea capitata</i> var.
Early Sugarloaf	<i>Brassica Oleracea capitata</i> var.
Early Battersea	<i>Brassica Oleracea capitata</i> var.
Late Imperial	<i>Brassica Oleracea capitata</i> var.
Large late Drumhead	<i>Brassica Oleracea capitata</i> var.
Later Sugarloaf	<i>Brassica Oleracea capitata</i> var.
Large late Battersea	<i>Brassica Oleracea capitata</i> var.
Large Green Glazed	<i>Brassica Oleracea capitata</i> var.
Flat Dutch	<i>Brassica Oleracea capitata</i> var.
Large Scotch, for cattle	<i>Brassica Oleracea capitata</i>
Red Dutch, for pickling	<i>Brassica Oleracea capitata rubra</i>
Green Globe Savoy	<i>Brassica Oleracea capitata sabauda</i>
Yellow Savoy	<i>Brassica Oleracea capitata</i> var.

Green Savoy	<i>Brassica Oleracea capitata gongylodes</i>
Turnip Rooted (Kohl Rabi)	<i>Brassica Oleracea capitata napobrassica.</i>
Turnip rooted (below ground)	<i>Brassica Oleracea capitata var.</i>
Chous d'Milan	<i>Brassica Oleracea capitata var.</i>
Cauliflower	
Early	<i>Brassica oleracea botrytes</i>
Late	<i>Brassica oleracea botrytes var.</i>
Celery	
White Solid	<i>Apium graveolens dulce</i>
Rose coloured Solid	<i>Apium graveolens dulce</i>
Italian	<i>Apium graveolens dulce italicica</i>
Celeriac, or Turnip rooted	<i>Apium graveolens dulce rapaceum.</i>
Carrots	
Early Horn	<i>Dancae carota</i>
Long Orange	<i>Dancae carota var.</i>
Chervil	
Corn Salad or Vettikost -(<i>Fettticus</i>)	
(<i>Valeriana locusta olitoria.</i>)	
Cress	
Curled or Peppergrass	<i>Lepidium sativum</i>
Broad leaved Garden	<i>Lepidium sativum var.</i>
Water	<i>Sisymbrium nasturtium.</i>
Cucumber	
Early Frame	<i>Cucumis sativa</i>
Long Prickley	<i>Cucumis sativa var.</i>
Short Prickly	<i>Cucumis sativa var.</i>
Long Green Turkey	<i>Cucumis sativa var.</i>
Long White Turkey	<i>Cucumis sativa var.</i>
Endive or Succory	
Green Curled	<i>Chichorium endivia crispa.</i>
White Curled	<i>Chichorium endivia crispa. var.</i>
Broad leaved Batavian	<i>Chichorium endivia crispa. var.</i>
Garden Burnet (<i>Poterium Sanguisorba.</i>)	
Garlick Setts (<i>Allium Sativum.</i>)	
Indian Corn	
Early Golden Sioux	<i>Zea mays</i>
Early White	<i>Zea mays var.</i>
Sweet or Sugar	<i>Zea mays var.</i>
Large White and Yellow	<i>Zea mays var.</i>
Kail	
Green Curled Scotch	<i>Brassica oleracea sabellica.</i>
Purple Curled	<i>Brassica oleracea sabellica. Var.</i>
Sea	<i>Crambe maritima.</i>

Leek	
Large Scotch	<i>Allium porrum</i>
London	<i>Allium porrum</i> var.
Lettuce	
Early Curled Silesia	<i>Lactuca sativa.</i>
Large Green Head or Cabbage	<i>Lactuca sativa.</i> var.
Brown Dutch	<i>Lactuca sativa.</i> var.
Grand Admiral	<i>Lactuca sativa.</i> var.
Tennisball	<i>Lactuca sativa.</i> var.
Drumhead	<i>Lactuca sativa.</i> var.
Malta Cross	<i>Lactuca sativa.</i> var.
Ice Coss	<i>Lactuca sativa.</i> var.
White Coss, or Loaf	<i>Lactuca sativa.</i> var.
Green Coss	<i>Lactuca sativa.</i> var.
Melon	
Pine Apple	<i>Cucumis melo</i>
Nutmeg	<i>Cucumis melo</i> var.
Large Canteleupe	<i>Cucumis melo</i> var.
Pomegranate of Sweet Scented	<i>Cucumis odoratissimus.</i>
Carolina Water	<i>Cucurbita cirrullas.</i>
Melongena, or Egg Plant	
Purple Curled	<i>Solanum Melongene</i>
White	<i>Solanum voritera.</i>
Mustard	
White or English	<i>Sinapis alba</i>
Brown	<i>Sinapis voritera</i>
Nasturtium (<i>Tropaeolum majus</i>)	
Onion	
White Portugal	<i>Allium cepa</i>
Straw Coloured	<i>Allium cepa</i> var.
Silver Skinned	<i>Allium cepa</i> var.
Stratsburgh	<i>Allium cepa</i> var.
Large Red	<i>Allium cepa</i> var.
Okra (<i>Hibiscus esculentus</i>)	
Parsnip (<i>Pastinaca sativa</i>)	
Parsley	
Single	<i>Apium petroselinum crispum.</i>
Curled or Double	<i>Apium petroselinum crispum.</i> var.
Hamburg or large rooted	<i>Apium petroselinum tuberosum</i>
Peas	
Early Double Blossomed Frame	<i>Pisum sativum.</i>
Early Frame	<i>Pisum sativum.</i> var.
Early Golden Hotspur	<i>Pisum sativum.</i> var.
Early Charlton	<i>Pisum sativum.</i> var.

Dwarf Blue Imperial	<i>Pisum sativum. var.</i>
Blue Prussian	<i>Pisum sativum. var.</i>
Dwarf Marrowfat	<i>Pisum sativum. var.</i>
Dwarf Sugar	<i>Pisum sativum. var.</i>
Dwarf White Albany	<i>Pisum sativum. var.</i>
Dwarf Green Albany	<i>Pisum sativum. var.</i>
Large Grey Marrowfat	<i>Pisum sativum. var.</i>
Knight's Tall Marrows	<i>Pisum sativum. var.</i>
Pepper	
Long or Cayenne	<i>Capsicum annum</i>
Tomatoe shaped or Squash	<i>Capsicum lycopersiciforme.</i>
Bell	<i>Capsicum teragontum.</i>
Cherry	<i>Capsicum cerasufirne.</i>
Pumpkins	
Large Cheese	<i>Cucurbita pepo</i>
Long Quasha	<i>Cucurbita pepo var.</i>
Mammoth	<i>Cucurbita pepo var.</i>
Purslane (Garden) (<i>Portulaca oleracea</i>)	
Radish	
Early Transparent short top Scarlet	<i>Raphanus sativus</i>
Long Salmon	<i>Raphanus sativus</i>
Short top Salmon	<i>Raphanus sativus var.</i>
Long White Summer or Naples	<i>Raphanus sativus var.</i>
Cherry or Scarlet Turnip rooted	<i>Raphanus sativus var.</i>
White Turnip rooted	<i>Raphanus sativus var.</i>
Black Spanish	<i>Raphanus sativus var.</i>
White Spanish	<i>Raphanus sativus var.</i>
Spinach or Spinage	
Round leaved or Summer	<i>Spinacia oleracea.</i>
Prickly or Fall	<i>Spinacia oleracea. var.</i>
Squash	
Early Bush Summer	<i>Cucurbita melopepo.</i>
Long Crook Neck. Summer	<i>Cucurbita verrucosa</i>
Winter Squash	<i>Cucurbita melopepo var.</i>
Skirret (<i>Sium sisianum.</i>)	
Turnip	
Large flat white	<i>Brassica rapa</i>
Early White Dutch	<i>Brassica rapa var.</i>
Early Garden Stone	<i>Brassica rapa var.</i>
White Early yellow Globe	<i>Brassica rapa var.</i>
Red Round	<i>Brassica rapa var.</i>
Large White	<i>Brassica rapa var.</i>
Yellow Aberdeen, or Scotch	<i>Brassica rapa var.</i>

Yellow Swedish, or Ruta Baga
Tomato or Love Apple (*Solanum lycopersicum.*)

Brassica rapa var.

POT AND SWEET HERB SEEDS

Garlick	<i>Allium sativum</i>
Officinal Borage or Bugloss	<i>Borago officinalis</i>
Carraway	<i>Carum carvi</i>
Pot Marigold	<i>Calendula officinalis</i>
Lavender	<i>Lavandula spicata</i>
Sweet Marjoram	<i>Origanum marjorana</i>
anise	<i>Pimpinella anisum</i>
Rosemary	<i>Rosemarinus officinalis</i>
Common Sage	<i>Salvia officinalis</i>
Red Sage	<i>Salvia clandestinoides</i>
Summer Savory	<i>Satureja hortensis</i>
Winter Savory	<i>Satureja montana</i>
Thyme	<i>Thymus vulgaris</i>
Fenugreek	<i>Trigonella foenum-groecum</i>

ESCULENT ROOTS AND PLANTS

Chives	<i>Allium schoenoprasum</i>
Garlick	<i>Allium sativum</i>
White Onion sets	<i>Allium schoenopracum cepa</i>
Red Onion sets	<i>Allium schoenopracum cepa var.</i>
Shallots	<i>Allium ascalonicum</i>
Yellow Onion	<i>Allium ascalonicum var.</i>
Top or Tree Onion	<i>Allium ascalonicum var.</i>
Tarragon or Astragon	<i>Artemesia dracunculus</i>
Asparagus	<i>Asparagus officinalis</i>
Horse Radish	<i>Cochlearia armoracia</i>
Carolina Sweet Potato	<i>Convolvulus batatas</i>
Sea Kail	<i>Crambe maritima</i>
Jerusalem Artichoke	<i>Helianthus tuberosus</i>
Undulated Rhubarb	<i>Rheum undulatum</i>
Early Potatoes	<i>Solanum tuberosum</i>
English White Kidney Potatoes	<i>Solanum tuberosum var.</i>

BIENNIAL FLOWER SEEDS

Stock Gilliflower, assorted
Sun Flower
Wall Flower, assorted
Canterberry Bell
Staten Flower
Fox Glove, red and white

Double Pink

ANNUAL FLOWER SEEDS

Ten week Stock, assorted
China Aster, assorted
Pale striped Poppy
Rose, or Painted Lady Lupens
Quilted African Marigold
Cape Marigold
Humble, or Sensitive Plant
Scarlet Sweet Pea
Prince's Feather
Cock's Comb

AGRICULTURAL OR FARMING SEEDS

Herds or Red Top Grass	<i>Agrostis stricta</i>
Tall meadow oats Grass	<i>Avena elatior</i>
Mangle Wurtzel	<i>Beta cicla</i>
Large Scotch Cabbage	<i>Brassica oleracea capitata</i>
English Rape or Cole seed	<i>Brassica napus</i>
Ruta Baga or Swedish Turnip	<i>Brassica rapa</i>
Large White flat or Norfolk Turnip	<i>Brassica var.</i>
Yellow Bullock Turnip	<i>Brassica var.</i>
Hemp	<i>Cannabis sativa</i>
Whild Succory or Wild Endive	<i>Cichorium intibus</i>
Sweet Potato Slips	<i>Convolvulus batatas</i>
Orchard Grass	<i>Dactylis glomerata</i>
Fuller's Teasel	<i>Dipsacus fullonum</i>
Lentiles	<i>Errum lens</i>
Cotton	<i>Gossypium herbaceum</i>
Saintfoin	<i>Hedysarum onobrychis</i>
Broom Corn	<i>Holcus saccharatus</i>
Woad	<i>Isatis tinctoria</i>
Flax	<i>Linum usitatissimum</i>
English Rye Grass	<i>Lolium perenne</i>
Trefoil or Yellow Clover	<i>Medicago lupulina</i>
Lucerne or French Clover	<i>Medicago sativa</i>
Virginia Tobacco	<i>Nicotiana tabacum</i>
Havana Tobacco	<i>Nicotiana tabacum var.</i>
Millet	<i>Panicum miliaceum</i>
Note	<i>Peterium sanguisorba</i>
Canary	<i>Phalaris canariensis</i>
Timothy Grass	<i>Phleum pratense</i>

Field Peas, white and green	<i>Pilum sativum</i>
Blue Grass or Green Grass	<i>Poa compresa</i>
Buckwheat	<i>Polygonum fagopyrum</i>
Yellow Locust	<i>Robinia pseudoacacia</i>
Spring Rye	<i>Secale cereale vernal</i>
Winter Rye	<i>Secale cereale var. rhybernum</i>
White or English Mustard	<i>Sinapis alba</i>
Brown Mustard	<i>Sinapis nigra</i>
English Kidney Potatoes	<i>Solanum tuberosa var.</i>
Red Clover	<i>Trifolium pratense</i>
White Dutch Clover	<i>Trifolium repens</i>
White American Clover	<i>Trifolium var.</i>
Spring Vetches	<i>Vicia sativa</i>
Winter Vetches	<i>Vicia sativa</i>
Indian Corn	<i>Zea mays</i>

FRUIT TREES

Peach	<i>Amygdalus persica</i>
Strawberries	<i>Fragaria vesta</i>
Cherries	<i>Prunus cerasus</i>
Apricot	<i>Prunus armeniaca</i>
Plums	<i>Prunus domestica</i>
Apple	<i>Pyrus malus</i>
Pears	<i>Pyrus communis</i>
Quince	<i>Pyrus cydonia</i>
Gooseberries	<i>Ribes, uba crispa</i>
Currant	<i>Ribes rubrum</i>
Raspberries	<i>Rubus idaeus</i>
Grape Cuttings	
Thorn Quicks	

BIRD SEEDS

Rape	<i>Brassica napus</i>
Hemp	<i>Cannabis sativa</i>
Millet	<i>Panicum miliaceum</i>
Canary	<i>Phalaris canariensis</i>

March 27, 1826

The Virginian (Lynchburg, Virginia)

“Garden & Flower Seeds.”

“Wm. Owens & G.L. Leckie, Have just received from New York the following seed:

Garden Seed

Early York Cabbage	[<i>Brassica oleracea</i> 'Early York']
Early emperor do (ditto)	[<i>B. oleracea</i> 'Early Emperor']
Early Salisbury do	[<i>B. oleracea</i> 'Early Salisbury']
Large late imperial do	[<i>B. oleracea</i> 'Late Imperial']
Green glove savoy do	[<i>B. oleracea</i> 'Green Globe' Savoy]
Late Battersea do	[<i>B. oleracea</i> 'Late Battersea']
Bergen or large American cabbage	[<i>B. oleracea</i> 'Bergen']
Russian cabbage	[<i>B. oleracea</i> 'Russian']
White solid celery	[<i>Apium graveolens</i> var. <i>dulce</i> White Solid]
Red do do	[<i>A. graveolens</i> <i>dulce</i> 'Red Solid']
Long Orange carrot	[<i>Daucus carota</i> 'Long Orange']
Blood red do	[<i>D. carota</i> 'Blood Red']
Early horn do	[<i>D. carota</i> 'Early Horn']
Early blood turnip beet	[<i>Beta vulgaris</i> 'Early Blood Turnip']
Early horn beet (new)	[<i>B. vulgaris</i> 'Early Horn']
Bloody red do	[<i>B. vulgaris</i> 'Bloody Red']
Mangle wur[z]le do	[<i>Mangelwurzel</i> , <i>B. vulgaris</i>] [<i>B. vulgaris</i> French Sugar]
French sugar do	[<i>Cucumis sativus</i> 'Early Frame']
Early frame cucumber	[<i>C. sativus</i> 'Long Prickly']
Long prickly do	[<i>C. sativus</i> 'Long Turkey']
Green turkey do	[<i>C. sativus</i> 'Green Cluster']
Green cluster do	[<i>Lactuca sativa</i> 'Early Curled Silesia']
Early curled Silecia lettuce	[<i>L. sativa</i> 'Large Green Head']
Large green head do	[<i>L. sativa</i> 'Drumhead']
Drumhead do	[<i>L. sativa</i> 'Ice']
Ice do	[<i>L. sativa</i> 'Tennisball']
Tennis ball do	[<i>L. sativa</i> 'Madeira']
Madeira do	[<i>L. sativa</i> 'Grand Admiral']
Grand admiral do	[<i>L. sativa</i> 'Magnum Bonum']
Magnum bonum do	[<i>Nasturtium</i> , <i>Tropaeolum majus</i>] [White Mustard, <i>Brassica hirta</i>]
Nasturtium (fine pickle)	[<i>Brassica oleracea</i> 'Scotch']
White mustard	[Sea Kale, <i>Crambe maritima</i>] [<i>Allium cepa</i> 'White']
Best Scotch kail	[<i>A. cepa</i> 'Red']
Sea do	[<i>A. cepa</i> 'Straw-coloured']
White onion	[<i>A. cepa</i>] [Pepper Grass, <i>Lepidium sativum</i>] [Garden Cress, <i>Lepidium sativum</i>]
Red do	[<i>Raphanus sativus</i> 'Early Scarlet Short Top']
Straw coloured do	[<i>R. sativus</i> 'Young Salmon']
Onion cloves	[<i>R. sativus</i> 'Cherry Turnip']
Curled peppergrass	[<i>Salsify</i> , <i>Tragopogon porrifolius</i>] [<i>Cucurbita pepo</i> 'Early Bunch']
Garden cress	[<i>C. maxima</i> 'Valparaiso'] [<i>C. pepo</i> var. <i>pepo</i> 'Mammoth']
Early scarlet Shortop radish	
Young salmon do	
Cherry turnip do	
Salsify or vegetable oyster	
Early bunch summer squash	
Valparaiso squash	
Mammoth pumpkin	

Early cauliflower	[<i>Brassica oleracea</i>]
Curled parsley	[<i>Petroselinum crispum</i> var. <i>crispum</i>]
Tomatoe shaped pepper	[Bell Pepper, <i>Capsicum annuum</i> (?) 'Bullnose']
Parsnip	[Parsnip, <i>Pastinaca sativa</i>]
Purple egg plant	[Eggplant, <i>Solanum melongena</i>]
Early Washington peas extra early and fine	[<i>Pisum sativum</i> 'Early Washington']
Dwarf blue imperial do	[<i>P. sativum</i> 'Dwarf Blue Imperial']
Dwarf prolific do	[<i>P. sativum</i> 'Dwarf Prolific']
Tall Marrowfat do	[<i>P. sativum</i> 'Tall Marrowfat']
Early Charlton do	[<i>P. sativum</i> 'Early Charlton']
Early France do	[<i>P. sativum</i> 'Early France']
Early dwarf cluster do	[<i>P. sativum</i> 'Early Dwarf Cluster']
Dwarf Marrowfat do	[<i>P. sativum</i> 'Dwarf Marrowfat']
Early Lafayette do	[<i>P. sativum</i> 'Early Lafayette']
Blue Prussian do	[<i>P. sativum</i> 'Blue Prussian']
Tall knights honey do extra fine	[<i>P. sativum</i> 'Tall Knights Honey']
Tall sugar peas (eat pods)	[<i>P. sativum</i> 'Tall Sugar']
Early mazargan beans	[Broad Bean, <i>Vicia faba</i> 'Early Mazagan']
Long pod do	[<i>V. faba</i> 'Long Pod']
Green nonpareil do	[<i>V. faba</i> 'Green Nonpareil']
Yellow six week snaps	[<i>Phaseolus vulgaris</i> 'Yellow Six-week']
Dwarf white kidney do	[<i>P. vulgaris</i> 'Dwarf White Kidney']
China dwarf do	[<i>P. vulgaris</i> 'China Dwarf']
Scarlet flowering do	[<i>Phaseolus coccineus</i> Scarlet Runner']
A few bushels potato	
oats two dollars	
per bushel.	

Flower Seeds

Red striped china aster	[<i>Callistephus chinensis</i> 'Red-striped']
White do	[<i>C. chinensis</i> 'White-striped']
Red do	[<i>C. chinensis</i> 'Red-striped']
Lilac do	[<i>C. chinensis</i> 'Lilac-striped']
Blush do	[<i>C. chinensis</i> 'Blush-striped']
Purple do	[<i>C. chinensis</i> 'Purple-striped']
Bonnet do	[<i>C. chinensis</i> 'Bonnet-striped']
Rose do	[<i>C. chinensis</i> 'Rose-striped']
Purple glove amaranthus	[Globe Amaranth, <i>Gomphrena globosa</i>] (amaranthine)
Tricolour do	[Joseph's Coat, <i>Amaranthus tricolor</i>] (amaranthine)
Flos adonis	[<i>Adonis autumnalis</i>] (amaranthine)
Alkekendi or kite flower	[Chinese Lantern, <i>Physalis alkekengi</i>] (amaranthine)
Love lies bleeding	[<i>Amaranthus caudatus</i>] (amaranthine)
Musk bottles	[Bachelor Button or Cornflower, <i>Centaurea cyanus</i>] (amaranthine)
Scotch brown	[?Scotch Broom, <i>Cytisus scoparius</i>] (amaranthine)
Whin bush	[Gorse, <i>Ulex europaeus</i>] (amaranthine)
Canterberry bells	[Canterbury Bells, <i>Campanula medium</i>] (amaranthine)
Rose campion	[<i>Lychnis coronaria</i>] (amaranthine)
Golden coreopsis	[<i>Coreopsis</i> , <i>Coreopsis</i> sp.] (amaranthine)
Red, purple & white Columbines mixed	[<i>Aquilegia vulgaris</i> cvs.] (amaranthine)
Crimson coxcombs	[<i>Celosia cristata</i>] (amaranthine)
White chrysanthemums	[<i>Chrysanthemum indicum</i> (?) 'White'] (amaranthine)
Tricolour do	[<i>C. indicum</i> (?) 'Tricolour'] (amaranthine)
Scarlet calutea	[Bladder Senna, <i>Colutea arborescens</i>] (amaranthine)
Double balcamine	[Balsam, <i>Impatiens balsamina</i> cr.] (amaranthine)
Blue cantanche	[Cupid's Dart, <i>Catananche caerulea</i>] (amaranthine)

Purple candy tuft	[Candytuft, <i>Iberis umbellata</i>]
Minor convolvulus	[Morning Glory, <i>Ipomoea purpurea</i>]
Squirtin cucumber	[<i>Ecballium elaterium</i>]
Coriander	[<i>Coriandrum sativum</i> or <i>Nigella sativum</i>]
Dahlias (beautiful)	[<i>Dahlia</i> cv.]
Mixt Dahlias	[<i>Dahlia</i> crs.]
Hearts Ease	[Johnny-jump-up, <i>Viola tricolor</i>]
Star in the East	[? <i>Ornithogalum</i> sp.]
Purple Perennial Flax	[<i>Linum perenne</i>]
Catch fly	[<i>Silene armeria</i>]
Althea Frutex	[Rose of Sharon, <i>Hibiscus syriacus</i>]
Bloody wall flower	[<i>Cheiranthus cheiri</i> 'Bloody']
White wall leav'd stock gilli	[Stock, <i>Matthiola incana</i> cv.]
Scarlet brompton do	[<i>M. incana</i> Scarlet Brompton']
Purple do	[<i>M. incana</i> cv.]
Queens do	[<i>M. incana</i> cv.]
Ten week do	[<i>M. incana</i> 'Annua']
Virgins do	[<i>M. incana</i> cv.]
Mixt biennial do	[<i>M. incana</i> cv.]
Fox glove	[<i>Digitalis purpurea</i>]
Musk Geranium	[<i>Pelargonium graveolens</i> cv.]
Mist do	[<i>P. graveolens</i> cv.]
Balm gilead	[Balm of Gilead, <i>Cedronella canariensis</i>]
French Honeysuckle	[<i>Hedysarum coronarium</i>]
Honeywort	[<i>Cerinthe major</i>]
Honesty	[Money Plant, <i>Lunaria annua</i>]
Double chinia (chivia)	[?]
Hollyhock	[<i>Alcea rosea</i>]
Double black do	[<i>Alcea rosea nigra</i>]
Double mixt do	[<i>Alcea rosea</i> cv.]
Yellow hawk weed	[<i>Tolpis barbata</i>]
Double purple jacobea	[? Jacobean Lily, <i>Sprekelia formosissima</i>]
Bladder kalmia	[Bladder Ketmia, Flower of an Hour, <i>Hibiscus trionum</i>]
Venus lookingglass	[Venus's-looking-glass, <i>Legousia Speculum-Veneris</i>]
Blackberry lilly	[<i>Belamcanda chinensis</i>]
Yellow lupines	[<i>Lupinus luteus</i>]
White do	[<i>L. albus</i>]
Blue do	[<i>L. hirsutus</i>]
Rose do	[<i>L. sp.</i>]
Dutch blue do	[<i>L. sp.</i>]
Perennial do	[? <i>L. perennis</i>]
Jacob's ladder	[<i>Polemonium caeruleum</i>]
Double larkspur	[<i>Consolida orientalis</i> cv.]
Double rose do	[<i>C. orientalis</i> 'Double Rose']
Branching do	[<i>C. orientalis</i> cv.]
Scarlet litchuis	[?Scarlet Lychnis, Maltese Cross, <i>Lychnis chalcedonica</i>]
Lavetera	[<i>Lavatera thuringiaca</i> , <i>L. trimestris</i> , or <i>L. olbia</i> ?]
Lavender	[<i>Lavandula angustifolia</i>]
Mignonette	[<i>Reseda odorata</i>]
Upright do	[<i>Reseda alba</i>]
Ranuncular Marygold	[African Marigold, <i>Tagetes erecta</i>]
French do	[<i>T. patula</i>]
Large double do	[<i>Tagetes</i> sp.]
Pot do	[Pot Marigold, <i>Calendula officinalis</i>]
Sweet Marjorium	[Sweet Marjoram, <i>Origanum marjorana</i>]

Myrtle Seed	<i>[Myrtus communis]</i>
Ice plant	<i>[Mesembryanthemum crystallinum]</i>
Sensitive plant	<i>[Mimosa pudica]</i>
Imperial pink	<i>[Dianthus cv.]</i>
Maidens do	<i>[Dianthus cv.]</i>
Carnation Pink	<i>[Dianthus cv.]</i>
Pheasant eye do	<i>[Pheasant's Eye Pink, Dianthus cv.]</i>
China do	<i>[Dianthus chinensis]</i>
Evening Primrose	<i>[Oenothera biennis]</i>
Marvel of Peru	<i>[Four O'clock, Mirabilis jalapa]</i>
Double white poppy	<i>[Papaver somniferum Double White']</i>
Carnation do	<i>[P. somniferum 'Carnation']</i>
White egg plant	<i>[Solanum melongena]</i>
Polyanthus	<i>[Primula x polyantha]</i>
Rockets	<i>[Dame's Rocket, Hesperis matronalis]</i>
Scarlet Snapdragon	<i>[Antirrhinum majus]</i>
Starry Scabius	<i>[Scabiosa stellata]</i>
Purple do	<i>[Mourning Bride, Scabiosa atropurpurea]</i>
Senna	<i>[Colutea arborescens]</i>
Saffron	<i>[?Safflower or Bastard Saffron, Carthamus tinctorius; Saffron, Crocus sativus; or Meadow Saffron, Colchicum autumnale]</i>
Double tall sun-flower	<i>[Helianthus annuus cv.]</i>
Sweet Sultan	<i>[Centaurea moschata]</i>
Tangier Scorzonera	<i>[Tragopogon pratensis]</i>
Strawberry Spinage	<i>[Strawberry Blite, Chenopodium capitatum]</i>
Yellow Indian Shot	<i>[Canna, Canna indica]</i>
Crimson Trefoil	<i>[Trifolium sp., ?Crimson Clover, Trifolium incarnata]</i>
Garden Valerian	<i>[Centranthus ruber or Polemonium reptans]</i>
Sweet William	<i>[Dianthus barbatus]</i>
Thyme	<i>[Thymus vulgaris]</i>
Mexican Geminicia	<i>[?]</i>

Vines

Balsam apple	<i>[Momordica balsamina]</i>
Scarlet morning glory	<i>[Ipomoea purpurea]</i>
Striped do do	<i>[?I. purpurea or Convolvulus tricolor]</i>
Balloon vine	<i>[Cardiospermum halicacabum]</i>
Painted lady peas	<i>[Lathyrus odoratus 'Painted Lady']</i>
Mixed sweet do	<i>[L. odoratus cvs.]</i>
Lord Anson's do	<i>[L. odoratus 'Lord Anson']</i>
Cypress vine	<i>[Ipomoea quamoclit]</i>
Kite leaved ipomea	<i>[Cardinal Climber, Ipomoea x multifida]</i>
Purple hyacinth bean	<i>[Dolichos lablab]</i>
Mock orange	<i>[Philadelphus coronarius]</i>

Sources:

"A Catalogue of Garden, Grass, Herb, Flower, Tree & Shrub Seeds, Flower-roots, etc. Sold by Bernard M'Mahon, Seedsman." Philadelphia @1804.

Hortus Third, A Concise Dictionary of Plants Cultivated in the United States and Canada. Revised and expanded by The Staff of the Liberty Hyde Bailey Hortorium, Macmillan Publishing Co. Inc., New York, 1976.

Johnson's Gardeners' Dictionary and Cultural Instructor, edited by J. Fraser and A. Hemsley, George Routledge & Sons, London, 1846.

McMahon, Bernard. *The American Gardener's Calendar*. Philadelphia, 1806.

Miller, Phillip. *The Gardener's Dictionary*, 8th ed. London, 1768.

Submitted by Peter J. Hatch, Monticello

The American Farmer, Vol. 9, 1827

Baltimore, John Skinner, Editor

List of 'pernicious and unprofitable plants' and 43 varieties of 'Chinese' chrysanthemums. From 1 of 3 bound volumes found in the library at Magnolia Grove, Greensboro, Alabama. Compiled and submitted by George Stritikus.

List of Pernicious and Unprofitable Plants

Allium vineale - common garlic
Ornithogalum umbellatum - "ten o'clock," "star of bethlehem"
Juncus effusus - common rush
Veratrum viride - "hellebore," "indian pole"
Rumex crispus - "sour dock," "curly dock," introduced from Europe
Rumex obtusifolius Asheep sorrell
Rumex acetosella -
Oenothera - "evening tree primrose," "night willow herb," "sun-drops" - 3 species
Silene antirrhina - "catch-fly"
Agrostemma githago - "corn cockle"
Phytolacca decandra - "poke," "poke-berry bush," pigeon berry"
Rosa corvmbosa - "swamp rose"
Rubus villosa - "blackberry rush," "common brier"
Potentilla canadensis - "cinquefoil" "
Portulaca oleracea - "purslane"
Hypericum perforatum - "st. john's wort"
Gnaphalium polycephalum - "life everlasting" "
Chrysanthemum leucanthemum - "ox-eye daisy" - "white weed"
Senecio hieracifolius - "fire weed," groundsel"
Erigeron - 2 types - "fleabane"
Solidago - "golden rod"
Aster - "star wort"
Anthemis - "may weed," "dog fennel," a foreigner.

From an article on 'Chinese' chrysanthemums, Prince Nursery has 43 varieties

White Quilled
Semi-Dbl. quilled pink
Buff to Orange-changeable, on some plants
Quilled orange
Purple

Semi-Dbl, quilled orange
Lilac quilled

Early crimson
Rose-colored or pink
Curled lilac
Lilac & white - changeable
Quilled lt. purple
Dark crimson or Spanish brown
Expanded lt. purple
Straw colored

Quilled salmon
Straw colored quilled
Golden yellow
Dbl. Indian Yellow
Orange

Dbl. White
Tasselled white
Brown purple
Super white

Early Blush
Semi-Dbl. quilled white
Golden Lotus
Paper white

Quilled purple
Quilled flame yellow
Starry purple
Sulphur yellow

Pale buff
Small yellow

Park's small yellow
Single yellow

Quilled yellow
Quilled pink

Semi-Dbl. quilled pale orange
Cluster pink
Two-colored red
Curled buff or salmon

Mrs. Tripp's Flowers and Herbs

Beaufort County, North Carolina

1818-1829

From "*The Plantation Book of James F. Clark*" [NC State Archives, Private Manuscript collection] of Mauls Point, Beaufort County, North Carolina, are two lists of flowers and herbs that were growing in Mrs. Tripp's garden in 1828. Submitted by Perry Matthews, Tryon Palace, New Bern, North Carolina.

February 27, 1828

Sweet scented shrub
Evergreen Rose
Cabbage Rose
Rose Tree
Jonquils
Fride Eggs
Hearts Ease
Gentleman's Fancys
Fly Ketch
Grass Pink
Crimson Pink
Flowering Amon
Gooseberry Bush

July 20th 1829

Rose of Sharon
Althea Bush
Passion Vine
Lark Spurs
Sweet Williams
Wild Pink
White Williams
Quince Tree
White Lilies
Bergamot
Wormwood
Horse Radish
Comphrey
Sage
Time
Garlick
&c

Caroline Frances Smith's Scrapbook of Pressed Flowers Lowndesboro, Alabama

c. 1830-1850

In a manuscript folder in the Alabama Department of Archives & History in Montgomery, Alabama, lies Caroline Frances Smith's "Scrapbook of Pressed Flowers," compiled between 1830 and 1850. This scrapbook is a botany lesson where the student was to collect, press and mount a collection of flowers, keying them out in a Botany textbook, and listing the Latin and common names beside the mounted specimens. They were then dressed up with a fancy cover and kept in the parlor as reading material for visitors...a forerunner of our coffee table books! The notebook has a sewn slip-cover of apparently red silk with a half inch, green silk border sewn on. It is now very faded and deteriorated. Compiled and submitted by George R. Stritikus

Following are the plants found in that scrapbook.

<i>Agrostemma githago</i>	cockle
<i>Antirrhinum elatine?</i>	
<i>Asarum</i>	wild ginger
<i>Calopogon pulchellus</i>	grass pink
<i>Ceanothus americanus</i>	jersey tea c.
<i>Centaurea</i> sp.	French pink
<i>Cornus canadensis</i>	dogwood
<i>Delphinium</i>	larkspur
<i>Delphinium</i>	dbl. Larkspur
<i>Dianthus armeria</i>	red pink
<i>Halesia</i>	silver bell tree
<i>Hydrangea petiolaris</i>	climbing hydrangea
<i>Hydrangea quercifolia</i>	oakleaf hydrangea
<i>Hydrangea arborescens</i>	
<i>Jasminum humile</i>	yellow flowered jasmine
<i>Jasminum officinale</i>	white flowered jasmine
<i>Kalmia latifolia</i>	mountain laurel
<i>Kerria</i>	yellow rose
<i>Leonurus cardiaca</i>	motherwort
<i>Ligustrum sinensis</i>	privet
<i>Lonicera sempervirens</i>	bush honeysuckle
<i>Lychnis coronaria</i>	mullein pink
<i>Melia azedarach</i>	chinaberry
<i>Mitchella repens</i>	partridgeberry
<i>Narcissus jonquilla</i>	Campenelle"

<i>Oenothera</i>	pink primrose
<i>Osmunda cinnamomea</i>	cinnamon fern
<i>Oxalis</i>	sorrel
<i>Papaver somniferum</i>	red poppy
<i>Pelargonium graveolens</i>	rose geranium
<i>Phaseolus</i>	snapbean
<i>Philadelphus inodorus</i>	mock orange
<i>Phlox divaricata</i>	phlox
<i>Pisum sativa</i>	pea
<i>Poe annua</i>	annual bluegrass
<i>Punica granatum</i>	pomegranate
<i>Pyrus</i>	quince
<i>Raphanus sativa</i>	radish
<i>Rhododendron nudiflorum</i>	native azalea
<i>Robinia pseudoacacia</i>	black locust
<i>Robinia hispida</i>	locust
<i>Rosa sempervirens</i> - ?	
<i>Rosa indica</i> - ?	
<i>Rosa</i> - ?	
<i>Salix babylonica</i>	weeping willow
<i>Salvia officinalis</i>	sage
<i>Sambucus canadensis</i>	elderberry
<i>Schrankia microphylla</i>	sensitive brier
<i>Scutellaria lateriflora</i>	skull cap
<i>Spigelia marilandica</i>	indian pink
<i>Spirea bumalda</i>	
<i>Trifolium pratense</i>	clover
<i>Vaccinium corymbosum</i>	whortleberry
<i>Viola tricolor</i>	wild pansy
<i>Vitex agnus-castus</i>	lilac chaste tree

Thomas F. Hazzard

Apr. 1832

The American Farmer - Vol. 14 - 1832
Baltimore, edited by Gideon B. Smith
1 of 3 volumes found in the library at Magnolia Grove, Greensboro, Alabama.

In the April, 1832, issue of the "The American Farmer" there appeared an article by Thomas F. Hazzard from St. Simond's Island, Georgia, about the culture of flowers and the following flowers were mentioned. The article had previously appeared in the "The Southern Agriculturist" a sister publication to the "American Farmer. Compiled and submitted by George R. Stritikus.

wallflowers - single & double	
gilliflower	
hydrangeas	
hibiscus	
geraniums	
<i>Camellia japonica</i>	
poppies	
sweet williams - native & foreign	
hyacinths	
tulips - rare	
dahlias - great variety	
variegated marvel of peru	
dwarf Trumpet flower	
roses	
champaney's rose	
china asters	
chrysanthemums	
primrose	
	zinnias
	red & white wallflowers
	crimson woodbine
	cherokee rose
	small pink multiflora rose
	large english woodbine
	carolina jessamine
	crimson cypress vine
	morning glory
	travelers joy

Native plants:

fringe tree
snow drop tree
sensative briar
pink & crimson honeysuckle
flags (iris)
lilies
white pancratium
yellow flag - *Canna flaccida*

sweet shrub
pink, pale-blue & purple *Tradescantia*
pink & blue *Tradescantia*
clematis
yellow jessamine

(From Southern Agriculturist)

"The Herbarium of Louisiana and Mississippi of John C. Jenkins, A.D. 1836-37" Natchez, Mississippi

A LIST OF THE SPECIMENS IN THE 1836-7 HERBARIUM OF DR. JOHN CARMICHAEL JENKINS – THE NOTED SOUTHERN POMOLOGIST OF ELGIN PLANTATION - NATCHEZ, MISSISSIPPI

John Carmichael Jenkins was born in Lancaster County, Pennsylvania in 1809. He was the son of a Congressman and a wealthy iron master. He received his elementary education in local schools and when completed, enrolled in Dickinson College at Carlisle, Penn. He graduated with a Bachelor of Arts degree in 1828. By this time, he had developed an interest in medicine and spent the next two years in the private school of Dr. George B. Wood of Philadelphia, one of the most outstanding men in the medical field of that day.

In 1830, John enrolled in the Medical School of the University of Pennsylvania, where he studied three years and graduated in 1833. In commenting on his credentials, the Natchez newspaper said that Dr. Jenkins, who had recently arrived, had graduated with distinction and that his faculty advisors predicted for him a successful and honorable career in medicine. His uncle, Dr. John Flavel Carmichael, desired to help his young nephew and requested that he come to Wilkinson county, Mississippi and help him with his medical practice, which was flourishing on the frontier. The young man was quite willing to leave the family home in Pennsylvania to do so.

Along with his medical practice, he also had a great interest in the fields of ornithology and botany. He made several noteworthy contributions to the museums back East in these fields.

When his uncle died in 1837, he suddenly became heir to, and responsible for, two very large plantations in Wilkinson County that were heavily encumbered in debt as a result of the panic of 1837. Dr. Jenkins set about whole-heartedly managing these two plantations. This new endeavor was to channel his energies into more practical and productive ventures. As an indication of his industry, in six years he paid off the debt of \$130,000 and the plantations were debt-free.

In the process, he became a expert in fruit culture for the South and originated many new varieties of fruit trees adapted for the climate of the South.

Moving in the circles he did in Natchez, he made the acquaintance of the Dunbar family of Forest Plantation, outside Natchez, in Adams county. He became especially interested in Miss Annis Field Dunbar, the eldest daughter of Dr. William Dunbar. Their friendship led to marriage in 1839. For nearly a year, the newlyweds lived at Cold Springs, the Carmichael home in Wilkinson county. In 1840, while paying off the debt on the two plantations, he purchased and moved to Elgin Plantation in Adams county, just outside Natchez. That house is still there and in an excellent state of preservation.

The herbarium we have was begun in 1836 . . . at least that is what is written on the front of volume and was completed while Jenkins lived at Elgin.

It was while he was at Elgin that he became a leading figure in Southern fruit growing and was widely known for his scientific approach to agriculture. Elgin functioned as a large experiment station for his fruit culture research, while his two other plantations grew traditional crops.

Of the 310 specimens in the herbarium, 183 are identified. This list was compiled and submitted by George R. Stritikus.

Genus and Species

Common Name

<i>Acer barbatum</i>	Hairy Maple
<i>Acer saccharum</i>	Sugar Maple
<i>Achyranthes oborata</i>	
<i>Acmella (Spilanthus ?) repens</i>	Creeping Acmella
<i>Acnislla (?)repens</i>	Creeping Acnislla
<i>Aethusa (?)lepophylla</i>	Fools Parsley
<i>Agrimonia Eupatoria</i>	cocklebur
<i>Allium cernuum</i>	Nodding Wild Onion
<i>Amagallis (?)</i>	
<i>Amaranthus spinosus (?)</i>	
<i>Ambrosia elatior</i>	Roman Wormwood
<i>Ammannia (?)bumulis</i>	Low Ammania
<i>Ampelopsis bipinnata</i>	
<i>Amphicarpaea monoica</i>	hog peanut
<i>Andropogon scoparius</i>	Beardgrass
<i>Arenaria glabra</i>	
<i>Aspidium Raphinesquisnum (?)</i>	shield-fern
<i>Aspidium Thelypteris</i>	
<i>Asplenium Trichomanes</i>	maidenhair spleenwort
<i>Aster adulterinus (?)</i>	
<i>Baccharis halimifolia</i>	Groundsel Tree
<i>Borkhausia (?)Taraxacum?) caroliniana</i>	Southern Dandilion
<i>Brunnichia (?) cirrhosa</i>	
<i>Campanula heterophylla</i>	
<i>Cardamine rotundifolia</i>	
<i>Cardimine Ludovicina (?)</i>	
<i>Cardimine (Nasturtium ?)virginica</i>	Water Cress
<i>Carex multiflora</i>	
<i>Carex rosea</i>	
<i>Cassia Tora</i>	sicklepod
<i>Caulina (Najas ?) fragilis</i>	Water Knotgrass
<i>Cicuta bulbifera</i>	water hemlock
<i>Claytonia virginica</i>	Spring-beauty
<i>Cnicus horidulus</i>	blessed thistle ?
<i>Convolvulus tamnifolius</i>	
<i>Cornus canadensis</i>	Dogwood
<i>Crataegus punctata</i>	Thorn Tree
<i>Croton (?) ellipticum</i>	
<i>Cupressus distichus</i>	
<i>Cyperus poaeformis (?)</i>	umbrella sedge
<i>Cyperus strigosus</i>	
<i>Delphinium tricorne</i>	Staggerweed
<i>Dentaria laciniata</i>	toothwort
<i>Dicentra Cucullaris</i>	Dutchman's-breeches
<i>Digitaria filiformis (Cynodon Dactylon)</i>	Bermuda grass

<i>Diodia (?) hersuta</i>	
<i>Dioscorea villosa</i>	wild yam
<i>Discopleura (?) capillacea (?)</i>	Bishop Weed
<i>Dolichos luteolus</i>	Cow Sage
<i>Eclipta (?) procumbens</i>	
<i>Elodea petiolata</i>	
<i>Epidendron (?) conopseum (?)</i>	dodder
<i>Epigaea repens</i>	Trailing Arbutus
<i>Epilobium Lineare</i>	marsh epilobium
<i>Erigeron billadifolium puchellus</i>	Robin's Plantain
<i>Erigeron bulbosa</i>	Turkey Pea
<i>Erigeron canadensis</i>	
<i>Erigeron divaricata</i>	
<i>Erigeron quercifolium</i>	Oakleaf Erigeron
<i>Eriophorum (?) polystachyon</i>	Cotton Grass
<i>Erysimum Walteri</i>	wallflower
<i>Euonymus americanus</i>	
<i>Euonymus obovatus</i>	
<i>Eupatorium serotinum</i>	
<i>Euphorbia Herronii</i>	
<i>Euphorbia maculata</i>	Spotted Spurge
<i>Eustoma nutans</i>	gentian ?
<i>Gaura biennis</i>	
<i>Geranium Robertianum</i>	
<i>Gerardia (Agalinis) tenuifolia</i>	
<i>Gillenia stipulacea</i>	Western Gillenia (American ipecac)
<i>Gleditsia triacanthos</i>	Honey Locust
<i>Habenaria fissa</i>	
<i>Helenium quadridentatum</i>	sneezeweed
<i>Heliotropium indicum</i>	Turnsole
<i>Hibiscus militaris</i>	Military Hibiscus
<i>Houstonia (Hedyotis) purpurea</i>	
<i>Iris cuprea (fulva)</i>	Coppercolored Iris (louisiana iris)
<i>Iussieu (?) grandiflora</i>	
<i>Justicia bumilis</i>	water willow
<i>Kuhnia (Eupatorium ?) critonia (?)</i>	
<i>Lamium amplexicaule</i>	
<i>Laurus (Lindera) benzoin</i>	Spice Wood
<i>Laurus (Prunus) carolinianus</i>	carolina cherry laurel
<i>Laurus sassafras (Sassafrass albidum)</i>	Sassafrass
<i>Lechea (?) minor</i>	pinweed
<i>Lechea (?) racemulosa ?</i>	pinweed
<i>Leersia oryzoides</i>	White Grass
<i>Leontice (?) thalictroides</i>	
<i>Ludwigia cylindrica</i>	
<i>Luzula campestris</i>	common wood rush
<i>Lycopus europeus</i>	Water Horehound
<i>Lycopus virginicus</i>	Bugleweed

<i>Lythrum hyssopifolium</i>	loosestrife
<i>Macrotys (Cimicifuga racemosa)</i>	Black Snakeroot
<i>Malva caroliniana</i>	Carolina Mallow
<i>Medicago tribuloides</i>	Hedge Hog
<i>Melia Azedarach</i>	Pride of China
<i>Melia speciosa</i>	
<i>Melliolotus (?) leucantha</i>	Sweet Clover
<i>Melothria pendula</i>	Creeping Cucumber
<i>Microstylum ophioglossoides</i>	Moonseed
<i>(Malaxis unifolia)</i>	green adder's-mouth
<i>Mikania pubescens (?)</i>	
<i>Mimosa (Albizia) Julibrissin</i>	silk tree
<i>Monotropa uniflora</i>	indian pipes
<i>Myriophyllum scabratum</i>	milfoil
<i>Myrrhis canadensis</i>	Canadian Cicely
<i>Nemophila paniculata</i>	
<i>Nuphar adena</i>	spadederdock, common
<i>Oenothera fruticosa</i>	sundrops
<i>Onoclea sensibilis</i>	sensitive fern
<i>Osmunda interrupta</i>	
<i>Osmunda regalis</i>	Flowering Fern
<i>Panciateum (?) americanum</i>	
<i>Pancreatum mexicanum</i>	
<i>Panicum latifolium</i>	
<i>Petalostemon villosum</i>	silky prairie clover
<i>Phacelia fimbriata</i>	scorpion weed
<i>Phlox bifida</i>	sand phlox
<i>Pinus Inops (Ait.)</i>	Pitch Pine (jersey or scrub pine)
<i>Pistia spathulata</i>	water lettuce
<i>Plantago pusilla</i>	
<i>Plantago virginica</i>	Dwarf Plantain
<i>Platanus occidentalis</i>	Sycamore
<i>Poa reptans</i>	
<i>Pogonia ophioglossides</i>	rose pogonia
<i>Polemonium repens</i>	Greek Valerian
<i>Polygonum aviculare (?)</i>	Knot Grass
<i>Polygonum punctatum</i>	Water Pepper
<i>Polygonum virginianum</i>	Virginia Biswort
<i>Polymnia (?) canadensis</i>	
<i>Polypodium Dryopteria</i>	
<i>Polypodium incarnum</i>	ressurection fern
<i>Polypodium Phegopteris</i>	
<i>Potamogeton pauciflorum</i>	Grassleaf (pondweed)
<i>Proserpinaca pectinata</i>	
<i>Psoralea latifolia</i>	
<i>Pteris pedata</i>	
<i>Pycnanthemum cinifolium</i>	
<i>Quercus Aquatica (nigra)</i>	Water Oak

<i>Quercus oliviformis</i> ?	Mossy Cup Oak
<i>Ranunculus abortivus</i> (?)	
<i>Ranunculus arachnpermus</i> (?)	
<i>Ranunculus muricatus</i>	Armed Ranunculus
<i>Ranunculus pusillus</i>	puny crowfoot
<i>Ranunculus repens</i>	creeping butter daisy
<i>Riddellia</i> (?) <i>abnormis</i>	
<i>Rosa larigata</i>	Cherokee Rose
<i>Rosa parviflora</i>	
<i>Rosa Sayi</i> (<i>acicularis</i>)	
<i>Rudbeckia amplexifolia</i>	
<i>Ruellia strepens</i>	
<i>Ruellia oblongifolia</i> (?)	
<i>Salix myricoides</i>	
<i>Scirpus acicularis</i>	bullrush
<i>Scirpus capitatus</i>	
<i>Senecio lobatus</i>	
<i>Sesbania macrocarpa</i> (<i>exaltata</i>)	colorado river hem
<i>Sida</i> (<i>Napaea</i> ?) <i>dioca</i>	
<i>Silene antirrhina</i>	Catchfly
<i>Solanum carolinense</i>	Horse Nettle
<i>Spiraea Aruncus</i>	Goats Beard
<i>Spiranthes oritis</i>	Ladys'-tresses
<i>Stellaria gigantea</i>	large chickweed
<i>Stewartia virginica</i>	silky camellia
<i>Thalictrum diocum</i>	Meadow Rue
<i>Tricuspidia</i> (?) <i>seslerioides</i>	
<i>Trientalis americana</i> (<i>borealis</i>)	
<i>Trispermamthus</i> (?) <i>bracteata</i>	
<i>Udora</i> (?) <i>canadensis</i>	Ditch Moss
<i>Urtica bovisa</i> (?)	Bull Nettle
<i>Verbascum Thapsus</i>	Mullen common
<i>Verbena Aubletia</i> (<i>canadensis</i>)	
<i>Verbena urticifolia</i>	white vervain
<i>Veronica erphyllifolia</i>	thyme-leaved speedwell
<i>Viola cucullata</i>	marsh blue violet
<i>Vitis vulpina</i>	Winter Grape
<i>Woodworthia virginica</i>	(virginia chain fern)
<i>Zanthoxylum fraxineum</i>	Prickly Ash
<i>Zapania</i> (<i>Phyla</i> ?) <i>nodiflora</i>	Frog Fruit
<i>Zizia cordata</i>	
<i>Zizyphus volubibus</i> (?)	Supple pack

Plants Grown by Jacob Smith, 1844-1859 Fayetteville, Arkansas

List compiled by John Fitzpatrick and submitted by Harriet Jansma.

<i>Abronia umbellata</i>	Abronia Umbellata, Sand Verbena	1856
<i>Achillea ptarmica</i>	Yarrow, Sneezewort	1852
<i>Alcea rosea</i> cv.	Hollyhock	1853
<i>Allium cepa</i> [White Portugal?]	white Onion	1845
<i>Allium cepa</i> cv.	Onion	1845
<i>Allium cepa</i> cv.	Yellow Onion	1850
<i>Antirrhinum majus</i>	Snapdragon	1853
<i>Aporocactus flagelliformis</i>	creeping Cereus, Rattail Cactus	1844
<i>Aquilegia canadensis</i>	wild Columbine	1854
<i>Aquilegia vulgaris</i>	common Columbine	1855
<i>Aquilegia</i> [vulgaris?]	Columbine	1844
<i>Aquilegia vulgaris plena</i>	Double Columbine	1858
<i>Asarina barclaiana</i> cv.	Maurandia Baclayana	1852
<i>Aurinia saxatilis</i>	Golden Alyssum	1855
<i>Baptisia australis</i>	Baptisia cerulea	1855
<i>Berberis vulgaris</i> 'Atropurpurea'	Berberii purpurea	1858
<i>Brassica oleracea Capitata Group</i> cv.	Drumhead Cabbage	1845
<i>Brassica oleracea Capitata Group</i> cv.	Cabbage	1848
<i>Brassica oleracea Capitata Group</i> cv.	Savoy Cabbage	1845
<i>Brassica oleracea Capitata Group</i> cv.	York Cabbage	1845
<i>Brassica rapa Rapifera Group</i> cv.	Turnip	1853
<i>Calceolaria</i> sp.	Calceolaria	1851
<i>Callistephus chinensis</i>	Aster sinensis, China Aster	1851
<i>Callistephus chinensis double</i> cvs.	German Aster	1855
<i>Calycanthus</i> [floridus?]	Calycanthus	1858
<i>Camellia</i> [japonica?]	Camillia	1858
<i>Campanula medium</i>	Canterbury Bell	1844
<i>Campanula</i> sp.	Blue Bellflower	1858
<i>Canna indica</i>	Canna indica, Indian Shot	1853
<i>Carya</i> sp.?	Hickory	1850
<i>Cercis canadensis</i>	Red Bud	1853
<i>Chaenomeles speciosa</i> cv.	Pyrus Japonica	1845

<i>Cheiranthus cheiri</i>	Cheiranthus	1851
<i>Chionanthus virginicus</i>	White Fringe Tree	1852
<i>Chionanthus sp.?</i>	Chionanthus pinnata	1851
<i>Chrysanthemum × morifolium</i> cv.	Asmode, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Autumne, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Brilliant, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Brunette No. 1, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Count Achilles de Vegier, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Condillac,	1858
<i>Chrysanthemum × morifolium</i> cv.	Daphnis,	1858
<i>Chrysanthemum × morifolium</i> cv.	Duc de Rohan, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Elegant,	1858
<i>Chrysanthemum × morifolium</i> cv.	Eliza Mieller,	1858
<i>Chrysanthemum × morifolium</i> cv.	Gracieuse, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Grand Sultan,	1858
<i>Chrysanthemum × morifolium</i> cv.	Helen de Elkinger	1858
<i>Chrysanthemum × morifolium</i>		
'Mignonette'	Mignonette, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Modele,	1858
<i>Chrysanthemum × morifolium</i> 'Nellie'	Nelly,	1858
<i>Chrysanthemum × morifolium</i>		
'Paquerette'	Paquinette, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.		
'Perfection'	Perfection,	1858
<i>Chrysanthemum × morifolium</i>		
'Solfaterre'	Solfataire, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i> cv.	Soulouque	1858
<i>Chrysanthemum × morifolium</i>		
'Surprise'	Surprise, Chrysanthemum	1858
<i>Chrysanthemum × morifolium</i>		
'Trilby'	Trilby, Chrysanthemum	1858
<i>Citrullus lanatus</i> cv.	Watermelon,	1845
<i>Citrullus lanatus</i> var. <i>citroides</i>	Green citron Melon	1852
<i>Clematis florida</i> f. <i>sieboldii</i>	Clematis Sieboldi,	1858
<i>Clematis</i> sp.	Virgins Bower	1844
<i>Cleome</i> [/ <i>basslerana</i> var.?]	Cleome grandiflora	1851
<i>Colchicum</i> sp.	Colchicum	1844
<i>Colchicum</i> sp.	Purple Colchicum	1858

<i>Colchicum</i> sp.	White Cochicum	1858
<i>Colchicum</i> [autumnale plena?]	double Colchicum	1858
<i>Consolida</i> [ambigua?]	dwarf rocket Larkspur	1857
<i>Consolida orientalis?</i>	Double Larkspur	1844
<i>Coreopsis basalis</i>	Drummonds Coreopsis	1854
<i>Cornus</i> [florida?]	Dogwood	1852
<i>Crinum</i> sp.?	Crinum	1844
<i>Crocus</i> [angustifolius?]	Yellow Crocus	1845
<i>Crocus vernus</i> cv.	Striped Crocus	1845
<i>Crocus vernus</i> cv.	Purple Crocus	1852
<i>Crocus vernus</i> cv.	Pale purple Crocus	1854
<i>Crocus vernus</i> cv.	White Crocus	1845
<i>Crocus</i> [vernus?]	Crocus	1844
<i>Cucumis melo</i>		
<i>Reticulatus Group</i> cv.	Muskmelon	1845
<i>Cucumis sativus</i> cv.	Cucumber	1854
<i>Cytisus scoparius</i>	Scotch Broom	1854
<i>Dahlia</i> cv.	Agnes Dahlia	1859
<i>Dahlia</i> cv.	Aspect Dahlia	1859
<i>Dahlia</i> cv.	Beauty of the Grove, Dahlia	1858
<i>Dahlia</i> cv.	J. Sickman Dahlia	1859
<i>Dahlia</i> cv.	Leuchtende von Koestribe Dahlia	1859
<i>Dahlia</i> cv.	Quirinus, Dahlia	1858
<i>Dahlia</i> cv.	Yellow Dahlia	1844
<i>Dahlia</i> cv.	Dahlia	1844
<i>Datura inoxia quinquecuspidata</i>	Datura Wrighty	1859
<i>Delphinium</i> [x belladonna?]	Delphinium formosum	1859
<i>Delphinium elatum</i>	Bee larkspur	1856
<i>Delphinium grandiflorum</i>	largeflowered Larkspur	1856
<i>Delphinium grandiflorum</i>	great flowered Larkspur	1857
<i>Delphinium grandiflorum</i>	Delphinium Grandiflorum	1858
<i>Deutzia gracilis</i>	Deutzia gracilis	1858
<i>Deutzia scabra</i>	Deutzia Scabra	1853
<i>Dianthus barbatus</i>	Sweet William	1844
<i>Dianthus caryophyllus</i> cv.	Carnation	1844
<i>Dianthus chinensis</i>	China Pink	1844
<i>Dianthus plumarius</i>	Pheasant-eyed Pink	1844
<i>Dianthus</i> cv.?	Mrs. Gardeners Pink	1859

<i>Dicentra spectabilis</i>	Diellytra Spectabilis	1858
<i>Digitalis purpurea</i>	Purple Foxglove	1844
<i>Digitalis lanata</i>	Woolly Foxglove	1856
<i>Erythronium [dens-canis?]</i>	Dogtooth violet	1852
<i>Eschscholzia californica</i>	Esholzia crocea, California Poppy	1851
<i>Eschscholzia californica</i> cv.	Yellow Esholzia	1853
<i>Forsythia [viridissima?]</i>	Golden Bell	1853
<i>Fragaria x ananassa</i> 'Hovey's Seedling'	Hovey's Seedling	1844
<i>Fragaria x ananassa</i>		
<i>Triomphe de Gand'</i>	Triumph de Gard Strawberry	1859
<i>Fragaria x ananassa</i>		
'Burrs New Pine'	Burrs New Pine Strawberry	1859
<i>Fritillaria imperialis</i> cv.	Crown imperial	1852
<i>Fritillaria meleagris</i>	Frittillaria Meleagris, Checkered Lily	1858
<i>Fuchsia Voltigeur'</i>	Fuchsia Voltigeur	1858
<i>Galanthus nivalis</i>	Snowdrop	1858
<i>Gilia tricolor</i>	Gillia tricolour, Bird's-Eyes	1851
<i>Gladiolus byzantinus</i>	Gladiolus Byzantinus	1858
<i>Gladiolus cardinales</i>	Gladiolus Cardinalis	1858
<i>Gladiolus [x colvillei</i> cv.?]	Gladiolus Florabundes	1851
<i>Gladiolus communis</i>	Gladiolus Communis	1858
<i>Gladiolus x gandrensis</i>	Gladiolus Gandevenjes	1851
<i>Gladiolus natalensis</i>	Natalensis	1855
<i>Gladiolus [natalensis?]</i>	Parrot flowered Gladiolus	1844
<i>Gladiolus cardinales</i>		
<i>X oppositifolius</i> cv.	Gladiolus Ramosus	1858
<i>Helichrysum bracteatum</i>	Elychrisum, Strawflower	1844
<i>Heliotropium arborescens</i>	Heliotrope	1858
<i>Helipterum roseum</i>	Acroclinium Roseum	1859
<i>Hemerocallis lilioasphodelus?</i>	Yellow Lillie, Lemon Lily	1844
<i>Hemerocallis fulva</i>	Coppercolored Day Lily	1856
<i>Hibiscus syriacus</i> cv.	Double striped Althea	1844
<i>Hosta ventricosa</i>	Blue Daylillie	1858
<i>Hyacinthus orientalis</i> 'Acteur'	Acteur	1858
<i>Hyacinthus orientalis</i> 'Baron von Thuyll'	Baron Tuyll	1858
<i>Hyacinthus orientalis</i> cv.?	Boquet Triumphant	1844
<i>Hyacinthus orientalis</i> 'General Antink'	Genral Antink	1858
<i>Hyacinthus orientalis</i> cv.	Diebitch	1858

<i>Hyacinthus orientalis</i> cv.	General Diebitch	1859
<i>Hyacinthus orientalis</i> 'Grand Vedette'	Grand Vedette	1858
<i>Hyacinthus orientalis</i> 'Grossfurst'	Grootvorst	1858
<i>Hyacinthus orientalis</i> cv.	Hygo Grotius	1858
<i>Hyacinthus orientalis</i> 'La Bien Aimee'	La bien Aime	1858
<i>Hyacinthus orientalis</i> 'Lord Wellington'	Lord Wellington	1858
<i>Hyacinthus orientalis</i> 'Ophir d'Or'	Ophir d Or	1858
<i>Hyacinthus orientalis</i> 'Panorama'	Panorama	1858
<i>Hyacinthus orientalis</i> cv.	Pape Virgo	1858
<i>Hyacinthus orientalis</i> 'Penelope'	Penelope, Hyacinth	1858
<i>Hyacinthus orientalis</i> cv.	Blue Rochester	1856
<i>Hyacinthus orientalis</i> cv.	large double blue Rochester Hyacinth	1858
<i>Hyacinthus orientalis</i> cv.	Blue Hyacinth	1849
<i>Hyacinthus orientalis</i> cv.	single blue	1852
<i>Hyacinthus orientalis</i> cv.	Double blue Hyacinth	1844
<i>Hyacinthus orientalis</i> cv.	Pink Hyacinth	1857
<i>Hyacinthus orientalis</i> cv.	double purple	1852
<i>Hyacinthus orientalis</i> cv.	Red Hyacinth	1856
<i>Hyacinthus orientalis</i> cv.	single red Hyacinth	1858
<i>Hyacinthus orientalis</i> cv.	single white	1845
<i>Hyacinthus orientalis</i> cv.	large double white Hyacinth	1853
<i>Hyacinthus orientalis</i> cv.	large white Hyacinth	1852
<i>Hyacinthus orientalis</i> cv.	Yellow Hyacinth	1858
<i>Hyacinthus orientalis</i> cv.	single yellow Hyacinth	1858
<i>Hyacinthus orientalis</i> cv.	blue and white Hyacinth	1847
<i>Hyacinthus orientalis</i> cv.	late white and blue Hyacinth	1856
<i>Hyacinthus orientalis</i> cv.	Double HyacINThs	1844
<i>Hydrangea [macrophylla</i> cv.?]	Hydrangea	1844
<i>Iberis amara</i>	Iberis, alba	1851
<i>Iberis amara</i>	White Candytuft	1857
<i>Iberis umbellata</i>	purple Candytuft	1857
<i>Impatiens balsamina?</i>	Lady's Slipper	1844
<i>Ipomoea batatas</i> cv.	Sweet Potato	1845
<i>Ipomopsis rubra</i>	Cantus coronifolia, Standing Cypress	1851
<i>Ipomopsis [rubra?]</i>	Scarlet Cantua	1854
<i>Iris xiphium</i> cv.	Spanish Iris	1858
<i>Iris xiphioides</i> cv.	English Iris	1858
<i>Iris</i> sp.	Iris	1853

<i>Iris sp.</i>	Pale Turkey Iris	1857
<i>Jasminum [officinale?]</i>	White Jasmine	1844
<i>Kalmia latifolia</i>	Kalmia latifolia	1844
<i>Kerria japonica</i>	Kerria japonica	1845
<i>Lagerstroemia indica</i>	Crape Myrtle	1851
<i>Lavatera [trimestris?]</i>	Pink Lavatera	1844
<i>Lilium candidum</i>	White Lilie, Madonna Lily	1844
<i>Lilium lancifolium</i>	Tiger Lillie	1844
<i>Lilium speciosum</i>	Lilium speciosum	1858
<i>Lilium speciosum 'Album?'</i>	White Japan Lillie	1856
<i>Linum [grandiflorum?]</i>	Crimson Flax	1859
<i>Lobularia maritima</i>	Sweet Alyssum	1851
<i>Lonicera caprifolium</i> cr.	White Italian Honeysuckle	1844
<i>Lonicera caprifolium</i> cr.	Red Italian Honeysuckle	1844
<i>Lonicera flava</i>	Yellow Honeysuckle	1853
<i>Lonicera japonica</i> [var. <i>chinensis?</i>]	Chinese Honeysuckle	1844
<i>Lonicera periclymenum</i> var. <i>belgica</i>	Belgian Honeysuckle	1844
<i>Lonicera sempervirens</i>	Trumpet Honeysuckle	1852
<i>Lonicera sempervirens</i>	Coral trumpet Honeysuckle	1855
<i>Lonicera sempervirens</i>	Scarlet trumpet Honeysuckle	1858
<i>Lonicera tatarica</i> cr.	Red Tartarian Honeysuckle	1857
<i>Lonicera tatarica</i> cr.	Pink Tartarian Honeysuckle	1859
<i>Lupinus mutabilis</i> var.		
<i>Cruckshanksii</i>	Lupinus Caukishanke	1851
<i>Lychnis chalcedonica</i>	scarlet Lychnis, Maltese Cross	1844
<i>Lychnis flos-cuculi</i> var. <i>plenissima</i>	Double Ragged Robin	1859
<i>Maclura pomifera</i>	Osage Orange	1848
<i>Magnolia grandiflora</i>	Magnolia grandiflora	1848
<i>Magnolia macrophylla</i>	Magnolia Macrophylla	1852
<i>Magnolia tripetala</i>	Magnolia Tripetala, Umbrella Magnolia	1854
<i>Magnolia quinquepeta</i>	Purple Magnolia	1858
<i>Mahonia aquifolium</i>	Mahonia aquifolia	1859
<i>Malus 'American Pippin'</i>	American Pippin Apple	1851
<i>Malus 'Gloria Mundi'</i>	Monstrous Pippin	1851
<i>Malus 'Green Newtown Pippin'</i>	green Newtown Pippin	1850
<i>Malus 'Newtown Pippin'</i>	Newton Pippin	1848
<i>Malus 'Newtown Spitzenburg'</i>	Vandervere Apple	1850
<i>Malus 'Pennock'</i>	Pennock Red	1851

<i>Malus 'Roman Stem'</i>	Roman Stem	1848
<i>Malus 'Walbridge'</i>	Kentucky Red	1851
<i>Malus 'White Pearmain'</i>	Winter Pearmain	1851
<i>Malus 'Yellow Bellflower'</i>	Bellflower	1851
<i>Malus 'Yellow Newton Pippin'</i>	yellow Newton Pippin	1850
<i>Malus cv.</i>	Red fall Apple	1850
<i>Malus cv.</i>	Yellow seedling	1851
<i>Malus cv.</i>	Grafting Apples	1845
<i>Malva moschata</i> <i>cv.</i>	<i>Malva mochata rubra</i>	1844
<i>Mirabilis longiflora</i>	Long flowered Four o'clock	1855
<i>Muscari comosum</i> <i>cv.</i>	Feathered Hyacinth	1844
<i>Muscari sp.</i>	Grape Hyacinth	1858
<i>Narcissus [jonquilla?]</i>	Jonquill	1853
<i>Narcissus poeticus</i>	Single White Narcissus	1844
<i>Narcissus tazetta</i> <i>cv.</i>	Polyanthus Narcissus Irima	1858
<i>Narcissus tazetta</i> <i>cv.</i>	Polyanthus Narcissus Juwel of Harlem	1858
<i>Narcissus tazetta</i> <i>var. orientalis</i>	Polyanthus Narcissus Orientalis	1859
<i>Narcissus tazetta</i> <i>cv.</i>	Polyanthus Narcissus Papetout	1858
<i>Narcissus tazetta</i> 'Soleil d'Or'	Polyanthus Narcissus Soleil d'or	1859
<i>Narcissus tazetta</i> <i>cv.</i>	Polyanthus Narcissus States General	1858
<i>Narcissus tazetta</i> <i>cv.</i>	White Polyanthus Narcissus	1844
<i>Narcissus tazetta</i> <i>cv.</i>	Yellow Polyanthus Narcissus	1844
<i>Narcissus [early flowering sp.]</i>	Yellow Narcissus	1844
<i>Narcissus sp.</i>	White Narcissus	1853
<i>Narcissus sp.</i>	Single yellow Narcissus	1853
<i>Nemophila menziesii</i>	Nemophila insignis, Baby-Blue-Eyes	1853
<i>Nolana [bumifusa?]</i>	Nolana	1855
<i>Oenothera odorata</i>	Oenothera odorata	1851
<i>Omphalodes linifolia</i>	Cynoglossum linifolium	1858
<i>Omphalodes verna</i>	Hounds tongue, Creeping Forget-me-not	1844
<i>Paeonia [Humei?]</i>	Humee Paeonia	1858
<i>Paeonia [Whittleyi Major?]</i>	Whittleii Paeonia	1858
<i>Paeonia cv.</i>	Violoria Tricolor Paeonia	1858
<i>Paeonia cv.</i>	Single Paeony	1844
<i>Paeonia cv.</i>	double white Paeony	1844
<i>Paeonia [officinalis cv.?]</i>	Crimson Paeony	1853
<i>Paeonia cv.</i>	Rosecoloured Paeonie	1853
<i>Papaver orientale</i> <i>cv.</i>	Bracted Poppy	1855

<i>Papaver somniferum</i> cv.	Large white Poppy	1854
<i>Pastinaca sativa</i> cv.	Sugar Parsnip	1845
<i>Pelargonium</i> sp.	Scarlet Pelargonium [from seed]	1851
<i>Pelargonium</i> cv.	Pelargonium [pink bicolor from seed]	1857
<i>Penstemon</i> sp.	Penstemon	1853
<i>Petunia</i> sp.	Petunia	1851
<i>Phacelia minor</i>	Whitlavia Grandiflora	1859
<i>Phlox drummondii</i>	Drummond Phlox	1844
<i>Phlox [paniculata] cv.?</i>	Phlox Alba Perfecta	1858
<i>Phlox [paniculata]</i>	perennial Phlox	1856
<i>Phlox [paniculata] cv.?</i>	White Phlox	1856
<i>Phlox subulata</i> ?	Mountain Pink	1853
<i>Phlox</i> sp.?	Wild Phlox	1855
<i>Physocarpus opulifolius</i>	Spirea Opulifolia	1857
<i>Physocarpus opulifolius?</i>	Spirea _____ifolia	1844
<i>Pinus nigra</i>	Black Austrian Pine	1858
<i>Polianthes tuberosa</i>	Tubaroses	1845
<i>Portulaca grandiflora</i>	Portulaca	1844
<i>Potentilla</i> sp.	Potentilla	1855
<i>Potentilla</i> sp.?	Potentilla Makayana	1856
<i>Primula sinensis</i>	China Primrose	1850
<i>Prunus armeniaca</i> cv.	Apricot	1845
<i>Prunus dulcis</i> [var. <i>dulcis</i> ?]	Almond	1846
<i>Prunus [glandulosa] cv.?</i>	Flowering Almond	1855
<i>Prunus [glandulosa] cv.?</i>	Dwarf Almond	1854
<i>Prunus persica</i> ['Early'?)	Early Peach	1846
<i>Prunus persica</i> 'Grosse Mignonne'	Grosse Mignonne Peach	1847
<i>Prunus persica</i> cv.	White Roman	1846
<i>Prunus persica</i> cv.	Peach trees blooming	1844
<i>Prunus persica</i> var. <i>nucipersica</i> cv.	large early Nectarine	1846
<i>Prunus</i> sp.?	Wild Plum	1852
<i>Pyrus communis</i> 'Bartlett'	Bartlett Pear	1847
<i>Pyrus communis</i> 'Madeleine'	Madeline Pears	1851
<i>Pyrus communis</i> 'Julienne'	Juliana Pear	1848
<i>Pyrus communis</i> ['Jargonelle'?)	Jargonelle	1851
<i>Pyrus communis</i> 'St. Germaine'	St. Germain	1850
<i>Pyrus communis</i> ['Winter Nelis'?)	Winter N_____	1850
<i>Pyrus communis</i> cv.	Pear trees in bloom	1846

<i>Ranunculus asiaticus</i>	Ranunculus Poppy	1854
<i>Ranunculus repens</i> [‘Pleniflorus’?]	Ranunculus repens	1859
<i>Rhododendron maximum</i>	Rhododendron Maximum	1844
<i>Ribes [odoratum?]</i>	Yellow flowering Currant	1858
<i>Robinia pseudoacacia</i>	Locust	1852
<i>Rosa (Alba)</i> [‘Semi-plena’?]	old white Rose	1854
<i>Rosa (Bour)</i> ‘Appoline’	Appollina	1858
<i>Rosa (Bour)</i> ‘Bouquet de Flore’	Boquett de Flore	1858
<i>Rosa (Bour)</i> ‘Cytherea’	Cytheri	1858
<i>Rosa (Bour)</i> ‘Dupetit Thouars’	Duvetit Thouars	1858
<i>Rosa (Bour)</i> ‘General Dubourg’	Genral Douberg	1845
<i>Rosa (Bour)</i> ‘George Cuvier’	George Cuvier’	1858
<i>Rosa (Bour)</i> ‘Louise Odier’	Louise Odier	1858
<i>Rosa (Bour)</i> ‘Marechal de Villars’	Marchal Villars	1858
<i>Rosa (Bour)</i> ‘Phoenix’	Phoenix	1858
<i>Rosa (Bour)</i> ‘Pierre de St. Cyr’	Pierre de St. Cyr	1858
<i>Rosa (Cent) x centifolia</i> cr.	Hundred leaved Rose	1854
<i>Rosa (Cent)</i> cr.	Provence	1855
<i>Rosa [(Cent) cr.?]</i>	Dwarf Rose	1857
<i>Rosa (Chin)</i> ‘Belle Isidore’	Bella Isodora	1858
<i>Rosa (Chin)</i> ‘Cramoisi Superieur’	Agrippine	1844
<i>Rosa (Chin)</i> ‘Eugene de Beauharnais’	Beauharnes	1858
<i>Rosa (Chin)</i> ‘Gloire des Rosomanes’	Glory des Rosemenes	1858
<i>Rosa (Chin)</i> ‘Hermosa’	Armosa	1844
<i>Rosa (Chin)</i> ‘Hermosa’	Hermosa Rose	1858
<i>Rosa (Chin)</i> ‘Jacksonia’	Jacksoni Rose	1858
<i>Rosa (Chin)</i> ‘Louis Philippe’	Louis Phillip	1844
<i>Rosa (Chin)</i> ‘Miss Lowe’s Rose’	Sanguinea Rose	1858
<i>Rosa (Chin)</i> ‘Mrs. Bosanquet’	Mrs. Bosanquet	1858
<i>Rosa (Chin)</i> ‘Queen of Lombardy’	Queen of Lombardy	1858
<i>Rosa (Chin)</i> seedling of ‘Old Blush’	Daily Rose	1848
<i>Rosa [(Gall) Gloire de France?]</i>	monthly Cabbage	1844
<i>Rosa (Dama)</i> ‘Leda’	Painted Damask	1858
<i>Rosa [foetida Persiana?]</i>	Chinese yellow Rose	1845
<i>Rosa (Gall)</i> [‘Tuscany Superb’?]	Rivers Superb Tuscany	1858
<i>Rosa x harisoni</i>	Yellow Harrison	1857
<i>Rosa (HP)</i> ‘Auguste Mie’	Auguste Mie	1858
<i>Rosa (HP)</i> ‘Baronne Prevost’	Baron Prevost	1858

<i>Rosa (HP) 'Caroline de Sansal'</i>	Caroline de Sanval	1858
<i>Rosa (HP) 'Duchess of Sutherland'</i>	Duchess of Sutherland	1858
<i>Rosa (HP) 'Geant des Battailles'</i>	Geant des Battailles	1858
<i>Rosa (HP) 'La Reine'</i>	La Reine	1858
<i>Rosa (HP) 'Louise Peyronny'</i>	Louise Peyronny	1858
<i>Rosa (HP) 'Lyon des Combats'</i>	Lion des Combats	1858
<i>Rosa (HP) 'Madame Laffay'</i>	Madame Laffay	1858
<i>Rosa (HP) 'Marquise Bocella'</i>	Marquis Bocella	1858
<i>Rosa (HP) 'Pope Pius IX'</i>	Pius the Ninth	1858
<i>Rosa (HP) 'William Jesse'</i>	William Jesse	1858
<i>Rosa (Moss) 'Luxemburg Moss'</i>	Luxemburg Moss	1858
<i>Rosa (Moss) 'White Provence'</i>	Unique Moss Rose	1858
<i>Rosa (Moss) 'Crimson Moss'</i>	Crimson Moss	1858
<i>Rosa multiflora 'Seven Sisters Rose'</i>	Greville Rose	1854
<i>Rosa (Nois) 'Aimee Vibert'</i>	Amie Vibert	1858
<i>Rosa (Nois) 'Champneys' Pink Cluster</i>	Champney	1844
<i>Rosa (Nois) 'Solfaterre'</i>	Solfetaire	1845
<i>Rosa setigera</i> cv.	Prairie Rose	1858
<i>Rosa (Tea) 'Duc d'Orleans'</i>	Duke of Orleans	1858
<i>Rosa (Tea) x odorata</i> cv.?	Lady Humes blush	1844
<i>Rosa [(Tea) Madame Bernard?]</i>	_____ Renard	1858
<i>Rosa (Tea) [x odorata 'Ochroleuca?']</i>	Yellow Tea	1844
<i>Rosa (Tea) 'Odoratissima?'</i>	Odoralifeima, [Odoratissima?]	1844
<i>Rosa (Tea) 'Safrano'</i>	Safrano	1858
<i>Rosa (Tea) 'Triomphe de Luxemborg'</i>	Triumph de Luxemborg	1844
<i>Rosa (Tea) 'Victoria Modeste'</i>	Violoria modesta	1845
<i>Rosa (Tea) cv.</i>	white Tea	1844
<i>Rosa cv.</i>	Baron Haller	1858
<i>Rosa cv.</i>	Belloa Rose	1858
<i>Rosa cv.</i>	Fortunes 5 colored	1858
<i>Rosa cv.</i>	King of Lombardy	1844
<i>Rosa cv.</i>	Lafayette _____	1844
<i>Rosa cv.</i>	William Griffith	1858
<i>Rosa cv.</i>	Triumph victory	1844
<i>Rosa?</i>	Bella de _____	1844
<i>Rosa?</i>	Dr. Marx	1858
<i>Rosa?</i>	Joseph Jerdon	1858
<i>Rosa?</i>	Socasus Gaston	1858

<i>Rosa?</i>	Seedling No. 2	1844
<i>Rosa?</i>	Abdul Medjid Khan	1858
<i>Rosa?</i>	Caroline Marinesse	1858
<i>Rubus idaeus 'Fastolff'</i>	Flastaff Raspberry	1858
<i>Rubus idaeus 'Orange'</i>	Orange Raspberry	1858
<i>Rubus idaeus 'Red Antwerp'</i>	Red Antwerp Raspberry	1858
<i>Rubus idaeus 'Yellow Antwerp'</i>	Yellow Antwerp Raspberry	1858
<i>Salvia columbariae? (Chia)</i>	Salvia columbiana	1855
<i>Salvia patens</i> cv.	Salvia Lilacina, Gentian Salvia	1858
<i>Scabiosa atropurpurea</i>	Mourning bride	1844
<i>Scilla [peruviana?]</i>	Star Hyacinth	1855
<i>Silene armeria</i>	Silene Armeria	1851
<i>Silene sp.</i>	Catchfly	1856
<i>Solanum tuberosum</i>	Potato	1845
<i>Spiraea [alpina?]</i>	Spirea alpina	1844
<i>Spiraea x billiardii</i> cv.	Spirea Billardi	1858
<i>Spiraea cantoniensis</i> ['Lanceata?']	Spirea Revesi	1858
<i>Spiraea crenata?</i>	Spirea Creticea [?]	1844
<i>Spiraea japonica</i> var. <i>fortunei</i>	Spirea Fortuni	1858
<i>Spiraea prunifolia</i>	Spirea Prunifolia fl. pl.	1858
<i>Spiraea [grandiflora?]</i>	Spirea grandiflora	1858
<i>Sprekelia formosissima</i>	Amaryllis formosiforma	1845
<i>Syringa x chinensis</i> cv.	Red Chinese Lilac	1858
<i>Syringa x chinensis</i> cv.	Lilac Rothmagensis rubra	1859
<i>Syringa x persica</i> cv.	Persian Lilac	1855
<i>Syringa vulgaris</i> 'Charles X'	Lilac Charles 10th	1858
<i>Syringa</i> cv.	White Lilac	1853
<i>Syringa</i> cv.	Purple Lilac	1853
<i>Tagetes</i> sp.	Marygold	1844
<i>Tigridia pavonia</i> cv.	Yellow Tigerflower	1851
<i>Tigridia pavonia</i> (yellow cv.)	Tigridia con[chiflora?]	1854
<i>Tragopogon porrifolius</i> cv.	Salsify	1845
<i>Tropaeolum majus</i>	orange Nasturtium	1844
<i>Tropaeolum majus</i> cv.	Bloodcoloured Nasturtium	1844
<i>Tropaeolum</i> [<i>majus?</i>]	1. Nasturtium	1844
<i>Tulipa</i> (<i>Bybloemen</i>) cvs.	Byblomen Tulips	1844
<i>Tulipa</i> (<i>Parrot</i>) cv.	Parot Tulip Panache	1857
<i>Tulipa</i> (<i>Parrot</i>) cvs.	Parrot Tulips	1858

<i>Tulipa</i> <i>cv.</i>	Duck van Toll Tulip	1844
<i>Tulipa</i> <i>cv.</i>	Early Tulip	1852
<i>Tulipa</i> <i>cv.</i>	Single red Tulip	1844
<i>Tulipa</i> <i>cv.</i>	Red fragrant Tulip	1857
<i>Tulipa</i> <i>cv.</i>	Double red Tulip	1844
<i>Tulipa</i> <i>cv.</i>	single striped Tulip	1844
<i>Tulipa</i> <i>cv.</i>	Double striped Tulip	1844
<i>Tulipa</i> <i>cv.</i>	Double variegated Tulip	1858
<i>Tulipa</i> <i>cv.</i>	White Tulip	1845
<i>Tulipa</i> <i>cv.</i>	Yellow Tulip	1844
<i>Verbena</i> <i>sp.</i>	Verbena	1844
<i>Viburnum opulus</i> 'Roseum'	Snowball	1852
<i>Viburnum opulus</i> ['Roseum'?]	Viburnum Opulus	1844
<i>Vitis</i> 'Black Morocco'	Black Morocco	1847
<i>Vitis</i> <i>sp.?</i>	Wild Grape	1852
<i>Weigela</i> [<i>coraeensis</i> ?]	Weigela anabilis	1858
<i>Wisteria</i> <i>sp.</i>	Wisteria	1855
<i>Yucca</i> <i>sp.</i>	Yucca	1845
<i>Zantedeschia aethiopica</i>	Calla aeliophia	1846
<i>Zinnia elegans</i>	Zinnia grandiflora	1844
?	wild Verbena	1852
?	new Amaryllis	1855

Plants in Hannah Knight's Garden

Little Rock, Arkansas

1844-1875

These plants were grown at the garden of Hannah Knight between 1844 and 1875. Hariett Jasmena wrote an article about her letters to her family and what they revealed about her life and especially her garden life. It was published in the Pulaski County Historical Review (Summer, 1984) "The Quaint Old Place Called 'Tanglewood': Hannah Donnell Knight's Garden in Little Rock".

The list, divided into two parts, early and late. The spellings are Hannah's. The earlier list is mostly food crops and the later one ornamentals. The date listed is the first year the plant is listed.

green peas	1844? & 1851
ambrosia	1851
mignonette	1851
cypress vine	1851
unnamed flowers from seed	1851, 1852 & 1857
cucumbers	1852
potatoes	1852
beans	1852
head lettuce	1852
roses	1853
goosberry	1854
strawberrys	1854
Greening variety apples	1857
peaches	1857
tomatoes	1857
pears	1857
plums	1857
unnamed green house plants	1857
lily of the valley	1868
tulip (red and pink)	1868
apple geranium	1868
pond lily	1871
lemon geranium	1871
oxalis	1871
orange	1871
cactus	1871
night-blooming cerious	1871
gladiola	1871
lily	1871
oleander	1874 & 1893
rose	1875
azalea	1875
variegated geranium	1875

double white primrose	1875
cyclamen	1875
variegated wire plant	1875
bouvardreas	1875
wallnut	1875
Dahlias	1868
Ferns	1868
Geraniums	1868
Heleotropes	1868
sweet violets	1868
verbena	1868
fairy belle	1868
fuschia	1868
lily of the Nile	1868
choice roses	1868
cactus	1868
night blooming cerus	1868
jessamine	1868
hyacinths	1868
salvia	1868
oleanders	1868
tubarose	1868
tisa plant	1868
chrysanthemums	1868
lantana	1868
lemon verbena	1868
japonica	1868
arbution	1868

Miss Betty Roper's Herbarium

1853, Rocky Mount, Alabama

Lower Montgomery County

The following is a list of plants as they appear in Miss Betty Roper's Pressed Flower Herbarium notebook - Dated - Spring 1853. She was 14 years old when this was done, and was a part of her Botany school lessons. She would collect, press, and mount each specimen, generally one per page. She would then key out the specimen and write down its Order, Genus and Species, and its common name out beside the specimen. She would then include a statement as to what human sentiment it represented, or other such item. They would be kept in the parlor and shown to visitors, much like magazines would.

This collection is at the State Archives and History at Montgomery. Compiled and submitted by George R. Stritikus.

Latin Name	Common Name
<i>Trillium cuneatum</i>	adder's tongue
<i>Gelsemium sempervirens</i>	carolina jasmine
<i>Thalictrum thalictroides</i>	rue anemone
<i>Narcissus orientalis</i>	chinese sacred lily
? <i>Antennaria plantaginifolia</i>	pussy's toes
<i>Vaccinium corymbosum</i>	whortle-berry grass
<i>Ranunculus</i>	
<i>Viola rotundifolia</i>	yellow violet
<i>Acer rubrum</i>	red maple
<i>Brassica</i> species	mustard
? <i>Amelanchier canadensis</i>	shadbush
<i>Cornus florida</i>	white dogwood
<i>Ranunculus abortivus</i>	buttercup
<i>Rhododendron canescens</i>	native azalea
<i>Malus coronaria</i>	crabapple
<i>Aesculus parva</i>	red buckeye
<i>Rosa semperflorens</i>	
<i>Podophyllum peltatum</i>	mayapple
? <i>Helianthemum canadense</i>	rock rose
<i>Trillium species</i>	white trillium
? <i>Viola blanda</i>	white violet
<i>Uvularia perfoliata</i>	bell wort
<i>Sanguinaria canadensis</i>	blood root
<i>Symphytum officinale</i>	comfrey

<i>Sisyrinchium anceps</i>	blue eyed grass
? <i>Trilisa odoratissima</i>	hound's tongue
<i>Oenothera biennis</i>	evening primrose
? <i>Rosa parvifolia</i>	
<i>Juniperus virginiana</i>	red cedar
<i>Jasminum officinale</i>	jasmine
<i>Punica granatum</i>	pomegranate
? <i>Gilia</i>	
<i>Lonicera japonica</i>	honeysuckle
<i>Asclepias tuberosa</i>	orange butterfly weed
<i>Callistephus chinensis</i>	china aster
? <i>Gerardia glauca</i>	
<i>Habenaria ciliaris</i>	yellow fringed orchid
<i>Monotropa uniflora</i>	indian pipes
<i>Hymenocallis occidentalis</i>	spider lily
? <i>Campanula</i>	bell flower
<i>Oenothera speciosa</i>	pink primrose
? <i>Magnolia</i>	
? Orchid	
<i>Gardenia jasminoides</i>	cape jasmine
<i>Pogonia ophioglossoides</i>	rose pogonia
? <i>Thalinum teretifolium</i>	rose moss
<i>Ipomoea purpurea</i>	purple morning glory
<i>Magnolia</i>	
? <i>Rosa multiflora</i>	
<i>Penstemon hirsutus</i>	penstemon
? <i>Verbena</i>	scarlet verbena
<i>Adonis annua</i>	pheasant's eye
<i>Hypoxis hirsuta</i>	yellow star grass
<i>Calystegia sepium</i>	white morning glory
<i>Calycanthus floridus</i>	sweet shrub
<i>Celastrus bullata</i>	bittersweet
<i>Thuja occidentalis</i>	arborvitae
<i>Cypripedium acaule</i>	pink lady slipper
<i>Althea rosea</i>	holly hock
<i>Sarracenia</i> species	pitcher plant

<i>Liriodendron tulipifera</i>	yellow-poplar
<i>Peleragonium radicans</i>	fern-like scented geranium
<i>P. graveolens</i>	rose geranium
<i>P. graveolens</i> "Prince Rupert"	"Prince Rupert" geranium
<i>Phlox divaricata</i>	wild phlox
<i>Rubus trivialis</i>	dewberry
<i>Houstonia</i>	bluets
? <i>Ranunculus</i>	
? <i>Illicium</i>	
<i>Iris versicolor</i>	blue flag
? Clover	
? <i>Chaenomales lagernaria</i>	quince
<i>Kerria japonica</i>	kerria
<i>Ranunculus acris</i>	ranunculus
<i>Philadelphus hirsutus</i>	mock orange
<i>Zephyranthes atamasco</i>	rain lily
? <i>Vicia</i> species	vetch
<i>Oxalis violacea</i>	oxalis
<i>Oxalis stricta</i>	wood sorrell
? Fern	bracken

? - indicates some question as to correct identification

1857 Henry Watson Landscape Plan Greensboro, Alabama

This 1857 landscape plan is a part of the Watson papers in the manuscript department of the Perkins Library of Duke University, Durham, North Carolina. The Watson's were very early in the Greensboro, a 1856 map shows that Henry Watson shows owned a large rectangular piece of property near the center of town, just to the north of the main street. He graduated from a college in Connecticut, was a planter in the county and had been the headmaster a local academy for a number of years. Presumably the landscape plan was for that property in Greensboro. Compiled and submitted by George R. Stritikus.

The plants listed on the plan . . .

Locust	
Oak	
Mock Orange	(Carolina Laurelcherry)
Pomegranate	
Cape Jessamine	(Gardenia)
Sweet Myrtle	(Southern Waxmyrtle)
Crepe Myrtle	
Althea	(Hibiscus syriacus)
Arbo Vitae	
China Tree	(Melia azedarach)
Ailanthus	
Chestnut	
Sweet Gum	
Osage Orange	
Woodbine	(Honeysuckle)
Red Cedar	
Lilac	
Spanish Sword	(Yucca)
Spindle Tree	(Euonymus species)
Syringa	(Philadelphus, Mock Orange)
Corcorus	(old name for Kerria)
Pear	
Sweet Shrub	
Chinese Box	(possibly Japanese Boxwood)
Rhododendron	
Hypericum	
Holly	
Hickory	
Mulberry	
Yellow Jessamine	(Gelsemium)
Apple	
Yew	
Coffee Tree	
Poplar	
Cork Elm	
English Ivy	
Pittosporum	

Pyrus Japonica (Quince)
Pecan
Plum
Fig
Peach
Currant
Jujube
Oleander
Lombardy Poplar
Nectarines
Roses

Fannie A. Nelms' Herbarium, 1858

Marion Female Seminary, Perry County

Marion, Alabama

The Marion Female Seminary, Perry County, Marion, Alabama was founded in 1836. It had boarding space for 50 students and had an equal number of day students, who did not live on campus. They had kindergarten through college class work. It was widely respected and operated until the beginning of the 20th century.

As part of their studies, often students were required to make a herbarium of pressed flowers and leaves. This herbarium seems to have been part of Fannie A. Nelms' course work. Miss Nelms graduated in June of 1858 and was subsequently asked to join staff. She taught at the Marion Female Seminary from Sept. 1858 through June 1861.

In time Miss Nelms married John W. Underwood. The herbarium descended in the Underwood family and was ultimately donated to the Perry County Historic and Preservation Society. The herbarium is currently at the Female Seminary in Marion.

The herbarium is a bound red volume. Printed on the front cover in a florid script is the word - "Herbarium" and "Fannie Nelms" has been embossed in smaller gold letters. The volume measured 11 3/4" by 8 1/2" with no title page or page numbers. Not all of the specimens are identified. There are 76 herbarium sheets 117 specimens mounted.

Compiled and submitted by George R. Stritikus.

ALPHABETICAL LISTING OF PLANTS IN THE HERBARIUM:

<i>Althea rosea</i>	Hollyhock
<i>Amianthium muscaetoxicum</i>	fly poison
<i>Anisostichus capreolata</i>	Crossvine
<i>Argemone albiflora</i>	prickly poppy
<i>Asclepias syriaca</i>	Milkweed
<i>Asclepias tuberosa</i>	Butterfly weed
<i>Asparagus officinalis</i>	Asparagus
<i>Belamcanda chinensis</i>	Blackberry lily
<i>Brassica rapa</i>	Turnip
<i>Calycanthus floridus</i>	Sweetshrub
<i>Capsicum annuum</i>	red pepper
<i>Castanea pumila</i>	Allegheny chinquapin
<i>Ceanothus americanus</i>	new jersey tea
<i>Chionanthus virginicus</i>	white fringe tree
<i>Cnidoscolus stimulosus</i>	tread-softly
<i>Coreopsis grandiflora</i>	big flower coreopsis
<i>Cornus florida</i>	Dogwood
<i>Crataegus sp.</i>	Hawthorn
<i>Cucumis sativus</i>	Cucumber

<i>Datura stramonium</i>	Jimsonweed
<i>Decumaria barbara</i>	Climbing hydrangea
<i>Delphinium ajacis</i>	Delphinium
<i>Dianthus caryophyllus</i>	Pink
<i>Dianthus chinensis</i>	sweet william
<i>Fragaria virginiana</i>	Strawberry
<i>Gardenia jasminoides</i>	cape jasmine
<i>Gelsemium sempervirens</i>	Carolina jasmine
<i>Geranium maculatum</i>	wild cranesbill geranium
<i>Gladiolus papilio</i>	jacob's ladder
<i>Helianthus annuus</i>	common sunflower
<i>Hemerocallis fulva</i>	orange daylily
<i>Hyacinthus orientalis</i>	dutch hyacinth
<i>Hydrangea quercifolia</i>	oakleaf hydrangea
<i>Hypoxis hirsuta</i>	yellow star-grass
<i>Impatiens balsamina</i>	touch-me-nots
<i>Iris hybrida</i>	iris
<i>Iris pumila</i>	dwarf iris
<i>Itea virginica</i>	Virginia sweetspire
<i>Jasminum fruticans</i>	yellow jasmine
<i>Jasminum officinale</i>	white star jasmine
<i>Kalmia latifolia</i>	Mountain laurel
<i>Kerria japonica</i>	Japanese kerria
<i>Lagenaria leucantha</i>	Gourd
<i>Lathyrus odoratus</i>	sweet pea
<i>Ligustrum species</i>	Privet
<i>Liriodendron tulipifera</i>	tulip tree
<i>Lonicera japonica</i>	Japanese honeysuckle
<i>Lonicera sempervirens</i>	Woodbine
<i>Lysimachia tonsa</i>	Loosestrife
<i>Lysimachia verticillata</i>	Loosestrife
<i>Malus coronaria</i>	Crabapple
<i>Matelea gonocarpa</i>	Anglepod
<i>Melia azedarach</i>	Chinaberry
<i>Melilotus species</i>	sweet clover
<i>Mirabilis jalapa</i>	four o'clock
<i>Mitchella repens</i>	Partridge berry
<i>Modiola caroliniana</i>	ivy or cheeses
<i>Narcissus X odorus L. var. Campernelle</i>	
<i>Narcissus poeticus</i>	poets narcissus
<i>Nerium oleander</i>	Oleander

<i>Nigella damascena</i>	love-in-a-mist
<i>Oenothera laciniata</i>	cutleaf evening primrose
<i>Osmunda cinnamomea</i>	Cinnamon fern
<i>Passiflora incarnata</i>	blue passion flower
<i>Penstemon species</i>	Penstemon
<i>Petunia axillaris</i>	Petunia
<i>Philadelphus inodorus</i>	Mockorange
<i>Phlox divaricata</i>	sweet william phlox
<i>Phlox paniculata</i>	Lichnidea
<i>Phlox paniculata</i>	summer phlox
<i>Podophyllum peltatum</i>	may apple
<i>Pogonia ophioglossoides</i>	rose pogonia
<i>Polygala boykinii</i>	boykin's milkwort
<i>Polygala grandiflora</i>	large flowered milkwort
<i>Polygonum pensylvanicum</i>	Smartweed
<i>Potentilla simplex</i>	Cinquefoil
<i>Psoralea psoralioides</i>	samson snakeroot
<i>Prunus angustifolia</i>	Chickasaw plum
<i>Prunus persica</i>	Peach
<i>Prunus serotina</i>	wild cherry
<i>Punica granatum</i>	Pomegranate
<i>Pyrrhopappus carolinianus</i>	Carolina false dandelion
<i>Raphanus sativus</i>	garden radish
<i>Rhododendron canescens</i>	Piedmont azalea
<i>Robinia pseudoacacia</i>	black locust
<i>Rosa chinensis</i>	bengal rose
<i>Rubus argutus</i>	Blackberry
<i>Rubus trivialis</i>	Southern dewberry
<i>Ruellia carolinensis</i>	wild petunia
<i>Salvia officinalis</i>	Sage
<i>Sambucus canadensis</i>	Elderberry
<i>Sanguinaria canadensis</i>	Bloodroot
<i>Saponaria officinalis</i>	Soapwort
<i>Schrankia microphylla</i>	Sensitive brier
<i>Solanum carolinense</i>	Horsenettle
<i>Specularia biflora</i>	venus's looking glass
<i>Spigelia marilandica</i>	indian pink
<i>Stylosanthes biflora</i>	pencil flower
<i>Syringa vulgaris</i>	Lilac
<i>Tephrosia virginiana</i>	goat's rue
<i>Tephrosia spicata</i>	Tephrosia

<i>Thaspium chapmanii</i>	Thaspium
<i>Tilia heterophylla</i>	bee tree linden
<i>Trifolium reflexum</i>	buffalo clover
<i>Tulipa gesneriana</i>	Tulip
<i>Vaccinium stamineum</i>	squaw-huckleberry
<i>Verbena melindres</i>	Vervain
<i>Viburnum opulus</i>	Snowball
<i>Vicia caroliniana</i>	Vetch
<i>Vinca minor</i>	common periwinkle
<i>Viola floridana</i>	common blue violet
<i>Viola priceana</i>	Confederate violet
<i>Vitex agnus-castus</i>	lilac chaste tree
<i>Zinnia species</i>	

Vineland Nursery 1858 Catalog

C. C. Langdon established the first, and certainly the largest, nursery operating in the Mobile, Alabama, in 1853. It was located twenty-seven miles north of Mobile at Langdon Station, and a sales office was maintained in Mobile. First known as Vineland Nursery, a few years later the name was changed to Langdon Nurseries and operated under Mr. Langdon's direction until his death on June 8, 1889.

CATALOGUE

OF

FRUIT TREES, ROSES, &C

CULTIVATED AND FOR SALE BY

C.C. LANGDON

at

Vineland Nursery,

near Mobile, Alabama

FOR 1858-59.

MOBILE:

FARROW & DENNETT, PRINTERS, 3 NORTH WATER STREET
1858

Vineland Nursery is situated immediately on the Mobile and Ohio Railroad, 29 miles north of Mobile, and the facilities for shipping, with speed and safety, to all parts of southern and middle Alabama by the rivers, and to eastern Mississippi by railroad, are unsurpassed. All trees will be securely packed and distinctly labeled (for which there will be a charge sufficient only to pay the actual cost) and the packages delivered on the steamboat or railroad in Mobile at the prices respectively named in the list, the purchaser paying freight from Mobile. When thus delivered, and a receipt taken, the packages will be entirely at the risk of the purchaser.

Terms invariably, CASH, or City acceptance on short time. Where persons ordering trees are unknown to the undersigned, the cash must accompany the order, or a satisfactory reference given.

C.C. Langdon

Vineland Nursery
Mobile Co., Ala., Oct'r 1858

The following listing from the 1858 catalog was compiled and submitted George R. Stritikus.

Apples

Red Astrachan
Red June
Georgia Red June
Cane Creek
Red Margaret
Nantahalee
Early Sweet Bough
Julian
Early Strawberry
Aromatic Carolina
American Summer Pearmain
Summer Gravenstein
Jonathan
Porter
Yellow Belle-
Fall Pippin
Mammoth
Taunton
Black Warrior
Batchelor
Disharoon
Rome Beauty
World's Wonder

Winter Apples of Southern origin

Allen's Pippin
Yahooola
Bonum
Kentucky Streak
Cullawhee
Mattamuskeet
Southern Golden Pippin
Berry
Mangum
Nequassa
Gordon's Seedling
Cullasaga
Clark's Pearmain
Carter

Junaluskee
Elarkee
Nickajack
Shockley
Romanite [Shockley]
Equinately
Kinney's Winter

Additional list of Apples

Beauty of the West
Benoni
Blinkbonny
Brister
Bruce's Summer
Buff
Buncombe
Cheese
Defiance
Drap d'Or
Duckett
Early Joe
Early Harvest
El Dorado
Elgin
Esopus Spitzenberg
Fall Bough
Fameuse
Family
Flat Sweet
Garretson's early
Golden Sweet
Greenville
Hartford Wine
Harwinton
Hawley
Holly
Hoover
Hubbardston's Non-such
Jersey Sweet
June Sweet
Ladies' Sweeting
Lady Apple
Limber Twig
Litchfield Pounder
Maverick's Sweet
McDowell's Sweet
Melon
Minister
New England Seek-no further
Peck's Pounder
Pippin - Spring Hill
Pippin - Mountain
Pippin – Walker's Yellow

Pippin - Holland
Pippin - King of
Pippin - Red Fall
Pippin – Bullock's
Pippin - Monmouth
Pomme Royal
Pumpkin - Sweet
Pumpkin - Russet
Rabun
Rawle's Janet
Red Warrior
Rhode Island Greening
Roxbury Russet
Saltonstall
Selma
Spice Sweet
Spitzenberg - New Town
Spitzenberg - Esopus
Spitzenberg - Flushing
Spitzenburg - Spring Hill
St. Lawrence
Sugar Loaf
Summer Russet
Summer Queen
Summer Paradise
Summer Rose
Talman's Sweeting
Tender Skin
Twenty Ounce
Vandevere
Wall
White Spanish Reinette
Williams' Favorite
Yellow June
Yellow May

Peaches-Freestones

Early Tillotson
Columbus June
Early York, Serrate
Cole's Early Red
White June
Early Chelmsford
Large Early York
Bergen's Yellow
Crawford's early
George The Fourth
Yellow Rareripe
Royal George
Crawford's Late
Large Rareripe
Red Rareripe
Noblesse
Orange Melocoton

Red Cheek Melocoton
Smith's Favorite
Napolean
President
Pocahonta
Pace
Columbia
Druid Hill
Brown's Free
La Grange
Admirable Tardif
Abbott's Late Rareripe
Graham's September
St. Michael
Baldwin
Pride of Autumn

Peaches-Clingstones

Flewellen
Belcher's
Chinese
Congress Cling
Doctor
Sims' Beauty
Newington Cling
Orange Cling
Heath
Henrietta
Indian Blood
Lemon Cling
Rachel
Watkins' Cling
White Globe
Deming's Orange
Pavie Pompone
Nix's White
Austin's Late Red
Thomas's November

Additional List of Peaches

Baltimore Rose
Bass's Beauty
Beauty Beaucaire
Bissells Free
Bon Ouvrier
Buff
Burgess's beauty
Cade Cling
Cherry's November
Cooledge's Favorite
Dame Blanche
De Quesnoy

De Colmar
Dix's Rarripe
Early Purple
Edward's Late
Eliza Schmidtz
Georgia Rarripe
Gorgas
Graham's Foundling
Gross Mignonne
Haden's August
Hative de Ferriers
Honest John
Incomparable
Ispahan
Late Admirable
Lenior
Montgomery's Late
Mrs. Jourdan's Late
Nix's Red
Old Mixon Free
Old Mixon Cling
Pitt's Seedling
Pitt's lemon Cling
Queen of the South
Reine des Verges
Rutherford's October
Shanghai
Smock's Free
Snow Cling
Snow Free
Southern Queen
Southern Favorite
Spencer's Catawba
Spencer's Large White
Stanford
Stewart's Late
Stump the World
Susquehanna
Tarbel
Titon de Venus
Van Zandt's Superb
Walter's Early
White Imperial
White English

Pears

Madeleine
Beurre Giffard
Julienne
Hosen Shenk
Bartlett
Henry Fourth
Ananas

Flemish Beauty
Louise Bonne de Jersey
Seckel
Belle Lucrative
Beurre D'Amalis
Des Nonnes
Duchess D'Angouleme
Beurre D'Anjou
Beurre Diel
Virgalieu
White Doyenne
Vanmons Leon Le Clerc
Lawrence
Glout Morceau
Easter Beurre

Additional List of Pears

Abercrombie's Seedling
Alabama Sugar
Alpha
Amire Joannet
Ananas D'Ete
Andrews
Augleterre
Beau present D'Artois
Belle De Noel
Belle of Brussels
Bergamot Cadette
Beurre Bose
Beurre Bachelier
Beurre D'Amalis Panache
Beurre Golden of Bilboa
Beurre Kossuth
Beurre Langelier
Beurre Moire
Beurre Nantais
Beurre Noisette
Beurre Superfin
Beurre Clairgeau
Beurre Goubault
Beurre Rance
Beurre Camiament
Beurre Charron
Bloodgood
Bon Chretein Fondante
Bonne D'Ezee
Brown Beurre
Buffam
Catillac
Chaumontel
Columbia
Crassane
Cushing

De Spoelberg
De Tongres
De Sorlis
Delices De Jodoigne
Delile De Beaujeau
Doct. Trosseau
Doyenne De Fais
Doyenne Du Comice
Doyenne Goubault
Doyenne Gray
Doyenne Robin
Doyenne Siculle
Doyenne D'Alencon
Doyenne D'Ete
Doyenne Boussock
Duchess of Mars
Duchess of Orleans
Duchess Panache
Dumortier
Dunmore
Epine Dumas
Fondante de Molines
Fondante Charneuse
Forelle
Fredrick of Wurtemberg
Fredricka Bremer
Gansel's Bergamot
Graslin
Griffin
Hale
Harvard
Heathcot
Hessel
Howell
Hurtel
Jalousie de Fontenay
Jaminette
Josephine de Malines
Kingsessing
Kirtland
Knight's Monarch
Laure de Glymes
Leon Le Clerc Laval
Marie Louise
Meutheuse De Corneille
Nouveau Poiteau
Omer Pacha
Onondaga
Oswego Beurre
Passe Colmar
Philadelphia
Pius IX
Pratt
Rapelje's Seedling
Rhenish Colmar
Rostiezar

Saint Andre
Saint Germain
Saint Michael Archangel
Sheldon
Soldat Laboureur
Stevens Genessee
Summer Franc Real
Triomphe de Jodoigne
Urbaniste
Van Assene
Vicar of Wakefield
Winter Nellis

Plums

Bradshaw
Coe's Golden Drop
General Hand
Green Gage
Ickworth Imperatrice
Imperial Gage
Jefferson
Lombard
Morocco
Peach
Smith's Orleans
Washington

Apricots

Akarish
Early Red
Gros Musch
Hemskirke
Moorpark
Peach
Provence
Royal
St. Ambroise
Turkish

Nectarines

Chauviere
Early Newington
Fairchild's Early
Golden Large Early Violet
New White
Red Roman
Southern Queen
Stanwick
William Stewart

Mulberries

Cloud
English Everbearing
Hicks
Root's Seedling

Grapes

Amber Catawba
Bland
Bordeaux.
Catawba
Clinton
Concord
Diana
Hartford Profile
Isabella
Lenoir
Pike Island
Scuppernong
Texas Post Oak
Thurmond

Raspberries

American Black.
Antwerp White
Antwerp Red
Belle de Fontenay
Brinkles, (Orange)
Cushing
Fastolf
Franconia
Knevett's Giant
Large Fruited, monthly
Mervielle of four seasons
Orange, (Brinckles)
Victoria, (Belle de Fontenay)
Wilder
Yellow Magnum Bonum

Strawberries

Climax
Coronet Scarlet
Eclipse
Hooker's Seedling
Hovey's Seedling

Imperial Scarlet
Le Baron
McAvoy's Superior
Peabody's Hautbois
Primate
Scarlet Magnate
Scarlet Prolific
Transcendent Scarlet
Triumph

Blackberries

Lawton
New Rochelle

Roses

Augusta, (Climber)
Cornice de Marseilles
Cloth of Gold, (Climber)
Duchess of Sutherland
Giant of Battles
La Marque, (Climber)
La Reine
Luxembourg
Octavie
Pope Pius
Solfataire, (Climber)
Souvenir de la Malmaison

Rose Garden - Gowrie Plantation, Argyle Island, Georgia, 1859

A plant list from a plan for a rose garden with plant list for Gowrie Plantation on Argyle Island, Georgia, 1859

In the Mangault Papers in Southern Historical Collection at Chapel Hill, NC.

Because of the way the list is structured, this is a diagram of a garden, as it exists on the ground, not the plan for a hypothetical plan for one. Varieties followed by an asterisk (*) are ones not found listed in the American Rose Society's *Modern Roses*. Compiled and submitted by George Stritikus.

"myrtle from Charleston"
"Juled Margottin (probably Jeweled Margottin, a rose, 1853)
"Devonensis" (Tea rose - 1838)
"Lion de Combaltz (rose *)
"Jacque Lafitte" (rose *)
"pittosporum variegated"
"chinese arbovitae"
"American arbovitae"
"Cupressed funebres - Weeping Cypress"
"Devonensis" (rose)
"La Reine" (probably La Reine Francais, Hybrid Perpetual, 1842)
"Souv. de la Reine D'Anteterre" (rose *)
"Caroline de Sansal" (Hybrid Perpetual, 1849)
"Triomphe de Orleans" (probably NOT Triomphe Orleanais 1912, otherwise *)
"Triomphe de L'Exposition" (Hybrid Perpetual, 1855)
"Enfant de Mt. Carmel" (rose *)
"Louise Odier" (Bourbon, 1851)
"Lydonie" (rose *)
"Palais de Crystal" (rose *)
"cape jasmine"
"pittosporum variegated"
"American Arbovitae"
"spirea"
"Aurora" (rose)
"Ducheffse D'Orleans" (rose)
"Safrona" (probably means Safrano - Tea rose, 1839)
"*Spirea reevesii*" (reeves spirea)
"George IV" (called Rivers' Geo. IV, Hybrid China, 1820)
"La Marque" (probably Lamarque, a noisette rose, 1830)
"Adam Rose" (probably Adam, a Tea rose, 1833)

Added notes in margin - "wild holly", "bay bush", "wild shrub"

1860 Plant List

Texas Central Nurseries

near Brenham, Texas

Thomas Affleck, proprietor

The List of plants for sale from Affleck's 1860 *Southern Rural Almanac and Plantation and Garden Calendar* from a limited edition copied and published as a Texas Sesquicentennial project by The New Year's Creek Settlers Association - Elinor B. Jacobs, Gay Hill, Texas. Compiled and submitted by George R. Stritikus.

The nursery stock for sale both 1859 and 1860, consists of . . .

Apple trees in great variety
Pear, both dwarfs and standards
Peach, embracing all the best kinds
Nectarine
Apricot
Almond
Fig, some 50 varieties
Cherry, a few fine trees, dwarfs
Plum, in variety
Quince
Grape, Extra fine plants

American sorts: Isabella, Catawba, Diana, Clinton, Concord, Lenior, Hebremon, To-Kalon, Jaques (?), White Scuppernong

European sorts: Bowker, Bishop or Portier noir, Chasselas de Fontainbleau, Golden Chasselas, Red Royal Chasselas, Rose Chasselas, Early Black July, Grizzly Frontignan, Red Frontignan, White Frontignan, Garden Tokey, White Gascoigne, Old Black Hamburg, Mill-Hill Hamburg, Macready's Early White, Early White Muscat, Pitmastom White Cluster, Queen of Nice, Raisin de Calabre, Royal Muscadine, Syrian, Verdinho, West's St. Peters, Xeres or White Nice, Zinfandel, Pink Chasselas

Strawberry: Peabody's New Hautbois, Hovey's Seedling, Early Scarlet, Longworth's Prolific, Black Prince, British Queen, Bishops Orange, Burr's Rival Hudson, Crimson Cone, Genesee, Jenny Lind, Moyamensing, Prolific Orange, Scarlet Cone, Scott's Seedling, Walker's Seedling

Gooseberry, New American Seedling

Currants, in variety

Pomegranate, fruit bearing

Pecans, fine large trees of choice Texan sorts

Blackberry, New Rochelle

Raspberry, in variety

Ornamental Plants

Roses

Evergreen Trees and Plants

Magnolia Grandiflora

Magnolia Fuscata

Holly

Holly, small leaved; *Ilex vomitoria* or Yopan
Arbo Vitae, in variety
Junipers, Virginian or Red Cedar
 J. recurva
 J. squamata
 J. excelsa
 J. Suecia
Cupressus ericoides
Laurier amandier, wild peach
Crataegus pyracantha
Photinia, three varieties
Euonymus, evergreen and variegated
English Laurel
Tree Box
Dwarf Box, for edging
Myrtles, in variety
Scotch and Portuguese Broom
Privet, Chinese, Evergreen, Box-leaved and Myrtle-leaved
Mespilus (Eriobotrya Japonica) or Japan Plum
Cape Jasmine
 Fortune's New Chinese and a new Southern seedling, *Annasina*
Pittosporum, evergreen and variegated
Olea fragrans, Sweet Olive
Laurus nobilis, leaves sweetly fragrant
Carolina Laurel
Laurustinus
Live Oaks
Water Oaks
Cork Oaks
Turkey Oaks
Spruce, Norway, Silver-leaved, Balsam, &c
Cupressus semper-virens vel pyramidalis, upright or pyramidal Cypress, sometimes called Roman Cedar
Cupressus horizontalis
Cupressus Tournefortii
Irish Giant Ivy, a beautiful evergreen climbing plant

Deciduous Trees

Paulownia Imperialis
Silver-leaved Abele
Napoleon and *Curled-leaved Weeping Willow*
Magnolia Macrophylla, or Umbrella tree
Flowering Acacia
Crape Myrtles
Maples, Silver-leaved Ash-leaved, Sugar, Norway, &c
Catalpa
Lombardy Poplar
Cerasus Mahaleb, or Perfumed Cherry
Deutzias, *Spireas*, and *Buddleias*
Snowballs and *Lilacs*
Venetian Sumach, or Fringe tree
Northern Weeping Elm
Laburnum, or Yellow Pea Tree
English Hawthorns
Kentucky Coffee Tree
Texas Wild China Tree

Mountain Ash, or Rowan Tree of Scotland
Varnish Tree
Wisteria consequana, or Chinese Cornucopia
Glycine frutescens
Forsythia viridissima
*Paeonia*s Several varieties of blush, rose, pure white, and other colors, very double, and some of them quite fragrant
Amaryllis, in variety
Crinum amabile
Tuberose
Double Blue Neapolitan Violets
Single Blue Violets
Phloxes, a splendid collection of varied kinds
*Verbena*s
Asparagus, Grayson's Purple Giant

Cuttings of Various Plants

Basket Willow
Cherokee rose
Crataegus pyrancantha

Montgomery Nurseries

Montgomery, Alabama, 1860

Ornamental trees and shrubs listed in "Montgomery Nurseries"
(aka. Wilson's Nursery) 1860 catalogue. Compiled and submitted by George R. Stritikus.

As listed in the catalogue:

Cape Jessamine	Gardenia
Dwarf Cape Jessamine	Gardenia radicans?
Dwarf Box	Dwarf English Boxwood
Monthly Honeysuckle	
Japan Honeysuckle	Common Honeysuckle
Chinese Glycine	Wisteria frutescens
Yellow Jessamine	Carolina Jessamine
White Jessamine	
Double Flowering Apple	
Double Flowering Peach	
Double Flowering Almond	
Lylacks, white and lavender	Lilac
Double Flowering Raspberry	Easter Rose, Rubus coronarius, Brier rose
Althea	Shrub Althea, Rose of Sharon
Lagerstroemia	Crapemyrtle
Saringa	Mock Orange, Philadelphus
Sweet Shrub	
Yellow Woodbine	(Honeysuckle)L. periclymenum? aurea
Red Woodbine	(Honeysuckle?) L. periclymenum?
Spyreas	Spireas
Hyacinths	French Roman
Chrysanthemums	
Geraniums	
Osier-true basket willow	Salix viminalis?
Roses	
9 Chinas	
13 Teas	
7 Noisettes	
4 Bourbons	
7 Moss,	
75 Hybrid Perpetuals	
16 Misc. [including Lady Banks yellow & white]	

Langdon Nursery

Mobile, Alabama

1873-1874 ROSE LIST

The following are roses listed in the 1873-1874 Langdon Nursery catalog. Formerly known as Vineland Nursery, Langdon Nursery was one of the largest nursery in the southern central states in the mid-19th century. The roses are grouped and spelled as in the catalog. Langdon Nursery listed a total of 200 varieties for sale. Compiled and submitted by George R. Stritikus

Hybrid Perpetual Roses : (total of 126 varieties)

Abbe Girandier
Louis Bonaparte
Alba carnea
Louise Darzans
Alpaide de Rotalier
Madame Boll
" Boutin
" Barny
" Charles Grapelet
" Wood
" Fremion
" Le Francois
" Moreau
" Rivers
" Rousset
" Rival
" Rothschild
" Victor Verdier
Alphonse Belin
Anna Alexieff
Ardoise de Lyons
Auguste Mie
Aurorea du Matin
Aurorea Boreale
Baronne Adolphe de Rothschild
" Haussmann
" Hallez
" de Rothschild
" Prevost
Beauty de Royhem
Belle Normande
M'lle Annie Wood
" Elenor Grier
" Jeannie Marin
Bertha Baron

Blanche Lafitte
" de Meru
Maria Boisse
Boule de Neige
Marguerite de St. Armand
Cardinal Patrizzi
Marquise de Bocella
Caroline de Sansal
Marechal Vaillant
" Suchet
Charles Le Febvre
Crystal Palace
Maurice Bernardin
Charles Verdier
Monte Christo
Clementine Duval
Mons. de Montigny
" Boncenne
Col. de Rougemont
Compte de Nanteviell
Oliver Delhomme
Comice de Marseilles
Oriflamme de St. Louis
Coquette des Alps
Paeonia
Doctor Arnal
Panache D'Orleans
Duc de Cases
Paul Verdier
Duchess de Magenta
Pius IX
" of Norfolk
Pierre Notting
Duke of Edinburgh
Prince of Moscow
" of Wales
" Noir
" Camille de Rohan
Eugene Verdier
Felix Genero
Fisher Holmes
Gen. Changarnier
Princesse Mathilde
" Jacqueminot
Professor Duchartier
" Simpson
" Washington
" du Midi
" des Violettes
Queen Victoria

Reine Blanche
George Prince
Giant of Battles
Gloire de Montplaiser
" de Santenay
Senateur Vaisse
" de Charles Montault
" de Wm. Wood
Souvenir du Comte Cavour
Gustave Coraux
Ipswich Gem
Jean Touvais
" Goujon
" Lambert
Standard of Marengo
Susanna Wood
Sydonia
Jeanne Guillot
Thorin
Joasine Hanet
Thyra Hammerich
John Hopper
Triomphe des Beaux Arts
" de Paris
Jules Margottin
La France
Vainqueur de Goliath
La Reine
Victoire D'Austerlitz
L'enfant de Mt. Carmel
Victor Trouillard
Leopold Premier
Victor Verdier
Lion des Combats
Vulcan
Lord Clyde
William Jesse
Lord Raglan
Xavier Olibo

Bourbon Roses:
(total of 11 varieties)

Appoline
Hermosa
" Climbing
Imperatrice Eugenie
Julius Cesar
Madame de Stella
Monsieur Jard

Peerless
Prince de Salm
Rev. H. Dombrain
Souv. de Malmaison

Noisette Roses:
(Total of 18 varieties)

America
Beauty of Greenmount
Caroline Marniese
Celine Forestier
Champney's Pink Cluster
Euphrosine
Fellenburg
Fortune's Yellow
Gem of the Prairies
Jaun Desprez
Lamarque
Madame Des Longchamps
M'ilie Aristide
" Ausline
Miss Glegg
Ophire
Solfaterre
Washington

Tea Roses:
(Total of 22 varieties)

Archimede
Bella
Bon Silene
Bougere
Caroline
Canoni
Comtesse Ouwaroff
Devoniensis, Climbing
Gigantesque
Girard Desbois
Gloire de Bordeau
Homer
Isabella Sprunt
Jean Pernet
La Pactole
La Sylphide
Madame Charles
" Damaizin
Marechal Neil
Safrano

Souv. D'un Ami
Triomphe de Luxenborg

China Roses:
(Total of 9 varieties)

Arch Duke Charles
Beauharnais
Cels
Daily Pink
Jacksonii
Laurenciana
Lucullus
President D'Olbecque
Rival D'Pastum

Perpetual Moss Roses:
(Total of 9 varieties)

Eugene de Savoie
General Drout
James Veitch
Madame Edouard Ory
Ma Punctua
Perpetual White
Raphael
Salet
Unique

Miscellaneous Roses:
(Total of 5 varieties)

Banksia, White
" Yellow
Queen of the Prairies
Madame Plantier
Persian Yellow

Fruits, Flowers And Vegetables

Mrs. Mary S. Patterson Gardening Journal, 1879-1884
Caldwell County, North Carolina

The following are lists of fruits, flowers and vegetables from the gardening journal of Mrs. Mary S. Patterson, Caldwell County, North Carolina. The journal located at the North Carolina State Archives in the Private Manuscript collection. Compiled and submitted by

Plant Variety (if given)

Asparagus	Colossal
Beans	Canadian Wonder, Dwarf Golden Wax, Early Valentine, German Wax, Golden Wax
Beet	Egyptian Turnip
Cabbage	Jersey Wakefield, Fo[illegible]ter's Brunswick, Flat Dutch, American Savoy, Large York, Excelsior
Carrots	
Citron melons	
Cucumber	
Gooseberry	
Grape	Concord, Catawba, Isabella
Lettuce	
Lima Beans	
Muskmelon	Casaba, Skillman's netted
Mustard	
Okra	
Onion	New Queen, Neapoliton, Margajola, Yellow Strawberry
Pears	dwarf, Bartlett, Napoleon, Duchess, Seckel
Peas	Hancock, Champion of England, Telegraph, American Wonder
Pepper	Sweet Mountain
Potato	Irish - Early Rose, Beauty of Hebron, White Elephant
Potato	Sweet
Radish	White Olive, Scarlet Button
Raspberries	
Salsify	
Strawberry	Belmont
Swiss Chard	
Tomato	Trophy, Hathaway, Canada Victor, Conqueror, Green Sage, Paragon, Golden Trophy, Acme, Livingston's Favorite
Turnip	Philadelphia Early
Watermelon	Mountain Sweet, Peerless, Orange

List of flowers mentioned in gardening journal of Mrs. Mary S. Patterson, Caldwell Co., N. C [NC State Archives, Private Manuscript collection]

Verbena
Salvia
Lavender
Petunia
Cobea
Singel Dahlia
Rose - Cels, Mlle Austine, Laurette, Bon Tilen
Zinnia
Marigold
Sun Flower - double, single
Batchelor Buttons
Poppy
Summer Chrysanthemum
Stock

The following list was found in the back of the journal:

Names of Apple Trees in new orchard

The following were planted December 1879

Limbertwig (12)
Shockley (9)
Wine Sap (5)
Edwards (2)
Roper (2)
Buckingham (1 2)
Grogg, (1 2)
Grimes Golden (3)
Tuttle (2)
Raciebo (3)
Red Graft (4)
Bank (3)
Early Harvest (5)
Red June (5)
Yellow May (5)
"Fort" ([illegible] & cheese) (1)
"Sau[illegible]" (seedling) (1)

The following were planted February, 1882

Golden Winter (12)
Boldwine (12)
Nausimond Beauty (6)
Red Astrachan (6)
Early Red Streak (6)
Horse (3)
Magnum Bonum (6)
Simmons (6)

Included loosely in back of book are charts indicating tree locations in the orchards tat include the following.

Listing of apple grafts made in 1884

Father Abraham

Tender A/[illegible]

Turkey Egg

Clarke

Horse

Spice

Tender cheese

Tender Red

Rhode Island Greening

Spice

Tender cheese

Tender Red

Rhode Island Greening

List of roses in the garden of Lavinia C. Roberts.

From photocopy of partial list found in booklet entitled, *List of Flowers. 1885*, belonging to F. C. Roberts of New Bern, NC. [Location of original booklet currently unknown.] Submitted by Perry Matthews, Tyron Palace, New Bern, North Carolina. The list has been alphabetized.

- Rosa "A. Christople", apricot; P.H.;
Rosa "Agrippina", crimson; P.H.; [*Cramoisi Superieur*, China, 1832]
Rosa "Baroness Rothshild", light Rose; R.S.; [HP, 1868]
Rosa "Beauty of Stapleford", pink; R.S.; [HTea, 1879]
Rosa "Bella" (2), white; P.H.
Rosa "Bon Silene", carmine; P.H.; [Tea, 1839]
Rosa "Bourbon Queen" (2), rose; P.H.; [Bourbon, 1834]
Rosa "Camoens", salmon shaded with [illegible]; P.H.; [HTea, 1881]
Rosa "Canary" (2), yellow; P.H.; [Tea, 1852]
Rosa "Catherine Mermet", flesh; E.H.; [Tea, 1869]
Rosa "Charles Roval" (2), carmine; P.H.; [Tea, 1876]
Rosa "Climb. Jules Margotten", pink; R.S.; [HP, 1853]
Rosa "Cloth of Gold", yellow; P.H.; [Noisette, 1843]
Rosa "Comtesse de Casenta", dark purp crimson; P.H.; [Tea, 1877]
Rosa "Comtesse de la Barthe", pink
Rosa "Comtesse Riza du Parc", copper rose; R.S.; [Tea, 1876]
Rosa "Comtesse Riza du Parc", crimson; P.H.; [Tea, 1876]
Rosa "Cornelia Cook" (2), white; P.H.; [*Cornelia Koch*, Tea, 1855]
Rosa "Crown Prince", purp. Crimson; R.S.; [HP, 1880]
Rosa "Devoniensis" (2), creamy white; P.H.; [Tea, 1838]
Rosa "Devoniensis", [illegible]; R.S.; [Tea, 1838]
Rosa "Douglas" (2), crimson; P.H.; [China, 1848]
Rosa "Duchesse de Brabant", rose; E.H.; [Tea, 1857]
Rosa "Duchesse of Edinburgh" (2), crimson; P.H.; [Tea, 1874]
Rosa "Empress of India", dark crimson; E.H.
Rosa "Etoile de Lyon" (2), sulph yellow; R.S.; [Tea, 1881]
Rosa "Eugene Furst", crim scarlet; R.S.; [HP, 1875]
Rosa "Fisher Holmes", red scarlet; E.H.; [HP, 1865]
Rosa "Gen. Jacqueminot", scarlet; R.S.; [HP, 1853]
Rosa "Ingrocente Pirola" (2), white; P.H.
Rosa "Isabella Sprunt", can. yellow; R.S.; [Tea, 1845]
Rosa "Isabella Sprunt", yellow; E.H.; [Tea, 1845]
Rosa "James Sprunt", crimson; E.H.
Rosa "Jean Pernet", sulph. Yellow; P.H.
Rosa "Jules Finger", rosy scarlet; R.S.; [Tea, 1879]
Rosa "La France", salmon shade rose; P.H.; [HTea, 1867]
Rosa "La Jonquille", gold. yellow
Rosa "La Nankeen", [illegible] yellow; R.S.; [*Le Nankin*, Tea, 1871]
Rosa "Lady Warrender", pure white; E.H.
Rosa "Le Pactol" (2), sulp yellow; R.S.; [*Le Pactole*, Tea, 1845]
Rosa "Lettie Coles", pink; P.H.; [*Letty Coles*, Tea, 1876]
Rosa "Louis van Houtte", [illegible] crimson; R.S.; [HP, before 1866]
Rosa "M. Roda" (2), yellow; P.H.
Rosa "Mad Caroline Kuster" (2), osage yellow; R.S.
Rosa "Mad Lambard", salmon pink; R.S.; [*Mme. Lombard*, Tea, 1878]
Rosa "Mad. Camille", rose flesh; R.S.; [Tea, 1871]
Rosa "Mad. Ched Guinoisseau", yel.; R.S.; [*Mme. Chedane-Guinoiseau*, Tea, 1880]
Rosa "Mad. de St. Joseph", [illegible]; E.H.; [Tea]

Rosa "Mad. Isaac Perire", carmine; R.S.; [*Mme Isaac Pereire*, Bourbon, 1881] Rosa "Blanche Moreau", white moss; R.S.; [Moss, 1880]
Rosa "Mad. Jos. Schwartz", white; R.S.; [*Mme. Joseph Schwartz*, Tea, 1880]
Rosa "Mad. Margotten", yellow; R.S.; [*Mme Margottin*, Tea, 1866]
Rosa "Mad. Sophie Probst", pale Sat Rose; R.S.;
Rosa "Magna Charta", pink; E.H.; [HP, 1876]
Rosa "Marechal Neil", golden yellow; R.S.; [Noisette, 1864]
Rosa "Maria Durcher", salmon; E.H.
Rosa "Marie Bauman", crimson; R.S.; [*Marie Baumann*, HP, 1863]
Rosa "Marie Guillot", white; R.S.; [Tea, 1874]
Rosa "Marie van Houtte", white yellow; R.S.; [Tea, 1871]
Rosa "Marshall Robert" (2), canary yellow; P.H.
Rosa "Michael Sanders", pink; E.H.; [HTea, 1879]
Rosa "Mine Welch", apr. yellow shade darker red; P.H.; [Tea, 1878]
Rosa "Mine. Berard", deep carmine; P.H.; [Tea, 1872]
Rosa "Mine. Camille" (4), Flesh; P.H.; [Tea, 1871]
Rosa "Mine. Falcot" (2), Buff; P.H.; [Tea, 1858]
Rosa "Mine. Rachel", white; P.H.
Rosa "Niphotos", pure white; P.H.; [Tea, 1843]
Rosa "Niphotos", pure white; R.S.; [Tea, 1843]
Rosa "Nuiss Edith Gifford", ivory white; P.H.
Rosa "Paul Neyron", pale Rose; R.S.; [HP, 1869]
Rosa "Perfection des Blanches", white ting Pink; R.S.; [Noisette, 1873]
Rosa "Perle de Lyon", deep yellow; E.H.; [Tea, 1872]
Rosa "Perle des Jardins", can. yellow; R.S.; [Tea, 1874]
Rosa "Polyantha Mignonette", rose; R.S.; [Pol, 1880]
Rosa "Princess Vera", cream white; E.H.
Rosa "Queen's Scarlet" (2), scarlet; R.S.; [China, 1880]
Rosa "Red Malmaison", deep carmine; P.H.; [Bourbon, 1846]
Rosa "Safrano", apricot yellow; P.H.; [Tea, 1839]
Rosa "Souv d'un amie", rosy [*illegible*]; R.S.; [Tea, 1846]
Rosa "Souv. de St. Pierre", purple crimson; P.H.
Rosa "Sunset", saffron & orange; P.H.; [Tea, 1883]
Rosa "Ulrich Bruner", carm. Rose; R.S.; [*Ulrich Brunner Fils*, HP, 1881]
Rosa "White Bon Silene" (2), P.H.

Catherine Cole's Seed, Bulb and Plant Order

List of seeds, bulbs and plants ordered by Miss Mary Catherine Cole in March, 1890. Found in her *Accounts & Memo book, 1890-1899*. From the Cole-Taylor papers, Southern Historical Collection, University of North Carolina-Chapel Hill. Submitted by Perry Matthews, Tryon Palace, New Bern, NC.

Name as Ordered

Achillea alba
Aquilegia Double
Bell flower
Browallia
California poppy
Calliopsis New Double
Calochortus bulbs
Camassia esculenta
Casaba muskmelon
Centranthus
Chrysanthemum, Ostrich plume
Collomia, Red
Cornflower
Cosmos large flowers, pure white
Cosmos, all colors Hybrids
Currant Crandall Tree
Currant Fay's prolific
Cynoglossum white
Daisy
Delphinium
Dianthus
Dipper gourd
Feverfew Little Belk, white
Feverfew, Little Fred, yellow
Freesia
Fritillaria meleagris
Gourds
Helleborus niger
Hugelia coeruleae
Juneberry, Improved Dwarf
Larkspur
Larkspur, yellow
Lily of the valley, Pink
Lychnis, Burning star, all colors mixed
Lychnis, perennial, mixed
Malope
Marguerite carnations
Mignonette, five varieties
Mockorange
Peanut, early sweet
Pear, Melon
Pear, New Japan
Phlox

Phloxes, Giant perennial
Platycodon grandiflora
Plum, Abundance
Plum, New Japan
Plum, Spaulding
Polygonum
Pyrethrum
Snowball
Star verbena
Sweet pea
Sweet William (single, double)
Torrenia
Trifoliate Orange
Wahlenbergia
Wineberry, Child's Great Japanese
Yucca

Chase Nursery

Chase, Alabama

A list of rose varieties in the
1909 Wholesale Nursery Catalog

The following is a list of rose varieties that appear in the 1909 wholesale nursery catalogue of Chase Nursery, Chase, Alabama. Seven roses are listed in the catalogue as being grown in great quantity- Baltimore Belle, Crimson Rambler, Dorothy Perkins, Empress of China, Madame Plantier, Queen of the Prairie, and Wichuraiana. The catalog lists 45 roses and is in the library of the Birmingham Botanical Garden. Compiled and submitted by George R. Stritikus.

SPECIES ROSES

Rosa blanda
Rosa lucida
Rosa virginiana
Rosa wichuraiana

VARIETIES

Balduin
Baltimore Belle
Boule de Neige
Cherokee
Coquette des Alpes
Crimson Rambler
Dorothy Perkins
Duc de Rohan
Empress of China
Frau Karl Druschi
Freiherr von Marschall
Gruss an Teplitz
Helen Gould
Henri Martin
Hermosa
Hugh Watson
Jacqueminot
John Hopper
Lady Gay
Madame Caroline Testout
Madame Plantier
Magna Carta
Maman Cochet, Pink
Maman Cochet, White
Marechal Niel
Marshall P. Wilder
Meadow Rose
Meteor
Mrs. B. R. Cant
Paul Neyron

Philadelphia Rambler
Pink Rambler
Prairie Queen
Prince Camille de Rohan
Princess Alexandria
Queen of the Prairie
Reine Marie Henriette
Snow Queen
Souvenir de Pierre Notting
Thalia
Ulrich Brunner Fils
White Rambler
William Notting
William R. Smith
Yellow Cochet

Rosemont Gardens Montgomery, Alabama

A list of rose varieties in a 1921 Catalog

These roses are listed in a catalogue from Rosemont Gardens, in Montgomery and is dated 1921. There are 50 roses listed in alphabetical order. This firm is still in business today but as a retail and wholesale concern only. It is one of the cities oldest, being founded by the Patterson family in the late 1800's. They were the largest producers of greenhouse roses in the southeast, back in the 1950s. Compiled and Submitted by George R. Stritikus.

VARIETIES OF ROSES

American Beauty
American beauty, Climbing
Baby Rambler
Baby Rambler, Pink
Balduin
Bessie Brown
Bougere
Bride
Bridesmaid
Bridesmaid, Climbing
Cecile Brunner
Celia
Columbia
Dinsmore
Dutchess de Brabant
Etoile de France
Etoile de Lyon
Gainesborough
General Robert E, Lee
Golden Gate
Hadley
Helen Gould
Hoosier Beauty
Ivory
J. B. Clark
Jonkheer J. L. Mock
Kaiserin Augusta Victoria
Killarney, White
La France
Lady Hillingdon
Madame Lombard
Madame Segond Weber
Mademoiselle Charles Wood
Magna Carta
Maman Cochet, White
Mareshal Neil
Milady
Mrs. Aaron Ward
Mrs. Arthur Robert Waddell
Mrs. B. R. Cant
Ophelia
Paul Neyron

President Cleveland, Climbing
R. M. Henriette
Radiance
Radiance, Red
Richmond
Ruth Vestal
Souvenir D'Malmaison
Souvenir du President Carnot
Sunburst
Sweetheart Rose
Wellesley
William R. Smith

Dumbarton Oaks

Beatrix Farrand designed the Dumbarton Oaks Garden, located in the Georgetown Section of Washington, DC, between 1921 and 1947 for client Mildred Barnes Bliss. Dumbarton Oaks is one to the nation's finest surviving gardens of the Country House Era. The present garden, consisting of all the original formal spaces and some of the naturalistic portions, was given to Harvard University in 1941.

In 1941 Beatrix Farrand wrote her *Plant Book* that outlined her design philosophy for the gardens and included a detailed plant list for each section of the garden. 1980 the Trustees for Harvard, Dumbarton Oaks, published *Beatrix Farrand's Plant Book for Dumbarton Oaks*, edited by Diane Kostial McGuire. The following is compiled from that publication.

<i>Specified Botanical Name</i> <i>[Modern Botanical]</i>	<i>Common Name</i>
<i>Abelia grandiflora</i>	Glossy abelia
<i>Acanthopanax pentaphyllus</i> [<i>A. sieboldianus</i>]	Five-leaved aralia
<i>Acer negundo</i>	Box elder
<i>Acer palmatum</i>	Japanese maple
<i>Acer platanoides</i>	Norway maple
<i>Acer rubrum</i>	Red maple
<i>Acer saccharinum</i> [<i>A. dasycarpum</i>]	Silver maple
<i>Acer saccharinum</i>	Silver maple
<i>Aconitum</i> sp.	Aconite
<i>Actaea rubra</i>	Snakeberry
<i>Aesculus hippocastanum</i>	Common horse chestnut
<i>Aesculus parviflora</i>	Bottlebrush buckeye
<i>Ailanthus glandulosa</i> [<i>A. altissima</i>]	Tree-of-heaven
<i>Akebia quinata</i>	Five-leaf akebia
<i>Alcea 'Brilliant Mixture'</i>	Hollyhock
<i>Althaea rosea</i> [<i>Alcea rosea</i>]	Hollyhock
<i>Ampelopsis engelmannii</i> [<i>Parthenocissus quinquefolia</i>]	Woodbine
<i>Ampelopsis heterophylla</i> [<i>A. brevipedunculata maximowiczii</i>]	Porcelain ampelopsis
<i>Ampelopsis lowii</i> [<i>Parthenocissus tricuspidata</i> 'L.]	Boston ivy
<i>Ampelopsis quinquefolia</i> [<i>Parthenocissus q.</i>]	Woodbine
<i>Ampelopsis quinquefolia</i> 'Engelmannii' [<i>Parthenocissus q.</i> 'E.]	Woodbine
<i>Ampelopsis tricuspidata</i> [<i>Parthenocissus t.</i>]	Boston ivy
<i>Ampelopsis veitchii</i> [<i>Parthenocissus tricuspidata</i> 'V.]	Boston ivy
<i>Anchusa 'Sutton's Royal Blue'</i>	
<i>Aquilegia</i> sp.	Columbine
<i>Artemesia</i> sp.	Wormwood
<i>Aucuba japonica</i>	Japanese aucuba

<i>Azalea arborescens</i>	Sweet azalea
[<i>Rhododendron arborescens</i>]	
<i>Azalea indica</i>	Macranthum azalea
[<i>Rhododendron indicum</i>]	
<i>Azalea indica alba</i>	Snow azalea
[<i>Rhododendron mucronatum</i>]	
<i>Azalea nudiflora</i>	Purple honeysuckle
[<i>Rhododendron periclymenoides</i>]	
<i>Bambusa</i> sp.	Bamboo
<i>Baptisia tinctoria</i>	Wild indigo
<i>Benzoin aestivale</i>	Spicebush
[<i>Lindera benzoin</i>]	
<i>Berberis Argentina</i>	Sargent barberry
<i>Berberis darwinii</i>	Darwin's barberry
<i>Berberis julianae</i>	Wintergreen barberry
<i>Berberis sargentiana</i>	Sargent barberry
<i>Berberis thunbergii</i>	Japanese barberry
<i>Berberis verruculosa</i>	Warty barberry
<i>Berberis vulgaris</i>	Common barberry
<i>Bignonia</i> sp.	Trumpet vine
<i>Buddleia</i> sp.	Butterfly bush
<i>Buxus sempervirens</i>	Common box
<i>Buxus sempervirens</i> 'Suffruticosa'	Edging box
<i>Callicarpa purpurea</i>	Chinese beautyberry
[<i>C. dichotoma</i>]	
<i>Calluna vulgaris</i>	Heather
<i>Calycanthus floridus</i>	Carolina allspice
<i>Castanea dentata</i>	American chestnut
<i>Cedrus atlantica</i>	Atlas cedar
<i>Cedrus deodara</i>	Deodar cedar
<i>Cedrus libanotica</i>	Cedar-of-Lebanon
[<i>C. libani</i>]	
<i>Celtis occidentalis</i>	Hackberry
<i>Cerastium</i> sp.	Mouse-ear chickweed
<i>Cercidiphyllum japonicum</i>	Katsura tree
<i>Cercis canadensis</i>	Redbud
<i>Chaenomeles japonica</i>	Japanese quince
<i>Chaenomeles sinensis</i>	Chinese quince
[<i>Cydonia sinensis</i>]	
<i>Cheiranthus</i> 'Cloth of Gold'	Wallflower
<i>Cheiranthus</i> 'Blood Red'	Wallflower
<i>Chionanthus virginicus</i>	Fringe tree
<i>Chionodoxa</i> sp.	Glory-of-the-snow
<i>Chrysanthemum</i> sp.	Chrysanthemum
<i>Chrysanthemum</i> sp.	Chrysanthemum [Korean hybrid]
<i>Chrysanthemum superbum</i>	Shasta daisy
<i>Citrus trifoliata</i>	Trifoliate orange
[<i>Poncirus trifoliata</i>]	
<i>Clematis</i> 'Mrs. Brydon'	Mrs. Brydon clematis
<i>Clematis grata</i>	
<i>Clematis henryi</i>	Henry clematis
<i>Clematis jackmanii</i>	
<i>Clematis montana rubens</i>	Jackman clematis
[<i>C. m. 'Undulata' r.</i>]	
<i>Clematis paniculata</i>	Autumn-flowering clematis
<i>Clematis texensis</i>	Scarlet clematis

<i>Clematis virginiana</i>	Virgin's bower
<i>Convallaria majalis</i>	Lily-of-the-valley
<i>Cornus florida</i>	Flowering dogwood
<i>Cornus kousa</i>	Kousa dogwood
<i>Cornus mas</i>	Cornelian cherry
<i>Cornus sp.</i>	Dogwood
<i>Cotoneaster dielsianus</i>	Diels' cotoneaster
<i>Cotoneaster horizontalis</i>	Rock cotoneaster
<i>Crataegus cordata</i> [<i>C. phaeopyrum</i>]	Washington thorn
<i>Crataegus monogyna</i>	English hawthorn
<i>Crataegus sp.</i>	Hawthorn
<i>Crocus sp.</i>	Crocus
<i>Cydonia japonica</i> [<i>C. japonica</i>]	Japanese quince
<i>Cydonia sinensis</i>	Chinese quince
<i>Cydonia vulgaris</i> [<i>C. oblonga</i>]	Common quince
<i>Cytisus albus</i>	Portuguese broom
<i>Cytisus sp.</i>	Broom
<i>Deutzia gracilis</i>	Slender deutzia
<i>Deutzia lemoinei</i>	Lemoine deutzia
<i>Deutzia scabra</i>	Fuzzy deutzia
<i>Deutzia sp.</i>	Deutzia
<i>Dianthus barbatus 'Pink Beauty'</i>	Sweet William
<i>Dimorphotheca aurantiaca</i>	Cape marigold
<i>Diospyros virginiana</i>	Common persimmon
<i>Elaeagnus angustifolia</i>	Russian olive
<i>Elaeagnus pungens</i>	Thorny eleagnus
<i>Elaeagnus sp.</i>	Eleagnus
<i>Eranthis hyemalis</i>	Winter aconite
<i>Erythronium sp.</i>	Dog-tooth violet
<i>Eschscholzia 'Special Mixture'</i>	
<i>Euonymus alata</i>	Winged spindle tree
<i>Euonymus radicans</i> [<i>E. fortunei</i>]	Winter creeper
<i>Eupatorium coelestinum</i>	Hardy ageratum
<i>Exochorda racemosa</i>	Pearl bush
<i>Fagus americana</i> [<i>F. grandifolia</i>]	American beech
<i>Fagus ferruginea grandifolia</i> [<i>F. grandifolia</i>]	American beech
<i>Fagus grandifolia</i>	American beech
<i>Fagus sylvatica 'Purpurea'</i>	European purple-leaved beech
<i>Fagus sylvatica 'Purpurea Riversii'</i>	Rivers' purple-leaved beech
<i>Ficus sp.</i>	Fig
<i>Forsythia intermedia 'Spectabilis'</i>	Showy border forsythia
<i>Forsythia intermedia</i>	Border forsythia
<i>Forsythia sp.</i>	Forsythia
<i>Forsythia suspensa</i>	Weeping forsythia
<i>Fragaria chiloensis</i>	Beach strawberry
<i>Fraxinus sp.</i>	Ash
<i>Fritillaria sp.</i>	Guinea-hen flower
<i>Gaillardia 'Special Mixture'</i>	
<i>Galanthus nivalis</i>	Common snowdrop
<i>Galanthus sp.</i>	Snowdrop

<i>Gelsemium carolinianum</i>	Carolina yellow jasmine
[G. sempervirens]	
<i>Geum 'Lady Stratheden'</i>	
<i>Geum 'Mrs. Bradshaw'</i>	
<i>Ginkgo biloba</i>	Maidenhair tree
<i>Gleditsia triacanthos</i>	Honey locust
<i>Hamamelis virginiana</i>	American witch hazel
<i>Hedera helix</i>	English ivy
<i>Hedera helix 'Gracilis'</i>	Thin-leaved English ivy
<i>Hedera sp.</i>	Ivy
<i>Heliotropium sp.</i>	Heliotrope
<i>Helleborus sp.</i>	Hellebore
<i>Hemerocallis flava</i> [H. lilioasphodelus]	Yellow daylily
<i>Hemerocallis sp.</i>	Daylily
<i>Hepatica sp.</i>	Liverleaf
<i>Hibiscus syriacus rosea</i>	Pink Rose-of-Sharon
<i>Hibiscus syriacus</i>	Rose-of-Sharon
<i>Hicoria sp.</i> [Carya]	Hickory
<i>Hosta caerulea</i> [H. ventricosa]	Blue plantain lily
<i>Hosta sp.</i>	Plantain lily
<i>Hydrangea grandiflora</i> [H. paniculata 'Grandiflora']	Pegee hydrangea
<i>Hydrangea quercifolia</i>	Oakleaf hydrangea
<i>Hyssopus sp.</i>	Hyssop
<i>Ilex aquifolium</i>	English holly
<i>Ilex buxifolia</i> [I. crenata 'Buxifolia']	Box-leaved Japanese holly
<i>Ilex crenata</i>	Japanese holly
<i>Ilex crenata 'Fortunei'</i>	Japanese holly
[I. c. 'Latifolia']	
<i>Ilex crenata 'Macrophylla'</i>	Big-leaf Japanese holly
<i>Ilex fujisanensis</i> [I. pedunculosa]	
<i>Ilex glabra</i>	Inkberry
<i>Ilex microphylla</i> [I. crenata 'Microphylla']	Little-leaved Japanese holly
<i>Ilex opaca</i>	American holly
<i>Iris sp.</i>	Flag
<i>Jasminum floridum</i>	Flowering jasmine
<i>Jasminum grandiflorum</i>	Spanish jasmine
<i>Jasminum nudiflorum</i>	Winter jasmine
<i>Jasminum officinal</i>	Common white jasmine
<i>Jasminum sp.</i>	Jasmine
<i>Juglans nigra</i>	Black walnut
<i>Juglans regia</i>	Persian walnut
<i>Kalmia latifolia</i>	Mountain laurel
<i>Koelreuteria japonica</i> [K. paniculata]	Varnish tree
<i>Koelreuteria paniculata</i>	Varnish tree
<i>Kolkwitzia amabilis</i>	Beautybush
<i>Laburnum vulgare</i> [L. anagyroides]	Golden chain tree
<i>Lagerstroemia indica</i>	Crape myrtle

<i>Lagerstroemia indica</i> 'Alba'	White crape myrtle
<i>Lavandula</i> sp.	Lavender
<i>Leucothoe catesbeiae</i> [<i>L. fontanesiana</i>]	Drooping leucothoe
<i>Ligustrum amurense</i>	Amur privet
<i>Ligustrum californicum</i> [<i>L. ovalifolium</i>]	California privet
<i>Ligustrum japonicum</i>	Wax-leaf privet
<i>Ligustrum ovalifolium</i>	California privet
<i>Ligustrum regelianum</i> [<i>L. obtusifolium</i> r.]	Regel's privet
<i>Ligustrum vulgare</i>	Common privet
<i>Lilium</i> sp.	Lily
<i>Liriodendron tulipifera</i>	Tulip poplar
<i>Lonicera fragrantissima</i>	Winter honeysuckle
<i>Lonicera japonica</i>	Japanese honeysuckle
<i>Lonicera japonica</i> 'Halliana'	Hall's Japanese honeysuckle
<i>Lonicera maackii</i>	Bush honeysuckle
<i>Lonicera nitida</i>	Box honeysuckle
<i>Lonicera sempervirens</i>	Trumpet honeysuckle
<i>Lonicera</i> sp.	Honeysuckle
<i>Lonicera tatarica</i>	Tatarian honeysuckle
<i>Lycium halimifolium</i>	Common matrimony vine
<i>Maclura pomifera</i>	Osage orange
<i>Magnolia conspicua</i> [<i>M. heptapeta</i>]	Yulan magnolia
<i>Magnolia conspicua</i> denudata [<i>M. heptapeta</i>]	Yulan magnolia
<i>Magnolia glauca</i> [<i>M. virginiana</i>]	Sweet bay
<i>Magnolia grandiflora</i>	Southern magnolia
<i>Magnolia kobus</i>	Kobus magnolia
<i>Magnolia macrophylla</i>	Great-leaved magnolia
<i>Magnolia soulangiana</i>	Saucer magnolia
<i>Magnolia stellata</i>	Star magnolia
<i>Mahonia aquifolium</i>	Oregon grape
<i>Mahonia bealei</i>	Leatherleaf mahonia
<i>Malus angustifolia</i>	American crabapple
<i>Malus arnoldiana</i>	Arnold crabapple
<i>Malus atrosanguinea</i>	Car-mine crabapple
<i>Malus baccata</i>	Siberian crabapple
<i>Malus coronaria</i>	Sweet-scented crabapple
<i>Malus floribunda</i>	Showy crabapple
<i>Malus ioensis</i> 'Plena'	Bechtel's crabapple
<i>Malus sargentii</i>	Sargent crabapple
<i>Malus scheideckeri</i>	Scheidecker crabapple
<i>Malus</i> sp. 'Delicious'	Apple
<i>Malus</i> sp. 'Duchess'	Apple
<i>Malus</i> sp. 'Early red'	Apple
<i>Malus</i> sp. 'Williams'	Apple
<i>Malus</i> sp. 'Winesap'	Apple
<i>Malus</i> sp.	Crabapple
<i>Malus spectabilis</i>	Chinese flowering apple
<i>Matthiola incana</i> 'Annua'	Ten weeks stock(pink)
<i>Matthiola incana</i> 'Annua'	Ten weeks stock (pale mauve)
<i>Matthiola incana</i> 'Annua'	Ten weeks stock (white)
<i>Melissa</i> sp.	Balm

<i>Monarda</i> sp.	Wild bergamot
<i>Morus alba</i>	White mulberry
<i>Morus rubra</i>	American mulberry
<i>Muscari botryoides</i>	Grape hyacinth
<i>Myosotis scorpioides</i>	Forget-me-not
<i>Nandina domestica</i>	Heavenly bamboo
<i>Narcissus</i> sp.	Daffodil
<i>Nelumbo</i> sp.	Lotus
<i>Nepeta</i> sp.	Catmint
<i>Nicotiana</i> sp.	Tobacco-plant
<i>Ophiopogon</i> sp.	Lilyturf
<i>Osmanthus aquifolium</i> [<i>O. heterophyllum</i>]	Chinese holly
<i>Osmorhiza</i> sp.	Sweet cicely
<i>Ostrya virginiana</i>	Blue beech
<i>Oxalis</i> sp.	Wood sorrel
<i>Pachysandra</i> sp.	Pachysandra
<i>Pachysandra terminalis</i>	Japanese pachysandra
<i>Paeonia albiflora</i> [<i>P. lactiflora</i>]	Chinese peony
<i>Paeonia moutan</i> [<i>P. suffruticosa</i>]	Tree peony
<i>Paeonia</i> sp.	Peony
<i>Parthenocissus heterophylla</i>	Large-leaved woodbine
<i>Paulownia tomentosa</i>	Karri tree
<i>Pelargonium crispum</i>	Lemon-scented geranium
<i>Petunia 'Blue Bedder'</i>	Mock orange
<i>Philadelphus coronarius</i>	
<i>Philadelphus grandiflorus</i> [<i>P. inodorus grandiflorus</i>]	
<i>Phlox drummondii 'Sutton's Purity'</i>	Phlox
<i>Phlox drummondii 'Violet Beauty'</i>	Mountain phlox
<i>Phlox drummondii 'Blue Beauty'</i>	Norway spruce
<i>Phlox drummondii 'Pink Beauty'</i>	
<i>Phlox</i> sp.	Mountain andromeda
<i>Phlox subulata</i>	Japanese andromeda
<i>Picea excelsa</i> [<i>Picea abies</i>]	White pine
<i>Pieris floribunda</i>	Buttonwood
<i>Pieris japonica</i>	Balloon flower
<i>Pinus strobus</i>	Mayapple
<i>Platanus occidentalis</i>	Trifoliate orange
<i>Platycodon</i> sp.	Primrose
<i>Podophyllum peltatum</i>	Windsor cherry
<i>Poncirus trifoliata</i>	Wild plum
<i>Primula</i> sp.	Apricot
<i>Prunus 'Windsor'</i>	Bird cherry
<i>Prunus americana</i>	Cherry laurel
<i>Prunus armeniaca</i>	Sour cherry
<i>Prunus avium</i>	Common plum
<i>Prunus caroliniana</i>	Flowering almond
<i>Prunus cerasus</i>	Wild black cherry
<i>Prunus domestica</i>	Japanese flowering cherry
<i>Prunus glandulosa</i>	
<i>Prunus niedzwetzkyana</i>	
<i>Prunus serotina</i>	
<i>Prunus serrulata sachalinensis</i>	

<i>Prunus serrulata sachalinensis 'Kofugen'</i>	
<i>Prunus shidare 'Higan Zakura'</i> [<i>P. subhirtella 'Higan Zakura'</i>]	Flowering cherry
<i>Prunus shidare 'Kanzan Zakura'</i> [<i>P. subhirtella 'Kanzan Zakura'</i>]	Flowering cherry
<i>Prunus shidare 'Higan'</i> [<i>P. subhirtella 'Pendula'</i>]	Weeping spring cherry
<i>Prunus shigan</i>	Flowering cherry
<i>Prunus sp.</i>	Cherry
<i>Prunus subhirtella</i>	Higan cherry
<i>Prunus subhirtella 'Shidare-Higan-Zakura'</i>	Flowering cherry
<i>Prunus subhirtella 'Autumnalis'</i>	Autumn flowering cherry
<i>Prunus subhirtella 'Pendula'</i>	Weeping spring cherry
<i>Prunus yedoensis</i>	Yoshino cherry
<i>Pueraria lobata</i>	Kudzu vine
<i>Pulmonaria sp.</i>	Lungwort
<i>Pyracantha coccinea 'Lalandei'</i>	Leland's fire thorn
<i>Pyracantha coccinea</i>	Fire thorn
<i>Pyrus lecontei 'Kieffer'</i>	Kieffer pear
<i>Pyrus sp. 'Golden seckle'</i>	Pear
<i>Pyrus sp. 'Grimes'</i>	Pear
<i>Pyrus sp. 'Transcendent'</i>	Pear
<i>Quercus alba</i>	White oak
<i>Quercus palustris</i>	Pin oak
<i>Quercus prinus</i>	Chestnut oak
<i>Quercus rubra</i>	Red oak
<i>Quercus velutina</i>	Black oak
<i>Rhododendron maximum</i>	Rosebay
<i>Rhododendron mucronatum</i>	Snow azalea
<i>Rhus sp.</i>	Sumac
<i>Robinia pseudoacacia</i>	Black locust
<i>Rosa sp. 'Mlle. Cecile Brunner'</i>	Cecile Brunner rose
<i>Rosa sp. 'Silver moon'</i>	
<i>Rosa centifolia</i>	Cabbage rose
<i>Rosa eglanteria</i> [<i>R. rubiginosa</i>]	Eglantine rose
<i>Rosa foetida 'Persiana'</i>	Persian yellow rose
<i>Rosa harisonii</i>	Harison's yellow rose
<i>Rosa hugonis</i>	Father Hugo rose
<i>Rosa multiflora</i>	Baby rose
<i>Rosa rugosa</i>	Japanese rose
<i>Rosa sp.</i>	Climbing roses
<i>Rosa sp.</i>	Shrub rose
<i>Rosa sp. 'American Pillar'</i>	Rose
<i>Rosa sp. 'Ami Quinard'</i>	Rose
<i>Rosa sp. 'Ariel'</i>	Rose
<i>Rosa sp. 'Betty Uprichard'</i>	Rose
<i>Rosa sp. 'Betty'</i>	Rose
<i>Rosa sp. 'Cecil Brunner'</i>	Rose
<i>Rosa sp. 'Dainty Bess'</i>	Rose
<i>Rosa sp. 'Dr. W. Van Fleet'</i>	Rose
<i>Rosa sp. 'Duchess of Wellington'</i>	Rose
<i>Rosa sp. 'Ellipse'</i>	Rose
<i>Rosa sp. 'Etoile de Hollande'</i>	Rose
<i>Rosa sp. 'Federico Casas'</i>	Rose
<i>Rosa sp. 'Feu Pernet Ducher'</i>	Rose

<i>Rosa</i> sp. 'Firefly'	Rose
<i>Rosa</i> sp. 'Frau Karl Druschki'	Rose
<i>Rosa</i> sp. 'Golden Dawn'	Rose
<i>Rosa</i> sp. 'Gruss an Achen'	Rose
<i>Rosa</i> sp. 'Harry Kirk'	Rose
<i>Rosa</i> sp. 'Innocence'	Rose
<i>Rosa</i> sp. 'Irish Elegance'	Rose
<i>Rosa</i> sp. 'Kaiserin Auguste Victoria'	Rose
<i>Rosa</i> sp. 'Katharina Zeimet'	Rose
<i>Rosa</i> sp. 'Killarney Double White'	Rose
<i>Rosa</i> sp. 'Killarney Queen'	Rose
<i>Rosa</i> sp. 'Lady Alice Stanley'	Rose
<i>Rosa</i> sp. 'Marie Adelaide'	Rose
<i>Rosa</i> sp. 'Marie Pavic'	Rose
<i>Rosa</i> sp. 'Marie van Houtte'	Rose
<i>Rosa</i> sp. 'Mermaid'	Rose
<i>Rosa</i> sp. 'Mme. Butterfly'	Rose
<i>Rosa</i> sp. 'Mme. Cochet-Cochet'	Rose
<i>Rosa</i> sp. 'Mme. Gregoire Staechelin'	Rose
<i>Rosa</i> sp. 'Mrs. E. C. Van Rossem'	Rose
<i>Rosa</i> sp. 'Mrs. Erskine Pembroke Thom'	Rose
<i>Rosa</i> sp. 'Mrs. Henry Morse'	Rose
<i>Rosa</i> sp. 'Mrs. Pierre S. du Pont'	Rose
<i>Rosa</i> sp. 'Peachblow'	Rose
<i>Rosa</i> sp. 'Red Radiance'	Rose
<i>Rosa</i> sp. 'Reveil Dijonnais'	Rose
<i>Rosa</i> sp. 'Roselandia'	Rose
<i>Rosa</i> sp. 'Silver Moon'	Rose
<i>Rosa</i> sp. 'Talisman'	Rose
<i>Rosa</i> sp. 'William Allen Richardson'	Rose
<i>Rosa spinosissima</i>	Scotch rose
<i>Rosa spinosissima altaica</i>	Altai rose
<i>Ruta</i> sp.	Rue
<i>Salix babylonica</i>	Weeping Willow
<i>Salix elegantissima</i> [<i>S. babylonica</i>]	Weeping willow
<i>Salix vitellina</i> [<i>S. alba vitellina</i>]	Golden willow
<i>Salvia pratensis</i>	Meadow clary
<i>Salvia</i> sp.	Sage
<i>Saponaria vaccaria</i> [<i>Vaccaria pyramidata</i>]	Dairy pink
<i>Scabiosa</i> 'Azure Fairy'	
<i>Sassafras</i> sp.	Sassafras
<i>Scabiosa</i> 'Black Prince'	
<i>Scabiosa</i> 'Cherry Red'	
<i>Scabiosa</i> sp.	Scabious
<i>Scilla campanulata</i> [<i>Endymion hispanicus</i>]	Spanish bluebell
<i>Scilla nutans</i> [<i>Endymion non-scriptus</i>]	English bluebell
<i>Scilla siberica</i>	Siberian squill
<i>Scilla</i> sp.	Squill
<i>Sophora japonica</i>	Japanese pagoda tree
<i>Spiraea anthony watereri</i>	Anthony Waterer spirea
<i>Spiraea douglasii</i>	Douglas spirea

<i>Spiraea prunifolia</i>	Bridal-wreath
<i>Spiraea thunbergii</i>	Thunberg spirea
<i>Spiraea vanhouttei</i>	Van Houtte spirea
<i>Statice sinuata</i>	'Royal Blue'
[<i>Limonium sinuatum</i>]	
<i>Statice sinuata</i>	'Yellow Bonduell'
[<i>Limonium sinuatum</i>]	
<i>Sternbergia</i> sp.	Sternbergia
<i>Styrax japonicus</i>	Japanese snowball
<i>Symporicarpos racemosus</i>	Snowberry
[<i>S. albus</i>]	
<i>Symporicarpos vulgaris</i>	Indian currant
[<i>S. orbiculatus</i>]	
<i>Syringa chinensis</i>	Chinese lilac
<i>Syringa pekinensis</i>	Pekin lilac
<i>Syringa persica</i>	Persian lilac
<i>Syringa persica 'Alba'</i>	White Persian lilac
<i>Syringa vulgaris</i>	Common lilac
<i>Tagetes 'Golden Gem'</i>	Marigold
<i>Taxus baccata</i>	English yew
<i>Taxus baccata 'Brevifolia'</i>	English yew
<i>Taxus baccata 'Fastigiata'</i>	Irish yew
[<i>T. b. 'Stricta'</i>]	
<i>Taxus baccata 'Gracilis Pendula'</i>	English yew
[<i>T. b. 'Pendula'</i>]	
<i>Taxus baccata 'Hibernica fastigiata'</i>	Irish yew
[<i>T. b. 'Stricta'</i>]	
<i>Taxus baccata 'Repandens'</i>	Spreading English yew
<i>Taxus cuspidata</i>	Japanese yew
<i>Taxus cuspidata 'Capitata'</i>	Upright Japanese yew
<i>Taxus gracilis</i>	English yew
[<i>T. baccata 'Pendula'</i>]	
<i>Taxus hibernica</i>	Irish yew
[<i>T. baccata 'Stricta'</i>]	
<i>Teucrium</i> sp.	Germander
<i>Thalictrum aquilegifolium</i>	Meadow rue
<i>Tilia cordata</i>	Small-leaved European linden
<i>Torreya taxifolia</i>	Stinking cedar
<i>Trillium</i> sp.	Trillium
<i>Triteleia</i> sp.	Triteleia
<i>Tsuga caroliniana</i>	Carolina hemlock
<i>Tulipa</i> sp.	Tulip
<i>Ulmus americana</i>	American elm
<i>Ulmus fulva</i>	Slippery elm
[<i>U. rubra</i>]	
<i>Ulmus parvifolia</i>	Chinese elm
<i>Vaccinium corymbosum</i>	Highbush blueberry
<i>Verbascum</i> sp.	Mullein
<i>Verbena</i> sp.	Vervain
<i>Veronica rupestris</i>	Prostrate veronica
[<i>V. prostrata</i>]	
<i>Viburnum burkwoodii</i>	Burkwood viburnum
<i>Viburnum carlesii</i>	Mayflower viburnum
<i>Viburnum dilatatum</i>	Linden viburnum
<i>Viburnum lentago</i>	Sweet Viburnum
<i>Viburnum opulus</i>	European cranberry bush

<i>Viburnum opulus</i> 'Sterile' [<i>V. opulus</i> 'Roseum']	Snowball bush
<i>Viburnum plicatum</i>	Japanese snowball
<i>Viburnum tomentosum</i> [<i>V. plicatum tomentosum</i>]	Doublefile viburnum
<i>Viburnum wrightii</i>	Leatherleaf viburnum
<i>Vinca minor</i>	Periwinkle
<i>Viola</i> sp.	Violet
<i>Vitex heterophylla</i> [<i>V. negundo</i> b.]	Chaste tree
<i>Vitus</i> sp.	Grapevine
<i>Weigela</i> sp.	Weigela
<i>Wisteria sinensis</i>	Chinese wistaria
<i>Wisteria sinensis</i> 'Alba'	White Chinese wistaria
<i>Wisteria sinensis</i> 'Purpurea'	Purple Chinese wistaria
<i>Zantedeschia aethiopica</i>	Common calla lily
<i>Zanthorhiza apifolia</i> [<i>X. simplicissima</i>]	Shrub yellow-root

Fraser Nurseries

Birmingham, Alabama

A list of rose varieties in the 1923 Catalog

These roses appear in the 1923 catalogue of Fraser Nurseries, a nursery in Birmingham, Alabama. Founded by Ollie Fraser, this firm had a long history specializing in roses. The catalogue lists 187 roses with a paragraph about each one and how well it performs in the Birmingham area. The catalog is in the library of the Birmingham Botanical Gardens. Compiled and submitted by George R. Stritikus.

VARIETIES

Aglaia
Alexander Hill Grey
Alida Lovett
American Beauty
American Beauty, White
American Legion
American Pillar
Amoena
Anemone
Anna de Diesbach
Anna Muller
Antoine Rivoire
Arthur Robert Waddell
Augustine Guinoisseau
Baby Doll
Baby Rambler
Balduin
Beauty of Stapleford
Bess Lovett
Bessie Brown
Bridesmaid
Brilliant Killarney
Camille de Rohan
Charles K. Douglas
Cherokee
Cherokee, Double
Cherokee, Pink
Chrissie MacKeller
Chromatella
Clio
Cloth of Gold
Clothilde Soupert
Colonel Oswald Fitzgerald
Colonel R. S. Williamson
Columbia
Conrad Ferdinand Meyer
Cornelia Koch
Countess of Gosford
Crimson Queen
Crusader
Dean Hole
Dorothy Perkins

Dorothy Perkins, Red
Dr. W. Van Fleet
Duc de Rihan
Duchess de Brabant
Duchess of Albany
Duchess of Wellington
E. Veyrat Hermanos
Ecarlate
Edward Mawley
Empress of China
Erna Teschendorff
Etincellant
Etoile de France
Etoile de Lyon
Excelsa
F. R. Patzer
Florence Forrester
Florence Haswell Veitch
Fortune's New Yellow Climber
Frances Scott Key
Frank W. Dunlop
Frau Karl Druschi
Freedom
Gainesborough
Gardenia
General Jacqueminot
General McArthur
General S. A. Janssen
General Tartas
George Elger
Georgeous
Gladys Holland
Gloire des Belges
Gloire Lyonnaise
Glory of Paris
Golden Gate
Golden Ophelia
Golden Spray
Goldfinch
Hadley
Helen Gould
Helen Paulson
Henrich Munch
Henrietta
Herzogin Marie Antoinette
Hiawatha
Hoosier Beauty
Jessie
Jonkheer J. L. Mock
Jules Grolez
Kaiserin Augusta Victoria
Katherina Zeimet
Killarney
Killarney, Brilliant
Killarney, Double Pink
Killarney, White

La Detroit
La France, white
Lady Ashtown
Lady Banks, White
Lady Banks, Yellow
Lady Battersea
Lady Gay
Laurent Carle
Legion
Leuchtfeuer
Los Angeles
Mabel Drew
Madame Abel Chateney
Madame Butterfly
Madame Caroline Testout
Madame Edouard Herriot
Madame Lombard
Madame Norbert Levavasseur
Madame Pierre Euler
Madame Plantier
Madame Segond Weber
Magna Carta
Maman Cochet, white
Maman Cochet, white
Mareschal Neil
Marie Lambert
Marie Van Houtte
Marshall P. Wilder
Meteor
Miss Cynthia Forde
Miss Wilmot
Mrs. Aaron Ward
Mrs. Bryce Allen
Mrs. Charles Bell
Mrs. Charles E. Russell
Mrs. George Sawyer
Mrs. H. D. M. Barton
Mrs. Henry Morse
My Maryland
National Emblem
Ophelia
Orleans Rose
P. L. Baudet
Paul Neyron
Paul's Scarlet
Pillar of Gold
Prairie Queen
Premier
President Taft
Queen of the Prairie
Queen's Scarlet
Radiance
Red Baby Rambler
Red Dorothy Perkins
Red Letter Day
Red Radiance

Reine Marie Henriette
Reve d'Or
Rhea Reid
Richmond
Safrano
Silver Moon
Snowflake
Sombreuil
Souvenir du President Carnot
Souvenir de Pierre Notting
Sunburst
Tausendschoen
Thousand Beauties
Tip Top
Tipperary
Ulrich Brunner Fils
Viscountess Folkestone
W. C. Gaunt
Wellesley
White Killarney
William Allen Richardson
William R. Smith
Winnie Davis
Yellow Cochet
Yellow Rambler
Yvonne Vacherot

List of Roses at Goodwood Plantation Tallahassee, Florida

Prior to and after 1931

Goodwood Plantation was initially constructed in the 1840s on land acquired by Hardy Croom of North Carolina - a relative of Isaac Croom of Magnolia Grove in Greensboro, Alabama. While en route to Florida to take up residence, he, his wife and their children perished in the sinking of their steamship. Bryan Croom, Hardy's brother, completed construction of the house and took up residence with his family.

The family of Croom's deceased sister-in-law sued Bryan for a portion of the estate he inherited from his brother. It was a complicated case that was not settled until 1857 when Bryan lost the case and had to sell Goodwood. It was purchased by Arvah Hopkins, whose family made it a popular center for Tallahassee society from 1857 to 1885. Unable to keep her family's finances afloat after the Civil War and the death of her husband, Mrs. Hopkins sold Goodwood in 1885 to an Englishman and his family. Dr. William Arrowsmith died within months after his relocation to Goodwood but his wife Elizabeth continued in the house another 25 years.

In 1911 she sold Goodwood to Mrs. Alexander (Fanny) Tiers, a wealthy widow related to the Fleischmann family, who had a plantation nearby. She never really spent that much time at Goodwood, but undertook extensive restoration of the house. The Goodwood seen today is largely due to her efforts.

In 1925, Senator William C. Hodges bought the estate, supposedly to acquire a certain bed upstairs that his wife wanted but which could not be gotten out of the room. Goodwood remained at the center of Tallahassee society and politics. Senator Hodges died in 1940 and his widow married Thomas Hood, himself a widower. After her death in 1978, Mr. Hood began a planned restoration of the estate as a public museum. To further his goal, he established a foundation, and upon his death in 1990, the Margaret E. Wilson Foundation assumed ownership.

Six years after the Senator took up residence, in 1931, he undertook a list of all the roses growing at the estate, those that he himself was probably planting and those that were already growing there. The fact that the list contains 19 roses prior to 1931 and 111 newly installed roses indicates the grounds were extensive and in some way the names were still connected to the bushes, either physically, or by oral tradition.

Although it has no author listed, it is most likely the work of Ms. Weej Broderson, rosarian at Goodwood.
This list was submitted by George R. Stritikus

Goodwood Roses - Prior to 1931 (19 varieties)

Archduke Charles
Bon Silene
Cecile Brunner
Clothilde Soupert
Cochet (Pink)
Columbia (Sport of Ophelia, Harkness, p.81)
Cornelia
Duchess de Brabant
Etoile de Hollande (HT, Welch)
Franciska Kruger
Frau Karl Druski
General Jacqueminot
Gruss Von Teplitz

Lady Hillingden (Tea, 1910)
Louis Phillippe
Malmaison
Marie Van Houtte
Mrs. Lombard
Mrs. B.R. Cant (B.R.)

Goodwood Roses - 1931

(111 varieties)

Mme Abel Chatenoy
Adele
Alex Hill Gray
Alice Stanley
American Beauty
Ann Muller
Augalus (Angelus?)
Birdie Blye
Betty (?) (Betty Prior, 1935 is too late.)
Briarcliffe
(The) Bride (Sport of Catherine Mermet, white, 1885, Tea,)
Bridesmaid (Sport of Catherine Mermet, pink, 1893)
Champion of the World
Charles de Cloisbouquet
Charles K. Douglas
Charles Dwyer (?)
Charmer
City of Little Rock
Cochet (Crimson)
Cochet (Red)
Cochet (White)
Cochet (White Mamay)
Cochet (Yellow)
Courtney Page (the Secretary of the National Rose Society in England 1919, discovered Mme Abel Chantenay, cl)
David Dodd
Duchess of Ablany
Duchess of Wellington
El Dorado
Elizabeth Rou(?)
Elzie Beckwith
Eo gans (Mrs. William C. ?)
Etoile de France
Etoile de Lyon
Foutarrelle
F W
G.A. Van Rosen
Gaiety
General Jansen
General McArthur
Hadley (HT, red, before 1929, Harkness, p.87)
Helen Ganbin (?)
Helen Gould
Hoosier Beauty

Isabella Sprunt (Tea, sport of Safrano, yellow, Keays)
J.R. Monk
J.W. Dunlop
Jeanette Hiller
Jenny Gildmont
K of K (HT, semi-double, scarlet, harkness, p.83)
Kaiserin Augusta Victoria (HT, white, 1891)
La Champagne
Lady Alice Stanley
Lady Astor
Lady Battersea
Lady Inchitrim (?)
LaFayette (Laffay?)
Little Rock
Luxembourg
Madam Butterfly (Sport of Ophelia, 1918)
Madam Jules Bouche (HT white, 1911)
Madam Weber
Margot McGredy (Margaret McG.?, 1927)
Mon. Edward Arminat
Mon. A. Ricardo
Moss Rose
Mrs. A.R. Waddell
Mrs. Aaron Ward
Mrs. Charles Bell (Early HT, sport of Radiance, Heritage Rose G.)
Mrs Henry Bowles
Mrs. Jules Grot. Boucho(?)
Mrs. Warren G. Leesom
Mrs. William C. Eagons
Mrs. Wilson=s Rose
My Maryland
Ophelia (HT, 1912,)
Padre
Papa Goutier (Gontier, sport of Bon Silene, pink w/ carmine red outside, Keays)
Paul=s Scarlett (? climber)
Pearle du Justin (des Jardins?)
Pharisaer (HT, light pink, 1903)
Premier (Sport of Ophelia)
President Taft
President Wilson
Prince Camille de Rohan (Gen. Jack. x Gen. de Bataille, deep crimson, Keays)
Prince de Rohan
R. Hugonis
Radiance (Pink)
Radiance (Red)
Radiance (Striped)
Rapture
Red Letter Day
Rev. Page Roberts
Rose Marie (Rose Marie Viand 1925 seedling of Vielchenblau)
Roteutoutain
S. de Claudia Permes (?) Souvenir de)
S. de P. Notting
Saus---(?)

Senator Mascarend
Sir Thomas Lipton
Sunburst
Tempnor
Therese Lambert
Tipperary
Tiptop (HP, 1'-3', Welch)
Vendiflora (R. chineusis Viridiflora, ? Green rose)
Victor (Victor Verdier?)
Wellesley
Wilhelm Kordes (Probably Catherine K. Wilhelm)
White Kilaney
Yvonne Vachinot

(Total of 130 varieties)